


703

DECT 703 MULTI BUTTON



- Digital D.E.C.T wireless intercom system for flats, apartments or shared gate entrances.
- Up to 4 call buttons, each button calling a different handset.
- Working range of 100 metres through concrete (up to 400 metres open field conditions).
- 1 handset per property or apartment.
- 2 relay outputs, suitable for vehicle and pedestrian gate control.
- Simple setup and install.
- Keypad option for coded access.
- All marine grade stainless steel hooded panel, manufactured from BS316 grade steel.
- Built in voicemail feature for missed callers, user can listen to messages on handset.
- 2 year manufacturers warranty.

DECT 703 MULTI BUTTON




| | |
|---------------------|--|
| POWER SUPPLY | 12v dc included |
| CURRENT CONSUMPTION | 50mA standby, 1 amp peak. |
| RELAY OUTPUTS | 2 |
| RELAY TIME | Adjustable, 1,3,5,9 secs. |
| RELAY LOAD | Max 2 amps, 24v ac. |
| TECHNOLOGY TYPE | Digital DECT |
| HANSETS PER SYSTEM | 4 |
| RANGE | Practical working range of 110 metres. 400 metres open field conditions |


| | |
|---|---|
| CABLE BETWEEN SPEECH UNIT & TRANSMITTER | 4 metre screened CAT5 included. |
| MAX CABLE LENGTH | 8 metres max |
| CABLE CORES | 2 x speaker, 2 x mic, 2 x button, 2 x relay, 2 x power. |
| SPEECH UNIT IP RATING | IP55 |
| TRANSMITTER IP RATING | IP65 |
| MANUFACTURE WARRANTY | 2 years return to base. |
| KEYPAD PROGRAMMING | On the keypad. |
| KEYPAD CODES | 1200 codes total |

DECT 703 MULTI BUTTON


Kits & Part numbers



703-HS2 – 2 button kit, with 2 handsets, hooded panel.




703-HS3 – 4 button kit, with 3 handsets (1 button spare), hooded panel.




703-HS4 – 4 button kit, with 4 handsets, hooded panel.

DECT 703 MULTI BUTTON


Kits & Part numbers



703-HSK2 – 2 button kit, with 2 handsets.



703-HSK3 – 3 button kit, with 3 handsets (4 button panel with one spare button).



703-HSK4 – 4 button kit, with 4 handsets.