

CELLOPENER-365



GSM ACCESS CONTROL

This GSM access control system allows up to 2000 registered users to operate any garage door / gate using their phone with no cost for the call to the user. This simple to use access control system uses a GSM SIM card that must be activated upon installation. Simply dial the associated phone number for the SIM Card from any phone or mobile-phone and the gate will open without any cost of a call to you. The CelloPener-365 also allows for an input contact to be used to trigger a SMS text message to a property manager letting them know that someone is at the gate or door.

In addition, the unit offers Weekly Timer and 365 Day Timer capability to offer maximum security and allow a property manager to prevent a gate or overhead door from opening on certain days and times such as national holidays or special events. The current date and time is automatically set via the GSM network so there is never a reason to ever make adjustments for daylight savings time.

All programming of the CelloPener-365 occurs using simple SMS text commands. This feature allows programming to be done remotely from anywhere in the world making life easy for maintenance, security and HR staffs that need to enable or disable an individual person's access to a site.



CELLOPENER-365

scan here for more
information



EMX Industries, Inc.

5660 Transportation Blvd, Garfield Heights, OH 44125

Phone: 800 426 9912

Fax: 216 518 9884

Sales Inquiries: salessupport@emxinc.com

Technical Support: technical@emxinc.com

www.emxinc.com

CELLOPENER-365

GSM ACCESS CONTROL

Manage up to 2,000 Users

Easily handle large user bases with the CellOpener-365's capacity for up to 2,000 programmable users.

Remote Control & Configuration

Efficiently manage and configure your access control system via mobile phone from anywhere using simple SMS commands.

Temporary User Access

Easily grant temporary access to visitors or contractors for a set duration, ensuring controlled and secure entry.

All-Inclusive Kit

The CellOpener-365 comes complete with everything you need, including a SIM card, ensuring a seamless setup and operation experience.

Customizable Access Times

Tailor access control for different user groups with flexible and adjustable access time settings.

Affordable Pricing

Keep your budget in check with monthly service costing between \$5-10 for the CellOpener-365's comprehensive access control services.



CELLOPENER-365

scan here for more
information



EMX Industries, Inc.

5660 Transportation Blvd, Garfield Heights, OH 44125

Phone: 800 426 9912

Fax: 216 518 9884

Sales Inquiries: salesupport@emxinc.com

Technical Support: technical@emxinc.com

www.emxinc.com

CELLOPENER-365

GSM ACCESS CONTROL

2,000 Users with Customizable Setting

Accommodate up to 2,000 users, including 400 special users with tailored access hours and days.

Easy Remote Management

Efficiently manage and configure the CellOpener-365 from anywhere in the world using SMS commands, without the need to be on site.

Temporary User Access

Easily grant temporary access to visitors or contractors for a set duration, ensuring controlled and secure entry.

Complete Kit for Easy Setup

The CellOpener-365 comes complete with everything you need (*including a SIM card*), ensuring a seamless setup and operation experience.

365-Day/24-Hour Timer

The integrated 365-Day/24-Hour timer allows you to set custom access hours, program business hours, holidays, and hold-open times.

Affordable Pricing

Keep your budget in check with monthly service costing between \$5-10 for the CellOpener-365's comprehensive access control services.



CELLOPENER-365

scan here for more
information



EMX Industries, Inc.

5660 Transportation Blvd, Garfield Heights, OH 44125

Phone: 800 426 9912

Fax: 216 518 9884

Sales Inquiries: salesupport@emxinc.com

Technical Support: technical@emxinc.com

www.emxinc.com

EMX CELLOPENER-365

- 12-18 VAC/DC
- Up to 2000 Programmable Users
- Cell Phone SMS Activation
- Weekly & 365 Day timer
- Remote Programming From Anywhere in the World



CELLOPENER-365

TECHNICAL DATA

Power	12V – 18V AC or DC
Cellular Networks	3G, 4G
Standby Current-LEDs enabled	23mA @ 12 VDC / 16mA @ 18 VDC
Standby Current-LEDs disabled	20mA @ 12 VDC / 14mA @ 18 VDC
Max Authorized Users	1600 Normal Users and 400 Special Users
Relay Contact Rating	5A @ 24V
Operating Temperature	Min -40°C / Max 65°C
Antenna Cable Length	1 m (39.4 inches)
Lead Cable Length	0.5 m (19.7 inches)

WARRANTY EMX INC. the product described herein for a period of 2 years under normal use and service from the date of sale to our customer. The product will be free from defects in material and workmanship. This warranty does not cover ordinary wear and tear, abuse, misuse, overloading, altered products, or damage caused by the purchaser from incorrect connections, or lightning damage. There is no warranty of merchantability. There are no warranties expressed, implied or any affirmation of fact or representation which extend beyond the description set forth herein. EMX Inc. sole responsibility and liability, and purchaser's exclusive remedy shall be limited to the repair or replacement at EMX's option of a part or parts not so conforming to the warranty. In no event shall EMX Inc. be liable for damages of any nature, including incidental or consequential damages, including but, not limited to any damages resulting from non-conformity defect in material or workmanship. Rev 3 12/06/2022

