## PARTS LIST

Qty 1 - Pop Up Frame

Qty 4 - 3 Section Channel Bars

Qty 4 - 1 Section Channel Bars

Qty 4 - End Cap Channel Bars

Qty 1 - Carry Bag

Qty 1 - Channel Bar Bag

Qty 3 - Ladder Lights

Qty 1 - Transformer

Qty 1 - Transformer Power Cord

Qty 1 - Transformer Clip

Qty 1 - Ladder Light Travel Bag

SET UP INSTRUCTIONS 1/2

Set Up Pop Up Frame


a. Place frame with the adjustable feet facing down.


b. Expand the frame.

**c.** Close frame by pushing the outside of the frame until male and female ends connect.

Insert Channel Bars

a. Expand each channel bar. Follow bungee to connect.

b. Attach channel bars to frame.

c. Slide channels bars onto frame, from top to bottom, then secure onto metal peg.

d. Attach the top and bottom endcaps on each side of the frame.

Unfold The Hooks

a. Locate each hook.



b. Turn each hook outward.

c. Twist each hook to face the front of the ladder light.

## SET UP INSTRUCTIONS 2/2

Hook Ladder Lights

a. Hang ladder lights from top "x" bar. *Note:* Make sure to follow label that says "UP"or "DOWN".

b. Hang ladder lights each section of the frame until reaching the bottom of the frame.

Install Transformer Clip

a. Snap Transformer Clip onto the bottom "x" bar.

b. While pulling the end tab of the clip, place the Transformer on top of the Transformer clip.

Connect Ladder Lights

a. Connect each ladder light together using the barrel connectors.

b. Connect bottom set of lights to the LED Driver using the barrel connectors

c. Insert power cord to the LED Driver. Plug other side into your main power outlet.

Install Graphic

a. In each corner, insert the silicone edge beading into the groove.

b. Then insert the remainder of the beading. Repeat blockout installation for the back frame.

c. Then repeat graphic installation on the end caps for each side.