

# TERMS AND CONDITIONS

**Placing Orders:** Customers can place orders with Novatto by calling: 844.404.4242, faxing: 888.389.7974 or emailing: sales@novattoinc.com. No minimum order is required. Free shipping on orders of \$99 or more.

**Terms:** Terms are Net 30 with approved credit or stated per invoice. Payment is due in U.S. dollars. Late invoices are subject to a 1.5% finance charge per month. Any disputes involving past due accounts will be resolved through the Arizona legal system and buyer will pay all attorney fees and other costs incurred by Novatto in collecting delinquent payments. Novatto shall have the right to terminate its service in the event buyer fails to make payment when due.

**Prices**: All orders are determined by existing prices. Unless a fixed price is quoted, the price at which the order is accepted, it is subject to change to Novatto's effective price at time of order.

**Shipping:** Unless otherwise stated shipments are F.O.B. Novatto's shipping point from either Phoenix, AZ or Englewood, CO. Risk of loss or damage and responsibility shall pass to buyer upon delivery and receipt by carrier. While Novatto will use all reasonable commercial efforts to maintain the delivery date(s) acknowledged or quoted, all shipping dates are approximate and not guaranteed. All claims from shipping errors, lost shipments or any other discrepancies must be made within 30 days or they will be disallowed and deemed waived.

**Returns:** A RGA must be obtained from Novatto before any returning any merchandise. Buyer may not return goods without first advising Novatto. All returns will be subject to a \$5 restocking fee. The package must be sent back in the exact package it was sent it. Buyer at its expense agrees it will promptly inspect the goods within three days of receipt. Buyer shall notify Novatto within 15 days of inspection from the date of receipt of the goods, written notice of any and all deficiencies, defects from specifications. In the event no such written notice is received by Novatto, buyer shall be deemed conclusively to have inspected and accepted all such goods and to have waived any rights and claims.

**Warranty:** Novatto products have been made under the highest standards of and quality and craftsmanship. All Novatto products are backed by a Lifetime Limited Warranty. Novatto warrants to the original consumer purchaser for as long as the original consumer, purchaser owns their home the product will be free from defects in material and workmanship.

Novatto recommends using a plumbing professional to install your Novatto product. Under no circumstance will Novatto be held responsible for any damage as a result during or after product installation. We will not be responsible for any labor or installation charges, or any other expenses associated with a defective product. Novatto's only responsibility is the replacement, exchange, or repair of a defective product. Proof of purchase (original sales receipt) must be provided to Novatto with all warranty claims.

# TABLE OF CONTENTS

Kitchen Sinks	5 - 10
Bar & Prep Sinks	11 - 15
Kitchen Faucets	16 - 17
Bath Sinks - Copper	19 - 39
Stone	40 - 55
Mahogany	56 - 57
Porcelain	59 - 67
Glass	69 - 129
Bath Faucets - Vessel	131 - 140
Lav	142 - 147
Drains & Accessories	148 - 155
Bath Sets - Glass	157 - 186
Porcelain	187 - 201
Stone	202 - 203
Copper	204 - 205
Copper Tubs	206 - 207

# **COPPER**



At Novatto, our hand-made copper sinks are created using 99.7% recycled copper. Be aware though, some copper sink manufactures use a copper alloy which contains lead and therefore, is not only low in copper purity but is also harmful to people and the environment.




Novatto's copper sinks are created by hand using the ancient 'martillado' (hammered) technique. The copper is smelted over wood fires in order to form thick sheets of copper which are then hammered into shape. Our master artisans average 1,000 to 4,000 hammer strikes per piece.



Our artisans utilize the aging patina process called 'patinado' which is done under heat. This accelerate technique creates a rich weathered finish with light and dark tones; creating the unique effect for what copper is revered. This ancient tradition of copper crafts has been handed down for generations by Novatto's master craftsmen.





#### **STANDARD SPECIFICATIONS**

- Hand hammered antique finish
- 16-gauge recycled copper
- 2" flat rim
- Tolerance = +/- 1/2"
- 3.5-inch drain opening
- Apron extends 3.5" on both sides
- Standard U.S. plumbing connection
- Drop-in or Undermount installation
- Artisan made in Mexico
- Outside: 33" x 22" x 10.5"
- Inside: 29" x 18" x 10"



#### **Suggested Coordinating Faucet**


NKF-H24ORB Kitchen Faucet



TCK-005AN Farmhouse 60/40

\$2,995





#### **STANDARD SPECIFICATIONS**

- Hand hammered antique finish
- 16-gauge recycled copper
- Tolerance = +/- 1/2"
- 3.5-inch drain opening
- Apron extends 3.5" on both sides
- Drop-in or Undermount installation
- Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 33" x 22" x 10.5"
- Large basin: 16.5" x 18" x 10"
- Small basin: 11.5" x 16" x 8.5"




#### **Suggested Coordinating Faucet**

NKF-H24ORB Kitchen Faucet



#### **STANDARD SPECIFICATIONS**


- Hand hammered antique finish
- 16-gauge recycled copper
- Tolerance = +/- 1/2"
- 3.5-inch drain opening
- Apron extends 3.5" on both sides
- Drop-in or Undermount installation
- Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 33" x 22" x 10.5"
- Inside: 29" x 18" x 10"



3.5" diameter

#### **Suggested Coordinating Faucet**






- Hand hammered antique finish
- 16-gauge recycled copper
- Tolerance = +/- 1/2"
- 3.5-inch drain opening
- Apron extends 3.5" on both sides
- Drop-in or Undermount installation
- Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 33" x 22" x 10.5"
- Inside each basin: 14" x 18" x 10"



#### **Suggested Coordinating Faucet**

• NKF-H24ORB Kitchen Faucet





- 16-gauge recycled copper
- Tolerance = +/- 1/2"
- 3.5-inch drain opening
- Apron extends 3.5" on both sides
   Drop-in or Undermount installation
   Standard U.S. plumbing connection
  - Standard U.S. plumbing connection
  - Artisan made in Mexico
  - Outside: 33" x 22" x 10.5"
  - Inside: 29" x 18" x 10"



• NKF-H24ORB Kitchen Faucet



- Hand hammered antique finish
- Approximate dimensions
- Tolerance = +/- 1/2"
- 3.5-inch drain opening
- 16-gauge recycled copper
- Drop-in or Undermount installation
- Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 33" x 22" x 10.5"
- Large basin: 16.5" x 18" x 10"
- Small basin: 11.5" x 16" x 8"

#### **Suggested Coordinating Faucet**


• NKF-H24ORB Kitchen Faucet

# BAR & PREP SINKS



## STANDARD SPECIFICATIONS

- Hand hammered antique finish
- Drop-in or Undermount installation
- 16-gauge recycled copper construction
- Standard U.S. plumbing connection
- 1.5" flat rim
- Tolerance = +/- 1/2"
- 2-inch drain opening
- Outside: 28" x 15" x 6"






3.5" diameter

3.5" diameter





- 1-inch flat rim
- 16-gauge recycled copper construction
- Drop-in or Undermount installation
- Standard U.S. plumbing connection
   Hand hammered antique finish


  - Tolerance = +/- 1/2"
  - 3.5-inch drain opening
  - Artisan made in Mexico
  - Outside: 15" x 7"
  - Inside: 13" x 6.5"



- Tolerance = +/- 1/2"
- 3.5-inch drain opening
- Artisan made in Mexico
- Outside: 17" x 12" x 7"


13

• Inside: 15" x 10" x 6.5"




3.5" diameter





- Drop-in or Undermount installation
- 16-gauge recycled copper construction
- Standard U.S. plumbing connection
- Hand hammered antique finish
  - Tolerance = +/- 1/2"
  - 3.5-inch drain opening
  - Artisan made in Mexico
  - Outside: 15" x 7"
- Inside: 13" x 6.5"






\$319 (sink only)

#### **STANDARD SPECIFICATIONS**

- 16-gauge recycled copper construction
- Standard U.S. plumbing connection
- Drop-in or Undermount installation
- Hand hammered antique finish
- Tolerance = +/- 1/2"
- 3.5-inch drain opening
- Artisan made in Mexico
- Outside: 16" x 7"
- Inside: 14" x 6.5"






**Brushed Nickel \$319** 

NKF-H07CH (shown)

Chrome \$309



- Dual action commercial faucet
- 360-degree high arc pull-down
- Adjustable spray or aerated flow
- Solid brass construction
- Drip free high pressure ceramic cartridge
- 2-inch wide spout extends up to 30-inches
- Detaches separately for easy cleaning
- AB1953 low lead compliant
- CUPC and NSF/ANSI 61 certified
- Lifetime Limited Warranty




NKF-H24ORB

Rubbed Bronze \$295



NKF-H24BN (shown)

**Brushed Nickel \$289** 



#### **STANDARD SPECIFICATIONS**

- 360-degree high arc pull-down
- Adjustable spray or aerated flow
- Solid brass construction
- Drip free high pressure ceramic cartridge
- 2-inch wide spout extends up to 30-inches
- Detaches separately for easy cleaning
- AB1953 low lead compliant
- CUPC and NSF/ANSI 61 certified
- Lifetime Limited Warranty



With years of skill and experience passed down from generation to generation, your copper sink will be a one-of-a-kind piece of art, giving charm to modern-day living.

A true living finish along with its antibacterial properties is just a few of the many reasons why copper has been revered for centuries. Novatto's copper sinks with their beautiful, warm antique hand hammered finish are ideal for everyday routines, like washing your face or brushing those pearly whites.



\$737 (sink only)

#### **STANDARD SPECIFICATIONS**

- Hand hammered finish
- Drop-in or Undermount installation
- 16-gauge recycled copper construction
- Artisan made in Mexico
- Approximate dimensions due to handmade craftsmanship
- Flat 1.5-inch rim
- 1.5-inch drain opening
- Standard U.S. plumbing connection
- Outside: 22" x 16" x 5"
- Inside: 19" x 13" x 4.5"






#### TCU-018NAORB & TCU-018ANORB

• Includes Rubbed Bronze Strainer Drain •







- Hand hammered antique finish
- Standard U.S. plumbing connection
- 16-gauge copper construction
- Drop-in installation
- 2" tall apron
- 1.5-inch drain opening
- Tolerance = +/- 1/2"
- Artisan made in Mexico
- Outside: 20" x 14" x 6"
- Inside: 16" x 12" x 5.5"



#### **TCU-013ANORB** \$769

• Includes Rubbed Bronze Strainer Drain



- Hand hammered natural finish
- Standard U.S. plumbing connection
- 16-gauge copper construction
- Drop-in installation
- 2" tall apron
- 1.5-inch drain openir Tolerance = +/- 1/2" • 1.5-inch drain opening

  - Artisan made in Mexico
  - Outside: 20" x 14" x 6"
  - Inside: 16" x 12" x 5.5"






• Includes Rubbed Bronze Strainer Drain









- Drop-in installation
- Hand hammered natural finish
- Approximate dimensions
- 2" tall apron
- 1.5-inch drain opening
- Tolerance = +/- 1/2"
- 16-gauge copper construction
- Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 17" x 6"
- Inside: 15" x 5.5"






#### **STANDARD SPECIFICATIONS**


- Drop-in installation
- Hand hammered antique finish
- Approximate dimensions
- 2" tall apron
- 1.5-inch drain opening
- Tolerance = +/- 1/2"
- 16-gauge copper construction
- Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 17" x 6"
- Inside: 15" x 5.5"











24


#### **STANDARD SPECIFICATIONS**

- Drop-in or Undermount installation
- Standard U.S. plumbing connection
- Hand hammered antique finish
- 18-gauge recycled copper
- Approximate dimensions
- Tolerance = +/- 1/2"
- 1" flat rim
- 1.5-inch drain opening
- Artisan made in Mexico
- Outside: 17" x 6"
- Inside: 15" x 5.5"






\$275 (sink only)



#### **STANDARD SPECIFICATIONS**


- Drop-in or Undermount installation
- Standard U.S. plumbing connection
- Hand hammered antique finish
- 18-gauge recycled copper
- Approximate dimensions
- Tolerance = +/- 1/2"
- 1" flat rim
- 1.5-inch drain opening
- Artisan made in Mexico
- Outside: 17" x 6"
- Inside: 15" x 5.5"




• Includes Rubbed Bronze Strainer Drain








- 1-inch flat lip
- Drop-in or Undermount installation
- Standard U.S. plumbing connection
- Hand hammered antique finish
- 18-gauge recycled copper
- Tolerance = +/- 1/2"
- Iolerance = +/- 1/2"
   1.5-inch drain opening
   Artisan made in Mexico
  - Artisan made in Mexico
  - Outside: 19" x 14" x 6"
  - Inside: 17" x 12" x 5.5"





- 1-inch flat lip
- Drop-in or Undermount installation
- Standard U.S. plumbing connection
- Hand hammered antique finish
- 18-gauge recycled copper
- Tolerance = +/- 1/2"

- Outside: 15" x 11" x 4.5"
- Inside: 13" x 9" x 4"








27







- Easy Drop-in Installation
- Hand hammered antique finish
- 18-gauge recycled copper
- Tolerance = +/- 1/2"
- 1" rolled rim
- 1.5-inch drain opening
  Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 15" x 11" x 4.5"
- Inside: 13" x 9" x 4.25"



#### **TCU-005ANORB** \$299 • Includes Rubbed Bronze Strainer Drain



\$275 (sink only)



#### **STANDARD SPECIFICATIONS**


- Drop-in installation only
- Hand hammered antique finish
- 18-gauge recycled copper
- Approximate dimensions
- Tolerance = +/- 1/2"
- 1" rolled rim
- 1.5-inch drain opening Standard U.S. plumbing
  - Standard U.S. plumbing connection
  - Artisan made in Mexico
  - Outside: 19" x 14" x 6"
  - Inside: 17" x 12" x 5.5"



**TCU-003ANORB** 

• Includes Rubbed Bronze Strainer Drain






30

#### **STANDARD SPECIFICATIONS**

- Hand hammered natural finish
- 16-gauge double wall copper construction
- Above counter installation
- Approximate dimensions
- 1.5-inch drain opening
- No mounting ring required
  - Tolerance = +/- 1/4"
  - Artisan made in Mexico
  - Outside: 19" x 14" x 6"
  - Inside: 17" x 12" x 5.5"



TCV-010AN Montevideo

\$1,039

#### STANDARD SPECIFICATIONS

- Hand hammered antique finish
- 16-gauge double wall copper construction
- Above counter installation
- Approximate dimensions
- 1.5-inch drain opening
- No mounting ring required
  - Tolerance = +/- 1/4"
  - Artisan made in Mexico
  - Outside: 19" x 14" x 6"
  - Inside: 17" x 12" x 5.5"

TCV-010NAORB \$1,059


• Includes Rubbed Bronze Strainer Drain





• Includes Rubbed Bronze Strainer Drain





32

#### **STANDARD SPECIFICATIONS**

- Hand hammered natural finish
- 14-gauge recycled copper construction
- Above counter installation
- Approximate dimensions
- 1.5-inch drain opening
- No mounting ring required
  Tolerance = +/- 1/4"
- Artisan made in Mexico
- Outside: 18" x 5.5"







#### **STANDARD SPECIFICATIONS**


- Hand hammered antique finish
- 14-gauge recycled copper construction
- Above counter installation
- Approximate dimensions
- 1.5-inch drain opening
- No mounting ring required
- Tolerance = +/- 1/4"
- Artisan made in Mexico
- Outside: 18" x 5.5"












- Above counter installation
- Hand hammered natural finish
- 1.5-inch drain opening
- Tolerance = +/- 1/4"
  - No mounting ring required
  - Standard U.S. plumbing connection
  - 14-gauge recycled copper construction
  - Artisan made in Mexico
  - Outside: 16" x 6.5"






## **STANDARD SPECIFICATIONS**


- Above counter installation
- Hand hammered antique finish
- 1.5-inch drain opening
- Tolerance = +/- 1/4"
- No mounting ring required
- Standard U.S. plumbing connection
- 14-gauge recycled copper construction
- Artisan made in Mexico
- Outside: 16" x 6.5"












36

#### **STANDARD SPECIFICATIONS**

- Above counter installation
- Hand hammered natural finish
- Standard U.S. plumbing connection
- 14-gauge copper construction
- Approximate dimensions
- 1.5-inch drain opening
- No mounting ring required
- Tolerance = +/- 1/4"
- Artisan made in Mexico
- Outside: 18" x 14" x 6"





#### **STANDARD SPECIFICATIONS**

- Above counter installation
- Standard U.S. plumbing connection
- Hand hammered antique finish
- Tolerance = +/- 1/4"
- Approximate dimensions
- 1.5-inch drain opening
- 14-gauge copper construction
- No mounting ring required
- Artisan made in Mexico
- Outside: 18" x 14" x 6"






\$645

• Includes Rubbed Bronze Strainer Drain



**TCV-003ANORB** \$645 • Includes Rubbed Bronze Strainer Drain






- Above counter installation
- Hand hammered natural finish
- 1.5-inch drain opening
- Tolerance = +/- 1/4"
- No mounting ring required
- 14-gauge recycled copper construction
- Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 18" x 5.5"



- 1.5-inch drain opening
- Tolerance = +/- 1/4"
- No mounting ring required
- 14-gauge recycled copper construction
- Standard U.S. plumbing connection
- Artisan made in Mexico
- Outside: 18" x 5.5"





**TCV-002ANORB** \$645 • Includes Rubbed Bronze Strainer Drain



# BATHROOM STONE SINKS



#### **STANDARD SPECIFICATIONS**

- No overflow

- Outside: 17" x 5.75"

Chrome **NOSV-GOCH** 

**Complete Kits Include** 

• Glacier Ice sealer

• Vessel sink • Umbrella drain

\$789



\$799


**Brushed Nickel NOSV-GOBN** 

\$795





\$499 (sink only)



#### **STANDARD SPECIFICATIONS**

- Above counter installation
- Item weight: 24lbs
- 5/8" thick onyx
- No overflow
- No mounting ring required
- Color may vary from piece to piece
- Standard U.S. plumbing connections

\$545

• Outside: 17" x 5.75"

**NOSV-HOORB** 

Oil Rubbed Bronze

• Inside: 15.75" x 5"



**Complete Kits Include** 

• Glacier Ice sealer

• Vessel sink • Umbrella drain



**Brushed Nickel NOSV-HOBN** 

\$539



- Above counter installation
- Item weight: 24lbs
- 5/8" thick onyx
- No mounting ring required
- Color may vary from piece to piece
- Standard U.S. plumbing connections
- Inside: 15.75" x 5"

Oil Rubbed Bronze

**NOSV-GOORB** 

**NOSV-HOCH** 

\$535







- Item weight: 24lbs
- 5/8" thick onyx
- No overflow
- No mounting ring required
- Color may vary from piece to piece
- Standard U.S. plumbing connections
- Outside: 17" x 5.75"
- Inside: 15.75" x 5"

#### **Complete Kits Include**

- Vessel sink Umbrella drain
- Glacier Ice sealer

Chrome

NOSV-BOCH \$1291

Oil Rubbed Bronze NOSV-BOORB

\$1299


Brushed Nickel NOSV-BOBN

\$1295





\$1,199 (sink only)



#### STANDARD SPECIFICATIONS

- Item weight: 24lbs
- 5/8" thick onyx
- No overflow
- No mounting ring required
- Color may vary from piece to piece
- Standard U.S. plumbing connections
- Outside: 17" x 5.75"
- Inside: 15.75" x 5"



• Vessel sink • Umbrella drain

\$1291

• Glacier Ice sealer

Chrome



Oil Rubbed Bronze NOSV-WOORB

\$1299

Brushed Nickel NOSV-WOBN

\$1295











- Above counter installation
- No overflow
- 5/8" thick travertine
- Item weight: 24lbs
- Consistent in color
- No mounting ring required
- Standard U.S. plumbing connections
- Outside: 17" x 5.75"
- Inside: 15.75" x 5"

Chrome **NOSV-BTCH** 

**Complete Kits Include** 

• Glacier Ice sealer

• Vessel sink • Umbrella drain

\$525



Oil Rubbed Bronze **NOSV-BTORB** 

\$535




**Brushed Nickel NOSV-BTBN** 





\$629 (sink only)



# **STANDARD SPECIFICATIONS**

6

- Above counter installation
- No overflow
- 5/8" thick travertine
- Item weight: 24lbs
- Consistent in color
- No mounting ring required
- Standard U.S. plumbing connections

\$655

• Outside: 17" x 5.75"

Oil Rubbed Bronze

• Inside: 15.75" x 5"



**Complete Kits Include** 

• Glacier Ice sealer

• Vessel sink • Umbrella drain

\$645




**Brushed Nickel NOSV-RTBN** 



\$649

45





44





- 5/8" thick natural marble stone
- Above counter installation
- No mounting ring required
- Standard U.S. plumbing connections
- Item weight: 27lbs
- Consistent in color
- Outside: 19.5" x 12" x 4/6"



• Vessel sink • Umbrella drain

• Glacier Ice sealer

Chrome **NOSV-CWSCH** 

46

\$849



Oil Rubbed Bronze **NOSV-CWSORB** 




\$859

**Brushed Nickel NOSV-CWSSBN** 



**Carrera White Marble** \$619 (sink only)

**NOSV-CW** 



# **STANDARD SPECIFICATIONS**

- 5/8" thick natural marble stone
- Above counter installation
- No mounting ring required
- Standard U.S. plumbing connections
- Item weight: 24lbs
- Consistent in color • Outside: 17" x 5.75"
- Inside: 15.75" x 5"

• Glacier Ice sealer

**Complete Kits Include** 

• Vessel sink • Umbrella drain

Chrome **NOSV-CWCH** 

\$645



\$655

**Brushed Nickel NOSV-CWBN** 

\$649

47









**Complete Kits Include** • Vessel sink • Umbrella drain • Glacier Ice sealer

Chrome \$499



Oil Rubbed Bronze **NOSV-CMORB** 

\$509

**Brushed Nickel NOSV-CMBN** 

\$505





• 5/8" thick natural marble stone

Above counter installation

• No mounting ring required

• Standard U.S. plumbing connections

• Item weight: 24lbs

Consistent in color


• Outside: 17" x 5.75"

• Inside: 15.75" x 5"

**Lunar Marble** 

**NOSV-LM** 

\$615 (sink only)



#### STANDARD SPECIFICATIONS

- No overflow
- 5/8" thick marble
- Item weight: 24lbs
- No mounting ring required
- Color may vary from piece to piece
- Standard U.S. plumbing connections
- Outside: 17" x 5.75""
- Inside: 15.75" x 5"

Oil Rubbed Bronze

**NOSV-LMORB** 

**Complete Kits Include** 

• Vessel sink • Umbrella drain

• Glacier Ice sealer

Chrome **NOSV-LMCH** 


\$645




**Brushed Nickel** \$655 **NOSV-LMBN** 



\$649





- Hand crafted by our master artisans
- 7/8" thick granite
- Polished black interior
- Natural textured exterior
- No mounting ring required
- Standard U.S. plumbing connection
- Outside: 17" x 5.75"
- Inside: 15.25" x 5"

**Complete Kits Include** 

• Vessel sink • Umbrella drain

• Glacier Ice sealer

Chrome **NOSV-ANCH** 

\$815



Oil Rubbed Bronze NOSV-ANORB

\$823

Brushed Nickel NOSV-ANBN

**Complete Kits Include** 

- Vessel sink Umbrella drain
- Glacier Ice sealer

Chrome **NOSV-ASCH** 

\$955

**STANDARD SPECIFICATIONS** Polished black interior

- 3/4" thick granite
- Natural textured exterior
- No mounting ring required
- Standard U.S. plumbing connection
- Outside: 20" x 12" x 4.25/6"

• Inside: 18.5" x 10.5" x 3.55/5.25"



Oil Rubbed Bronze NOSV-ASORB

\$963

**Brushed Nickel** NOSV-ASBN


\$959

51



**NOSV-AS Absolute Natural Slipper** 

\$919 (sink only)



50





- Above counter installation
- Limited lifetime warranty
- No mounting ring required
- Standard U.S. plumbing connection
- Natural stone hand crafted by our master artisans
- Polished black interior with natural textured exterior
- Outside: 18" x 18"

#### **Complete Kits Include**

• Vessel sink • Umbrella drain

\$835

• Glacier Ice sealer

Chrome NOSV-ANSQCH



Oil Rubbed Bronze NOSV-ANSQORB



\$845

Brushed Nickel NOSV-ANSQBN




\$839





\$1,999



#### **STANDARD SPECIFICATIONS**

- Irregular shape and color
- Polished inside, natural outside
- No overflow
- Each piece is unique
- Photos sent prior to shipping
- No mounting ring required
- Standard U.S. plumbing connection

\$2,095

- Outside: 17" x 5.75" (Irregular)
- Inside: 15.75" x 5" (Irregular)

Oil Rubbed Bronze

**NOSV-FWORB** 



**Complete Kits Include** 

• Glacier Ice sealer

• Vessel sink • Umbrella drain





Brushed Nickel NOSV-FWBN



\$2,085







- Polished inside, natural outside
- Each piece is unique
- No overflow
- No mounting ring required
- Photos sent prior to shipping
- Standard U.S. plumbing connection
- Outside: 17" x 5.75" (Irregular)
- Inside: 15" x 5" (Irregular)

# **Complete Kits Include**

- Vessel sink Umbrella drain
- Glacier Ice sealer

Chrome NOSV-CSCH

\$725



Oil Rubbed Bronze NOSV-CSORB

\$735


Brushed Nickel NOSV-CSBN

\$729





\$585 (sink only)



#### **STANDARD SPECIFICATIONS**

- Polished inside, natural outside
- Each piece is unique
- No overflow
- No mounting ring required
- Photos sent prior to shipping
- Standard U.S. plumbing connection
- Outside: 17" x 5.75" (Irregular)
- Inside: 15" x 5" (Irregular)

#### **Complete Kits Include**

• Vessel sink • Umbrella drain

\$625

• Glacier Ice sealer

Chrome



Oil Rubbed Bronze NOSV-TCORB

\$635

NOSV-TCBN

PM

\$629

55





**Brushed Nickel** 






- Natural mahogany with acacia band
- Above counter installation
- Color may vary
- Lifetime Limited Warranty
- No overflow
- 1.75-inch drain opening
- Standard U.S. plumbing connection
- State of the art 13 step patented finish
- No re-sealing or waxing ever needed
  Outside: 17" x 6"








- Natural mahogany with acacia band
- Drop in installation
- Color may vary
- Lifetime Limited Warranty
- No overflow
- 1.75-inch drain opening
- Standard U.S. plumbing connection
- State of the art 13 step patented finish
- No re-sealing or waxing ever needed
- Outside: 17" x 6"


# **PORCELAIN**



Porcelain is made of kaolin, a silicate-based mineral found in clay. The clay is sculpted to the desired shape and covered with a glaze. After drying, the piece is fired at extremely high temperatures, triggering a physical reaction, which turns the surface into the durable, shiny finish known throughout the world.



Novatto's porcelain sinks look fantastic, feel very solid, and are resistant to extreme hot and cold temperatures. Due to its durable features, it is very easy to maintain and keep clean. After sealing it with Glacier Ice Sealer, its surface will shine for years to come.



TP-V10W

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Glacier Ice sealer



# Chrome \$195



## **STANDARD SPECIFICATIONS**

- Easy to clean scratch resistant surface
- Non-porous material
- No mounting ring necessary
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 16" x 16" x 4.75"
- Inside: 15" x 15" x 4.25"





59



- Non-porous surface
- No mounting ring required
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 18.5" x 18.5" x 4.25"
- Inside: 14" x 14" x 3.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome TP-V02WCH

\$195



Oil Rubbed Bronze **TP-V02WORB** 

\$199

**Brushed Nickel** TP-V02WBN



**Complete Kits Include** 

- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome NP-01141CH



#### Oil Rubbed Bronze NP-01141ORB

\$235

NP-01141BN





\$179



- Easy to clean scratch resistant surface
- Non-porous material
- No mounting ring required
- Designed for above counter installation
- Standard U.S. plumbing overflow connections
- Outside: 21.75" x 13.75" x 3.5/4.5"

\$231



**Brushed Nickel** 

NEW

60





- Easy to clean scratch resistant surface
- No overflow
- Non-porous surface
- 1.75-inch drain hole
- 1.5-inch faucet hole
- Standard U.S. plumbing connections
- Designed for above counter installation

\$265

• Outside: 26.5" x 18" x 3.75/6"

# **Complete Kits Include**

- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome NP-01086CH



Oil Rubbed Bronze NP-01086ORB



**Brushed Nickel** NP-01086BN







\$305 (sink only)

#### **STANDARD SPECIFICATIONS**

- Easy to clean scratch resistant surface
- No overflow
- Non-porous surface
- 1.75-inch drain hole
- 1.5-inch faucet hole
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 22.25" x 18.25" x 4"

Chrome

**NP-01134BWCH** 

• Glacier Ice sealer

**Complete Kits Include** 

• Vessel sink • Pop-up drain

\$359



Oil Rubbed Bronze

\$365

**Brushed Nickel NP-01134BWBN** 

\$363

NEW





- Easy to clean scratch resistant surface
- Non-porous material
- No overflow
- No mounting ring required
- Designed for above counter installation
- Standard U.S. plumbing overflow connections
- Outside: 20.75" x 16.5" x 5.5"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome NP-01321CH

\$263



Oil Rubbed Bronze NP-01321ORB



\$269

**Brushed Nickel** NP-01321BN

\$267

NP-01317 **Rectangular White** 

\$245 (sink only)

#### **STANDARD SPECIFICATIONS**

- Easy to clean scratch resistant surface
- With overflow and faucet hole
- Non-porous material
- No mounting ring required
- Designed for above counter installation
- Standard U.S. plumbing overflow connections
- Outside: 22.25" x 18.25" x 4"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome NP-01317CH

\$305



Oil Rubbed Bronze

\$309

**Brushed Nickel** NP-01317BN

\$307

65





NEW





## **Complete Kits Include**

- Vessel sink Pop-up drain

TP-V03WCH

# • Glacier Ice sealer

Oil Rubbed Bronze TP-V03WORB





**Brushed Nickel** TP-V03WBN



#### **STANDARD SPECIFICATIONS**

- Easy to clean scratch resistant surface
- Non-porous material
- No mounting ring required
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 24.5" x 17" x 4.25"
- Inside: 19.75" x 12" x 4"





#### **STANDARD SPECIFICATIONS**

- Easy to clean scratch resistant surface
- Non-porous material
- Has overflow
- No mounting ring required
- Designed for above counter installation
- Standard U.S. plumbing overflow connections
- Outside: 24.75" x 17" x 5.75"
- Inside: 15.25" x 23.75" x 4"

**Complete Kits Include** 

- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome

TP-V07WCH

Oil Rubbed Bronze **TP-V07WORB** 

\$205

**Brushed Nickel** TP-V07WBN

\$203





Chrome \$195

# GLASS




Glass originated as a glaze around 3500 BC. and is one of the oldest and most versatile man-made materials around. Today, as in ancient times, glass still has many uses from functional to decorative, and your unique Novatto vessel sink embodies both.



Glass is made by fusing silica (silicon dioxide) with a basic oxide. Looking at it, you might wonder how a shapeless, hot, inorganic, flowing liquid could be created into any shape? Is it magic or expert craftsmanship? At Novatto, we like to believe it's a little bit of both.



\$149 (sink only)



#### STANDARD SPECIFICATIONS

- Made with high tempered glass
- Scratch resistant and non-porous
- Made with 1.75-inch drain opening
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

# TIS-046TCH \$219

# Oil Rubbed Bronze TIS-046TORB \$2



# Brushed Nickel TIS-046TBN





/ 0





- 1.75-inch drain opening
- Made with high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 16.5" x 5.75"


#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer









TIS-228T Gambo

\$159 (sink only)



- 1.75-inch drain opening
- Made with high tempered glass
- Frosted stem pattern on bottom
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
  Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer









**STANDARD SPECIFICATIONS** 

- High tempered glass
- Textured painted exterior
- Above counter installation
- Stain and scratch resistant inside
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze NOHP-G025ORB




**Brushed Nickel** NOHP-G025BN





\$255 (sink only)



## **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze



**Brushed Nickel** NOHP-G025-8031BN



\$299

73

#### **STANDARD SPECIFICATIONS**

- 1.75-inch drain opening
- High tempered glass
- Textured painted exterior
- Above counter installation
- Stain and scratch resistant inside
- Standard U.S. plumbing connection
- Outside: 21.5" x 13.5" x 4.25/6"

Chrome

72



- Designed for above counter installation • Standard U.S. plumbing connections
- Outside: 16.5" x 5.75"

Chrome

**TID-270CH** 

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer


\$289

# Oil Rubbed Bronze TID-270ORB \$299

**Brushed Nickel TID-270BN** \$295



\$273 (sink only)



#### **STANDARD SPECIFICATIONS**

- 1.75-inch drain opening
- Above counter installation
- Brown and tan mosaic painted exterior
- Stain and scratch resistant inside
- Thick 3/4 inch high tempered glass
- Standard U.S. plumbing connection
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer





**Brushed Nickel** \$345 NOHP-G032BN

75



74





- Wide, shallow design
- Made with high tempered glass
- 1.75-inch drain opening
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 18" x 4.5"

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

TIS-316TCH \$275 Oil Rubbed Bronze **TIS-316TORB** 

\$285




**Brushed Nickel** 





\$179 (sink only)



#### **STANDARD SPECIFICATIONS**

- Polished inside and out
- 1.75-inch drain opening
- Made with high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 19.75" x 15.25" x 5.5"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze **TIG-8012TORB** 


\$275

**Brushed Nickel TIG-8012TBN** 

\$269







#### **STANDARD SPECIFICATIONS**

- Made with high tempered glass
- 1.75-inch drain opening
- No overflow
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 20" x 15" x 5.5"

#### **Complete Kits Include**

• Vessel sink • Pop-up drain

1.75" diameter

• Mounting ring • Glacier Ice sealer




Oil Rubbed Bronze TIS-317TORB

\$285



**TIS-324T** Babbuccia

\$185 (sink only)




#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer





#### **STANDARD SPECIFICATIONS**

- 1.75-inch drain opening
- Made with high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 21.5" x 14" x 4.25/6"

Oil Rubbed Bronze TIS-324TORB

\$285

**Brushed Nickel** TIS-324TBN


\$279



Chrome

**Brushed Nickel** TIS-317TBN





#### **STANDARD SPECIFICATIONS**

- High tempered glass
- Textured painted outside
- Above counter installation
- Stain and scratch resistant inside
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

NOHP-G027CH \$291 Oil Rubbed Bronze




**Brushed Nickel** NOHP-G027BN







\$189 (sink only)



## **STANDARD SPECIFICATIONS**

- Bronze painted tiered exterior
- 1.75-inch drain opening
- No mounting ring required
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation

\$255

- Standard U.S. plumbing connections
- Outside: 18" x 5"

Oil Rubbed Bronze



- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome



\$245



**Brushed Nickel** TIS-288BN







- High tempered glass
- Textured painted outside
- Above counter installation
- Stain and scratch resistant inside
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 21.5" x 13.5" x 4.25/6"

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

Chrome NOHP-G008-8031CH \$295



Oil Rubbed Bronze NOHP-G008-8031ORB \$305




**Brushed Nickel** NOHP-G008-8031BN \$299





\$245 (sink only)



#### **STANDARD SPECIFICATIONS**

- High tempered glass
- Stain and scratch resistant inside
- Textured painted outside
- Above counter installation
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 17" x 5.5"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze NOHP-G008ORB

\$299

**Brushed Nickel** NOHP-G008BN











- High tempered glass
- Textured painted outside
- Above counter installation
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Stain and scratch resistant, polished inside
- Outside: 16.5" x 5.75"

Oil Rubbed Bronze

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer








**Brushed Nickel** NOHP-G024BN





\$239



#### **STANDARD SPECIFICATIONS**

- High tempered glass
- Stain and scratch resistant inside
- Textured painted outside
- Above counter installation
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze NOHP-G021ORB

\$299

**Brushed Nickel** NOHP-G021BN





Chrome





- High tempered glass
- Stain and scratch resistant inside
- Textured painted outside
- Above counter installation
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

Chrome NOHP-G020CH

\$291



Oil Rubbed Bronze NOHP-G020ORB

\$299


**Brushed Nickel** NOHP-G020BN







\$239 (sink only)



#### **STANDARD SPECIFICATIONS**

- High tempered glass
- Textured painted outside
- Above counter installation
- Standard U.S. plumbing connection

Road

0

- Stain & scratch resistant polished inside
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze NOHP-G033ORB

\$299

**Brushed Nickel** NOHP-G033BN











#### **STANDARD SPECIFICATIONS**

- Double layer technology
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze




**Brushed Nickel** TID-043BN



Mimetizzare

TIG-8436

\$215 (sink only)



#### **STANDARD SPECIFICATIONS**

- Double layer technology
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- No mounting ring required
- Outside: 16.5" x 6"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome



Oil Rubbed Bronze **TIG-8436ORB** 

\$295

**Brushed Nickel TIG-8436BN** 







- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

Chrome NOHP-G031CH \$343



Oil Rubbed Bronze



**Brushed Nickel** NOHP-G031BN






- Thick 1-inch high tempered glass
- Rich forest green painted exterior
- Above counter installation
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Stain and scratch resistant polished inside
- Outside: 18" x 4.5"









- Double layer technology
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 16.5" x 6"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze **TID-1950RB** 


\$299

**Brushed Nickel TID-195BN** 









#### **STANDARD SPECIFICATIONS**

- Made with high tempered glass
- 1.75-inch drain opening
- No overflow
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- Outside: 16.5" x 5.75"

Oil Rubbed Bronze

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer






**Brushed Nickel TIS-318BN** 







\$205 (sink only)



#### **STANDARD SPECIFICATIONS**

- Made with high tempered glass
- Double layer technology
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze **TID-1780RB** 


\$299

**Brushed Nickel TID-178BN** 









Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer


# Oil Rubbed Bronze TIS-324GORB



**Brushed Nickel** TIS-324GBN \$279

#### **STANDARD SPECIFICATIONS**

- 1.75-inch drain opening
- No overflow
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- Outside: 21.5" x 14" x 4.25/6"



**TIS-228G** 

\$159 (sink only)

Fesso



#### **STANDARD SPECIFICATIONS**

- 1.75-inch drain opening
- Made with high tempered glass
- Scratch resistant and non-porous
- Black frosted stem pattern on bottom
- Designed for above counter installation
- Standard U.S. plumbing connections
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer





\$265

**Brushed Nickel** TIS-228GBN











- Stain and scratch resistant inside
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

NOHP-G012CH \$291 Oil Rubbed Bronze NOHP-G012ORB

\$299




**Brushed Nickel** 





\$259 (sink only)



#### **STANDARD SPECIFICATIONS**

- High tempered glass
- ½" thick tempered glass
- Above counter installation
- Stain and scratch resistant inside
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 21.5" x 13.5" x 4.25/6"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze NOHP-G012-8031ORB

\$305



**Brushed Nickel** NOHP-G012-8031BN \$299







- 1.75-inch drain opening
- Made with high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 18" x 4.5"

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

TIS-316GCH \$275




Brushed Nickel TIS-316GBN



Nera \$163 (sink only)

TIS-168G



#### **STANDARD SPECIFICATIONS**

- Made with 1.75-inch drain opening
- Made with high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze TIS-168GORB

GORB \$

\$259

Brushed Nickel TIS-168GBN

\$255









15,25"

#### **Complete Kits Include**

- Mounting ring Glacier Ice sealer

# • Vessel sink • Pop-up drain

Chrome TIG-8089CH \$263



**Brushed Nickel TIG-8089ORB** \$269

- Polished glass inside and out
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- Made with 1.75-inch drain opening • Outside: 19.75" x 15.25" x 5.5"

## **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze TIS-317GORB

\$285





\$187 (sink only)





- Made with high tempered glass • 1.75-inch drain opening
- No overflow
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 20" x 15" x 5.75"



**Brushed Nickel** TIS-317GBN





- Thick high tempered glass vessel sink
- Polished inside
- Textured painted exterior
- Stain and scratch resistant
- Standard U.S. plumbing connection
- Above counter installation
- 1.75-inch drain opening

Oil Rubbed Bronze

• Outside: 16.5 x 5.75-inches

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer








**Brushed Nickel** NOHP-G023BN





\$205 (sink only)



#### **STANDARD SPECIFICATIONS**

- Black and white double layer design
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze TID-035ORB

\$299

**Brushed Nickel** TID-035BN

\$295









- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- No mounting ring required
- Outside: 17" x 5.75"

- Vessel sink Pop-up drain
- Glacier Ice glass sealer

Chrome TIS-286GRYCH





# **Complete Kits Include**

• Vessel sink • Pop-up drain

431.8mm

**TIS-286B** 

\$245 (sink only)

Fresco

• Glacier Ice glass sealer



#### **STANDARD SPECIFICATIONS**

- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- No mounting ring required
- Outside: 17" x 5.75"

\$325

**Brushed Nickel** TIS-286BBN

\$319

105





104





- Blue marble double layer design
- Made with high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Designed for above counter installation
- Outside: 16.5" x 5.75"


- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze **TID-269ORB** \$299







NOHP-G017 Diaccio

\$239 (sink only)



- High tempered glass
- Painted blue and silver outside
- Above counter installation
- Stain and scratch resistant inside
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer





**Brushed Nickel** NOHP-G017BN







#### **STANDARD SPECIFICATIONS**

- Polished glass inside and out
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"


#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

TIG-8025CH \$253

Oil Rubbed Bronze **TIG-8025ORB** \$259







- Ocean blue color with coral design
- Made with high 1/2" tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Made with 1.75-inch drain opening
- Designed for above counter installation
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer





**Brushed Nickel TIG-8079BN** \$299



Chrome


Chrome

\$295

TIG-8079

Mare Blu

\$205 (sink only)





- Made with high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Made with 1.75-inch drain opening
- Fluorescent blue foil painted bottom
- Designed for above counter installation
- Outside: 21.5" x 13.5" x 4.25/6""

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

1.75" diameter

Chrome TIG-S132-8031CH




Oil Rubbed Bronze TIG-S132-8031ORB

\$335




**Brushed Nickel** TIG-S132-8031BN





\$245 (sink only)



#### STANDARD SPECIFICATIONS

- Made with high tempered glass
- Scratch resistant and non-porous
- Made with 1.75-inch drain opening
- Fluorescent blue foil painted bottom
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze TIG-S132ORB

\$325

**Brushed Nickel** TIG-S132BN



\$319









# **STANDARD SPECIFICATIONS**

- 1.75-inch drain opening
- No mounting ring required
- Made with 1/2" high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- Outside: 17" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Glacier Ice sealer

Chrome

TIS-286GCH \$315 Oil Rubbed Bronze TIS-286GORB

\$325


**Brushed Nickel** TIS-286GBN





**TIS-191** Mare

\$239 (sink only)



#### **STANDARD SPECIFICATIONS**

- High tempered 3/4" fused glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze **TIS-1910RB** 

\$339

**Brushed Nickel TIS-191BN** 


\$335





112





→1.75 diameter

#### STANDARD SPECIFICATIONS

- Polished inside and out
- Made with 1/2" high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- Made with 1.75-inch drain
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze **TIG-80480RB** 




**Brushed Nickel TIG-8048BN** 





\$159 (sink only)



#### **STANDARD SPECIFICATIONS**

- Polished inside and out
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 19.75" x 15.25" x 5.5"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze TIG-8012CORB

\$249

**Brushed Nickel TIG-8012CBN** 



Chrome





- Oblong fluted clear glass vessel
- Made with high tempered glass
- 1.75-inch drain opening
- No overflow
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 20" x 15" x 5.5"

# • Mounting ring • Glacier Ice sealer Chrome TIS-317CCH

**Complete Kits Include** 

• Vessel sink • Pop-up drain



1.75" diameter


Oil Rubbed Bronze TIS-317CORB \$285







\$173 (sink only)



#### **STANDARD SPECIFICATIONS**

- Made with 1/2" high tempered glass
- No overflow
- 1.75-inch drain opening
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 21.5" x 14" x 4.25/6"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer





**Brushed Nickel** TIS-324CBN







- 1.75-inch drain opening
- No overflow
- Made with 1/2" high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Designed for above counter installation
- Outside: 16.5" x 5.75"

Oil Rubbed Bronze

#### **Complete Kits Include**

• Vessel sink • Pop-up drain

16.5" 419.1mm

• Mounting ring • Glacier Ice sealer

TIG-8017CH \$263




**Brushed Nickel TIG-8017BN** 







\$199 (sink only)



#### **STANDARD SPECIFICATIONS**

- Made with 1/2" high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- Made with 1.75-inch drain opening
- No overflow
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze TIS-158ORB


\$299

**Brushed Nickel TIS-158BN** 

\$295







1.75" diameter



- Fluorescent silver, foil painted bottom
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Designed for above counter installation
- Outside: 21.5" x 13.5" x 4.25/6"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze TIG-7032-8031ORB




**Brushed Nickel** TIG-7032-8031BN



# **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



TIG-7032 Argento

\$245



- Fluorescent silver, foil painted bottom
- Made with high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Designed for above counter installation
- Outside: 16.5" x 5.75"



Oil Rubbed Bronze **TIG-7032ORB** 

\$325

**Brushed Nickel TIG-7032BN** 







- Polished inside and out
- Made with 1/2" high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- Made with 1.75-inch drain
- Outside: 16.5" x 5.75"

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze TIS-311ORB



**Brushed Nickel TIS-311BN** 





### **STANDARD SPECIFICATIONS**

- 1.75-inch drain opening
- Made with 1/2" high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Silver and red painted exterior
- Designed for above counter installation

\$299

• Outside: 16.5" x 5.75"

Oil Rubbed Bronze

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

→1.75 diameter

NOHP-G022

Carpione

\$239



**Brushed Nickel** NOHP-G022BN



Chrome



- Designed for above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze **TIG-83920RB** \$295



# →1.75 diameter

**TID-297** 

**Ardere** 

\$209



- 1.75-inch drain opening
- Black and red, double layer design
- Made with 5/8-inch high tempered glass
- Scratch resistant and non-porous
- Designed for above counter installation
- Standard U.S. plumbing connections
- Outside: 16.5" x 6"

Oil Rubbed Bronze

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Glacier Ice glass sealer


Chrome



TID-297ORB \$279 **TID-297BN** \$275

**Brushed Nickel** 





→1.75 diameter

#### STANDARD SPECIFICATIONS

- Made with 1/2" high tempered glass
- Stain and scratch resistant inside
- Painted red, black and yellow exterior
- Above counter installation
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

Chrome NOHP-G013CH

\$291



Oil Rubbed Bronze


**Brushed Nickel** NOHP-G013BN







\$195 (sink only)



#### **STANDARD SPECIFICATIONS**

- Polished glass inside and out
- Made with 5/8-inch high tempered glass
- Scratch resistant and non-porous
- Standard U.S. plumbing connections
- Made with 1.75-inch drain opening
- Designed for above counter installation
- Outside: 16.5" x 5.75"

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze **TIG-8305ORB** 

\$315

**Brushed Nickel TIG-8305BN** 









- Maroon and gold painted foil exterior
- Made with high tempered glass
- Scratch resistant and non-porous
- Above counter installation
- Standard U.S. plumbing connections
- 1.75-inch drain opening
- Outside: 16.5" x 5.75"

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer

TIG-S90CH \$315

Oil Rubbed Bronze TIG-S90ORB

\$325




**Brushed Nickel** TIG-S90BN





\$259 (sink only)



#### **STANDARD SPECIFICATIONS**

- Thick tempered glass vessel sink
- Artisan painted red exterior
- Stain and scratch resistant polished inside
- Standard U.S. plumbing connection
- High tempered glass
- Outside: 17 x 6 -inches
- 1.75-inch drain opening

#### **Complete Kits Include**

Chrome

- Vessel sink Pop-up drain
- Mounting ring Glacier Ice sealer



Oil Rubbed Bronze NOHP-G028ORB

\$299

**Brushed Nickel** NOHP-G028BN

\$295





# **FAUCETS**



Up until the late 1940's, faucets always had two handles, one for hot and one for cold. But in 1959 it all changed when the single-handle faucet was created. Today, most faucets in the home are single-handle faucets. Though they may no longer be available in materials used in bygone days, you can find faucets in a wide variety of finishes - allowing your style to flow.



Whether you're looking for the timeless style of a traditional piece, or want to have your own little waterfall, Novatto's comprehensive selection of bath faucets will not disappoint. We take pride in our pristine finishes being luminous and resilient; while their solid brass construction ensures years of enjoyment.




#### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5-inch diameter hole required
- Mounting hardware included
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- Spout reach: 6"
- Spout height: 7.625"




**BM-116CH Traditional** 

**Chrome \$197** 



**Brushed Nickel \$207** 









**GF-057BN** Cascade

**Brushed Nickel \$279** 



**Rubbed Bronze \$289** 



#### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5-inch diameter hole required
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11

133

- NSF 61 and NSF 372 certified
- EPA WaterSense® available
- Lifetime Limited Warranty
- Spout reach: 2.5"
- Spout height: 8.375"
- Spout width: 3"

#### STANDARD SPECIFICATIONS

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5-inch diameter hole required
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- Spout reach: 4.5"
- Spout height: 8"






132




GF-365BN Victoria

**Brushed Nickel \$285** 



**Rubbed Bronze \$289** 









BM-359CH Century

**Chrome \$189** 



**Brushed Nickel \$207** 



# STANDARD SPECIFICATIONS

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5-inch diameter hole required
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- EPA WaterSense® available
- Lifetime Limited Warranty
- Spout reach: 6.5"
- Spout height: 10"


BM-359ORB Century

135

**Rubbed Bronze \$209** 

#### **STANDARD SPECIFICATIONS**

- Solid brass construction
- High pressure ceramic cartridge
- 1.5-inch diameter hole required
- Mounting hardware included
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- EPA WaterSense® available





**GF-135BN** 

**Brushed Nickel \$255** 



**Rubbed Bronze \$259** 



- Solid brass construction
- High pressure ceramic cartridge
- 1.5-inch mounting hole diameter
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- EPA WaterSense® available
- Lifetime Limited Warranty
- Spout reach: 3.375"
- Spout height: 8.625"



GF-368ORB Starks


NEW

**Rubbed Bronze \$299** 



GF-368BN Starks (shown)

**Brushed Nickel \$295** 




#### **STANDARD SPECIFICATIONS**

- Solid brass construction
- High pressure ceramic cartridge
- Mounting hardware included
- 1.5-inch diameter hole required
- cUPC and AB1953 low lead compliant
- NSF 61 and NSF 372 certified
- EPA WaterSense® available
- Lifetime Limited Warranty
- ASME A112.18.1-1-2011/CSA B125.1-11
- Spout reach: 4.5"
- Spout height: 8.75"

136

GF-001BN-C Falls (shown)


**Brushed Nickel** w/ clear glass \$187





GF-011CH-C Squared (shown)

Chrome w/ clear glass \$186





#### **STANDARD SPECIFICATIONS**

- Single handle control
- High pressure ceramic cartridge
- Single hole deck mount
- cUPC/AB1953 low lead compliant
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- ASME A112.18.1-1-2011/CSA B125.1-11
- Spout reach: 3.625"
- Spout height: 8.625"

# Solid brass construction

- 1.5-inch diameter hole required





**Brushed Nickel** w/ smoke glass GF-001BN-S \$187



**Brushed Nickel** w/ tea glass GF-001BN-T \$187



Chrome w/ clear glass GF-001CH-C \$177



**Rubbed Bronze** w/ tea glass GF-001ORB-T \$189

#### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- ASME A112.18.1-1-2011/CSA B125.1-11
- Spout reach: 2.5"
- Spout height: 7.75"



**Rubbed Bronze** w/ clear glass GF-0110RB-C \$197



**Brushed Nickel** w/ clear glass GF-011BN-C \$197



**Rubbed Bronze** w/ tea glass GF-0110RB-T \$199

**Rubbed Bronze** 


w/ clear glass

GF-001ORB-C \$189




GF-136ORB Eclipse

**Rubbed Bronze \$289** 



**Brushed Nickel \$287** 



#### **STANDARD SPECIFICATIONS**

- Solid brass construction
- High pressure ceramic cartridge
- 1.5-inch mounting hole diameter
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- EPA WaterSense® available
- Lifetime Limited Warranty
- Spout reach: 3.75"
- Spout height: 8"



# BATHROOM LAV FAUCETS



[lav-uh-tawr-ee, -tohr-ee] **noun, plural** lavatories

a room fitted with equipment for washing the hands and face
 a bowl or basin with running water for washing or bathing purposes; washbowl
 any place where washing is done

# THE LAVATORY



GF-010BN-C Monroe **Brushed Nickel \$161** 



GF-002ORB-T Refreshed

**Rubbed Bronze \$163** 



GF-010CH-C Monroe (shown)

\$153 Chrome

#### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5" mounting hole diameter
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- Spout reach: 2.5"
- Spout height: 2.625"







**Brushed Nickel \$161** 


#### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5" mounting hole diameter
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
  - Lifetime Limited Warranty
  - Spout reach: 3.5"
  - Spout height: 2.875"





**Chrome \$153** 



142





GF-365SBN Vandy

**Brushed Nickel \$245** 



**Rubbed Bronze \$249** 

### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5-inch mounting hole diameter
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- Spout reach: 4"
- Spout height: 4.5"





GF-368SORB Eva

**Rubbed Bronze \$249** 



GF-368SBN Eva (shown)

**Brushed Nickel \$245** 


### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5-inch mounting hole diameter
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- Spout reach: 4.5"
- Spout height: 4"



NBF-084CH Wave

**Chrome \$197** 



NBF-084ORB Wave (shown)

**Rubbed Bronze \$209** 

### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5-inch mounting hole diameter
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- Spout reach: 2.25"
- Spout height: 2.25"



**Brushed Nickel \$207** 



GF-136SORB Remi

**Rubbed Bronze \$249** 



GF-136SCH Remi (shown)


Chrome \$239

### **STANDARD SPECIFICATIONS**

- Single handle control
- Solid brass construction
- High pressure ceramic cartridge
- Single hole deck mount installation
- 1.5-inch mounting hole diameter
- cUPC and AB1953 low lead compliant
- ASME A112.18.1-1-2011/CSA B125.1-11
- NSF 61 and NSF 372 certified
- Lifetime Limited Warranty
- Spout reach: 3.75"
- Spout height: 3.5"



**Brushed Nickel \$245** 



Hard water is a natural result of minerals like calcium and magnesium accumulating during the water cycle. This accumulation can be seen as ugly stains on your sinks and faucets. Novatto's Glacier Ice products will clean and protect sinks, faucets, counters, shower doors and fixtures from hard water deposits. Finally a two-in-one system which will not only remove water stains and mineral buildup, but also seals from future contaminants.

GLACIER
Clean • Shine • Protect
Glass sinks, faucets & more!

The all-an-one system for restoring surfaces to new and protecting them from further damage:

NOV-GI/RSS Faucet, Sink Restorer and Cleaner w/ Sealer Complete Kit \$57

### STANDARD SPECIFICATIONS

- Restore cleaner removes water stains and mineral buildup from glass, porcelain, copper, stainless steel, porcelain and stone
- Sealer protects from future corrosion, oxidation and mold
- Excellent for <u>new</u> and <u>existing</u> fixtures
- Sealer is easily applied and cures within seconds
- UV resistant and does not yellow or flake
- Treats 100 square feet
- Made in the U.S.A.

### **Complete Kit Includes**

- Restorer Super Sealer Scrubber
- Microfiber cloth Spounge

### **STANDARD SPECIFICATIONS**

- Seals and protects from future hard water buildup, corrosion, oxidation, mold and mildew
- It is easily applied and cures within seconds
- UV resistant and does not yellow or flake
- Perfect for new products
- Made in the U.S.A.

### **Complete Kits Includes**

- Pre-soaked wipe w/ Super Sealer
- Microfiber cloth
- Rubber gloves



NOV-GI/MFC Faucet and Sink Cleaner Presoaked wipe with microfiber cloth \$27


Give your bath an elevated look with a Novatto mounting ring. Not only will it add flair to your bath but also extra counter space and stability to your vessel sink. The mounting ring also makes it easier to clean the space under your vessel!





MR-001CH Chrome \$41

MR-001ORB
Oil-rubbed bronze \$41

MR-001BN Brushed nickel \$41







### STANDARD SPECIFICATIONS

- Solid brass construction
- Includes one rubber seal to cushion sink onto ring
- 3 inches wide by 3/8-inch high
- Fits any standard vessel sink
- Limited lifetime warranty

### UMBRELLA DRAIN W/ MOUNTING RING

Accent your vessel sink with a Novatto umbrella drain and matching mounting ring. This drain is made for sinks without an overflow and is a great alternative for a non-closing drain. Plus, the raised cap discretely conceals the drain opening. The mounting ring's solid brass construction, plated with a lifelong finish will complement any style.



# 71.4S75mm 71.4S75mm 241.3mm 76.19mm 76.19mm 76.38mm

### STANDARD SPECIFICATIONS

- Umbrella vessel sink drain
- Solid brass construction
- Includes: Rubber seals, fastener for installation
- 9.5" total length
- Fits any standard 1.75-inch drain opening
- cUPC
- Mounting ring
- Solid brass construction
- Includes: 1 rubber seal to cushion sink onto ring
- 3" wide by 3/8-inch high
- Fits any standard vessel sink
- Limited lifetime warranty

### POP-UP DRAIN W/ MOUNTING RING

When building a bath with a vessel sink, be sure to add an extra touch with a matching pop-up drain and mounting ring. These drains are designed to work with any sink with a 1.75-inch drain opening. The ring is constructed of solid brass for strength and durability and is to be installed between the vessel sink's bottom and the top of the counter.




### STANDARD SPECIFICATIONS

- Pop-up vessel sink drain
- Solid brass construction
- Includes: rubber seals, fastener for installation
- 9" total length
- Fits any standard 1.75-inch drain opening
- cUPC
- Mounting ring
- Solid brass construction
- Includes: 1 rubber seal to cushion sink onto ring

151

- 3" wide by 3/8-inch high
- Fits any standard vessel sink
- Limited lifetime warranty




Strainer drains will prevent unwanted debris from flowing down into your pipes, causing build-up and clogs. Novatto's solid brass 19-hole grid strainer will larger debris and even rescue jewelry from going down the drain while still allowing water to pass through and flow smoothly.

Give your bath a European flair with a Novatto umbrella drain. A decorative alternative to the standard pop-up. The non-closing drain provides strength and durability with its metal construction. It is perfect for use with any sink with a 1.75-inch drain opening.










### **STANDARD SPECIFICATIONS**

- 19 hole strainer drain
- Solid brass construction
- cUPC
- Includes rubber seals and fastener for installation







# 2 13/16\* 71.4375mm 24 13/16\* 71.4375mm 27 13/16\* 71.4375mm

### STANDARD SPECIFICATIONS

- Umbrella vessel sink drain
- Solid brass construction
- Includes rubber seals and fastener for installation
- 9.5-inches total length
- Fits any standard 1.75-inch drain opening
- cUPC


Today, many modern baths use a soft touch (clicker) pop-up drain with its vessel-style sinks. Do you want the sink to hold water? Press it down. Want the sink to drain? Pop it up. The perfect solution is a Novatto's pop-up drain putting you in control.

If your sink has an overflow then you need a pop-up drain with overflow in order for the excess water to properly drain. A pop-up drain, also called a clicker drain is where the user pushes down on the dome to close the drain and pushes it again to open it back up.









### **STANDARD SPECIFICATIONS**

- Clicker pop-up vessel sink drain
- Solid brass construction
- Includes rubber seals and fastener for installation
- 9-inches total pop-up length
- Fits any standard 1.75-inch drain opening
- cUPC






PUD-BN-O Brushed nickel \$47

### STANDARD SPECIFICATIONS

- Pop-up vessel sink drain with overflow
- Solid brass construction
- Includes rubber seals and fastener for installation
- 9-inches total length
- Fits any standard 1.75-inch drain opening
- cUPC



### **BATH COMBOS**



Enhance your bath by giving it a one-of-a-kind appeal with an all-in-one solution. Novatto's imaginative designers have combined the perfect faucet, sink and drain combination for every design need. Now that is enhanced style.



Enjoy our truly impressive, inspirational and beautifully matched sink and faucet combos. Novatto's creative designers have thoughtfully harmonized combinations in stone, copper, porcelain and glass in order to offer a seamless solution for any bath.




### **SINK SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Bright blue with silver trim painted outside
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



- Vessel Sink Vessel Faucet
- Pop-up Drain
   Mounting Ring
   Glacier Ice Sealer



## $\oplus$ 1.75" diameter

### **SINK SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Fluorescent blue foil painted outside
- 1.75-inch standard drain opening
- Outside: 21.5" x 13.5" x 4.25/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



**Azzurro Set** 

**Brushed Nickel** \$499

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



### **SINK SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Fluorescent blue foil painted outside
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



**NSFC-S132001BN Verdazzurro Set** 

**Brushed Nickel \$485** 

### **Set Includes**


→1.75° diameter

- Vessel Sink Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



NSFC-8048136BN Bonificare Set

**Brushed Nickel \$439** 




Brushed Nickel \$419

### SINK SPECIFICATIONS

- Made with 1/2-inch clear high tempered glass
- Scratch resistant and non-porous inside
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



NSFC-8048001CHC Bonificare Set

Chrome \$329



### NSFC-8048001BNC Bonificare Set (shown)

Brushed Nickel \$349

### **SINK SPECIFICATIONS**

- Made with 1/2-inch clear high tempered glass
- Scratch resistant and non-porous inside
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

## →1.75" diameter

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

- Vessel Sink Vessel Faucet
- Pop-up Drain
   Mounting Ring
   Glacier Ice Sealer



Chrome

\$399

### SINK SPECIFICATIONS

- Made with 1/2-inch clear high tempered glass
- Scratch resistant and non-porous inside
- 1.75-inch standard drain opening
- Outside: 21.5" x 14" x 4.25/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

# 1.75" diameter

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



NSFC-8048011BN Bonificare Set

**Brushed Nickel \$349** 



NSFC-8048011CH Bonificare Set (shown)


Chrome \$

**SINK SPECIFICATIONS** 

- Made with 1/2-inch clear high tempered glass
- Scratch resistant and non-porous inside
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



### **Set Includes**

- Vessel Sink
   Vessel Faucet
- Pop-up Drain
   Mounting Ring
   Glacier Ice Sealer



• Made with 1/2-inch high tempered glass

• Scratch resistant and non-porous inside

• Fluorescent silver foiled exterior

- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

NSFC-7032001BN **Argento Set** 

**Brushed Nickel \$489** 

- Pop-up Drain Mounting Ring Glacier Ice Sealer



13.5"

1.75" diameter

### SINK SPECIFICATIONS

• Made with 1/2-inch high tempered glass

• Scratch resistant and non-porous inside • Fluorescent silver foiled exterior

• 1.75-inch standard drain opening

• Outside: 21.5" x 13.5" x 4.25/6"

### **FAUCET SPECIFICATIONS**


- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

NSFC-70328031001BN **Argento Set** 


**Brushed Nickel** \$499



- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer







- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 16.5" x 6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

## →1.75" diameter

### NSFC-027001ORB Distorto Set

**Rubbed Bronze \$469** 

### SINK SPECIFICATIONS

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 16.5" x 6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### Set Includes


- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer

### **Set Includes**

- Vessel Sink
   Vessel Faucet
- Pop-up Drain
   Mounting Ring
   Glacier Ice Sealer



**Rubbed Bronze** \$479



### **SINK SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Oval hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 21.5" x 13.5" x 4.25/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



Rubbed Bronze \$569

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



**Mimetica Set** 

**Rubbed Bronze \$469** 



**NSFC-025136ORB** Mimetica Set (shown)

**Rubbed Bronze** \$559

### →1.75° diameter

### **SINK SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



NSFC-025057ORB **Mimetica Set** 

**Rubbed Bronze \$559** 


### **Set Includes**

- Vessel Sink Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer




NSFC-028001CH Misto Set

Chrome \$459



**Brushed Nickel \$465** 



### **SINK SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 17" x 6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



NSFC-028001ORB Misto Set

**Rubbed Bronze \$469** 

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer




### SINK SPECIFICATIONS

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round and painted glass vessel
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"


### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer





- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 17" x 6"


### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer





### **SINK SPECIFICATIONS**


- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Oval hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 21.5" x 13.5" x 4.25/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

- Vessel Sink
   Vessel Faucet
- Pop-up Drain
   Mounting Ring
   Glacier Ice Sealer






- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 16.5" x 6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



### NSFC-033001ORB Occaso Set

Rubbed Bronze \$459

### SINK SPECIFICATIONS

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 16.5" x 6"

### **FAUCET SPECIFICATIONS**


- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty


### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain
   Mounting Ring
   Glacier Ice Sealer





- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Oval clear brown colored glass vessel
- 1.75-inch standard drain opening
- Outside: 21.5" x 14" x 4.25/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### Set Includes

• Vessel Sink • Vessel Faucet



**Babbuccia Set (shown)** 

Rubbed Bronze \$499

1.75" diameter

### **SINK SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Oval clear brown colored glass vessel
- 1.75-inch standard drain opening
- Outside: 21.5" x 14" x 4.25/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



Rubbed Bronze \$405

→1.75\* diameter

### STANDARD SPECIFICATIONS

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round clear brown glass vessel sink
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



NSFC-168T001BN TY Set (shown)

**NSFC-168T136ORB** 

**Rubbed Bronze \$485** 

Ty Set (shown)


**Brushed Nickel \$399** 

### **STANDARD SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round clear brown glass vessel sink
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified



- Vessel Sink Vessel Faucet
- Pop-up Drain
   Mounting Ring
   Glacier Ice Sealer



- Made with 1-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel
- 1.75-inch standard drain opening
- Outside: 18" x 4.5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



Mosaico (shown)

**Rubbed Bronze \$495** 

→1,75" diameter

### **STANDARD SPECIFICATIONS**


- 1.75-inch drain opening
- Above counter installation
- Brown and tan mosaic painted exterior
- Stain and scratch resistant inside
- Thick 3/4 inch high tempered glass
- Standard U.S. plumbing connection
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



- Vessel Sink Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer






NSFC-012001CH Tartaruga Set

Chrome \$479



**Brushed Nickel \$489** 



### STANDARD SPECIFICATIONS

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel sink
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"


### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified


### Set Includes

- Vessel Sink Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer





**Brushed Nickel** \$499



### **SINK SPECIFICATIONS**

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Oval hand painted glass vessel sink
- 1.75-inch standard drain opening
- Outside: 21.5" x 13.5" x 4.25/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty


- Vessel Sink
   Vessel Faucet
- Pop-up Drain
   Mounting Ring
   Glacier Ice Sealer



**NSFC-168G001BNS** Nera Set

**Brushed Nickel \$399** 





- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round clear grey glass vessel sink
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"


### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified

### • Outside: 21.5" x 14" x 4.25/6" 1.75" diameter

### NSFC-324G001BNS **Bigio Set**

**Brushed Nickel \$405** 



### **FAUCET SPECIFICATIONS**

- Solid brass construction
  - 1.5-inch diameter hole required
  - cUPC/AB1953 low lead compliant
  - NSF, ASME and CSA certified
  - Lifetime Limited Warranty

### Set Includes


- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer

- Vessel Sink Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



Godere Set (shown)

**Brushed Nickel \$459** 



### STANDARD SPECIFICATIONS

- Made with 1/2-inch high tempered glass
- Scratch resistant and non-porous inside
- Round hand painted glass vessel sink
- 1.75-inch standard drain opening
- Outside: 16.5" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified


### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Mounting Ring Glacier Ice Sealer



Chrome

\$479



### **SINK SPECIFICATIONS**

- Oval bright white glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- Standard plumbing connections
- With overflow
- Outside: 24.75" x 17" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### **Set Includes**

- Vessel Sink Vessel Faucet
- Pop-up Drain Glacier Ice Sealer

187



17"
431.8mm

628.65mm

1.75" diameter

### **SINK SPECIFICATIONS**

- Oval bright white glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- Standard plumbing connections
- With overflow
- Outside: 24.75" x 17" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty


### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Glacier Ice Sealer



Chrome

\$389



### **SINK SPECIFICATIONS**

- Oval bright white glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- Standard plumbing connections
- With overflow
- Outside: 24.75" x 17" x 5.75"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### **Set Includes**

- Vessel Sink Vessel Faucet
- Pop-up Drain Glacier Ice Sealer

189



- Rectangle bright white glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- Standard plumbing connections
- Above counter installation
- Outside: 20.75" x 16.5" x 5.5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### **Set Includes**

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Glacier Ice Sealer



### **STANDARD SPECIFICATIONS**

- Rectangle bright white glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- Standard plumbing connections
- Above counter installation
- Outside: 20.75" x 16.5" x 5.5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### **Set Includes**

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Glacier Ice Sealer



• Rectangle bright white glossy porcelain vessel sink

- Scratch resistant, non-porous surface
- Standard plumbing connections
- Above counter installation
- Outside: 20.75" x 16.5" x 5.5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Glacier Ice Sealer



**Rubbed Bronze** 

\$529

### **STANDARD SPECIFICATIONS**

- Rectangle bright white glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- Above counter installation
- With faucet mount hole and overflow
- Outside: 22.25" x 18.25" x 4"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

NSFC-01317136SCH Porcelain Sink Set

Chrome \$509

### **Set Includes**

- Vessel Sink Lav Faucet
- Pop-up Drain Glacier Ice Sealer



• Rectangle bright white glossy porcelain vessel sink

- Scratch resistant, non-porous surface
- Above counter installation
- With faucet mount hole and overflow
- Outside: 22.25" x 18.25" x 4"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### Set Includes

- Vessel Sink Lav Faucet
- Pop-up Drain Glacier Ice Sealer



Chrome \$369

### **STANDARD SPECIFICATIONS**

- Rectangle bright white glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- Standard plumbing connections
- Above counter installation
- Outside: 21.75" x 13.75" x 3.5/4.5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### **Set Includes**

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Glacier Ice Sealer



• Rectangle bright white glossy porcelain vessel sink

• Scratch resistant, non-porous surface

- Standard plumbing connections
- Above counter installation
- Outside: 21.75" x 13.75" x 3.5/4.5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

NSFC-01141136BN Porcelain Sink Set

**Brushed Nickel \$519** 

### Set Includes

- Vessel Sink
   Vessel Faucet
- Pop-up Drain Glacier Ice Sealer



### **STANDARD SPECIFICATIONS**

• Rectangle bright white glossy porcelain vessel sink

197

- Scratch resistant, non-porous surface
- With faucet mount hole
- Above counter installation
- Outside: 26.5" x 18" x 3.75/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### **Set Includes**

- Vessel Sink Lav Faucet
- Pop-up Drain
   Glacier Ice Sealer



\$469 **Rubbed Bronze** 

### **STANDARD SPECIFICATIONS**

- Rectangle bright white glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- With faucet mount hole
- Above counter installation
- Outside: 26.5" x 18" x 3.75/6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

NSFC-01086365SCH **Porcelain Sink Set** 

Chrome \$449

### Set Includes

- Vessel Sink Lav Faucet
- Pop-up Drain
   Glacier Ice Sealer



**Brushed Nickel** 

\$569

### **STANDARD SPECIFICATIONS**

- Rectangle white and black glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- With faucet mount hole
- Above counter installation
- Outside: 22" x 15.75" x 4.25/5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### **Set Includes**

- Vessel Sink Lav Faucet
- Pop-up Drain Glacier Ice Sealer



Porcelain Sink Set (shown)

\$499 **Brushed Nickel** 

### STANDARD SPECIFICATIONS

- Rectangle white and black glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- With faucet mount hole
- Above counter installation
- Outside: 22" x 15.75" x 4.25/5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### Set Includes

- Vessel Sink Lav Faucet
- Pop-up Drain Glacier Ice Sealer



**Brushed Nickel** 

\$575

### **STANDARD SPECIFICATIONS**

- Rectangle bright white and black glossy porcelain vessel sink
- Scratch resistant, non-porous surface
- With faucet mount hole
- Above counter installation
- Outside: 22" x 15.75" x 4.25/5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty

### **Set Includes**

- Vessel Sink Lav Faucet
- Pop-up Drain Glacier Ice Sealer



→1.75° diameter

### STANDARD SPECIFICATIONS

- Polished black interior with textured exterior
- Natural granite hand crafted by master artisans
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 17 x 5.75-inches

- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified


### **FAUCET SPECIFICATIONS**

- Solid brass construction

- Lifetime Limited Warranty

### Set Includes

- Vessel Sink
   Vessel Faucet
- Umbrella Drain Glacier Ice Sealer



**Rubbed Bronze** 

→1.75° diameter

\$755

### **STANDARD SPECIFICATIONS**

- Natural travertine hand crafted by master artisans
- Standard U.S. plumbing connection
- 1.75-inch drain opening
- Outside: 17 x 5.75-inches

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



- Vessel Sink
   Vessel Faucet
- Umbrella Drain Glacier Ice Sealer



- Hand hammered living finish
- Approximate dimensions due to handmade craftsmanship
- 1.5-inch drain opening
- Artisan made in Mexico
- 14-gauge copper
- Outside: 18" x 14" x 6"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



NSFC-CV002AN359ORB Catalonia Set

Antique \$839



NSFC-CV002NA359ORB Catalonia Set (shown)

Natural


\$839

### STANDARD SPECIFICATIONS

- Hand hammered living finish
- Approximate dimensions due to handmade craftsmanship
- 1.5-inch drain opening
- Artisan made in Mexico
- 14-gauge copper
- Outside: 18" x 18" x 5.5"

### **FAUCET SPECIFICATIONS**

- Solid brass construction
- 1.5-inch diameter hole required
- cUPC/AB1953 low lead compliant
- NSF, ASME and CSA certified
- Lifetime Limited Warranty



### **Set Includes**

• Vessel Sink • Vessel Faucet • Strainer Drain

### **Set Includes**

Vessel Sink
 Vessel Faucet
 Strainer Drain


205

204


355.6mm

1.5\* clameter





- Double Wall 16 Gauge Copper
- Hand hammered antique finish
- 16-gauge recycled copper construction
- Standard U.S. Plumbing Connection
- Artisan made in Mexico
- 2 " Drain
- Tolerance = +/- 1/2"
- Artisan made in Mexico
- Inside dimensions: 57" x 29" x 21"
- Outside dimensions: 64" x 36" x 24"



### NBT-ADA Adamo

\*NBT-ADA-60 \$11,497 NBT-ADA-66 \$11,597 NBT-ADA-72 \$11,697 (tub only)

### **STANDARD SPECIFICATIONS**

- Hand hammered antique finish
- 16-gauge recycled copper construction
- Standard U.S. Plumbing Connection
- Artisan made in Mexico
- Tolerance = +/- 1/2"
- 2 " Drain
- Artisan made in Mexico
- Outside Dimensions:

\*NBT-ADA-60: 60" x 30" x 29" NBT-ADA-66: 66" x 34" x 33" NBT-ADA-72: 72" x 35" x 34"

207

<sup>\*</sup> Showing specs for only the NBT-ADA-60



P: 844.404.4242 | support@novattoinc.com | NovattoInc.com | #WhereStyleFlows







