

SOHO

COLLECTION

Design • Evolution



Powered by  bond

 Works with
SmartThings

 Works with the
Google Assistant

 Works with
alexa

 Control4
CERTIFIED

 CRESTRON

 Driven by
MotionTech

Powered by
bond



The Soho MotionTech Collection, Trax Drapery Hardware's Newest Line of Motorized Curtain Hardware

The Soho MotionTech collection of drapery hardware has been designed and engineered for installation and operation perfection. Featuring a slim profile, MotionTech motors offer impeccable aesthetics, allowing for uninterrupted ripplefold waves and flush-to-rod pinch pleats, all while using the same motor.

MotionTech motors are designed with every feature you would expect from a leading motorized curtain rod. Motors are programmable to allow for various settings and are bi-directional allowing for communication between compatible bridges and devices.

Optimized to be used with the Bond Bridge Pro, MotionTech motors open you up to a world of possibilities. When used in conjunction with the Bond Bridge Pro, you can quickly and easily set personalized schedules to automatically open and close your curtains when you like, and as much as you like. Bond Bridge Pro is integrated with leading automation systems such as Control 4, Crestron, Alexa, Google, Apple Siri, and many more, and is backed by amazing customer support. Designed to be powerful, quiet, and reliable, MotionTech motors have been tested and proven to meet the highest standards possible. MotionTech motors come with a two-year warranty to ensure your investment is protected.

Trax Drapery Hardware™ was founded on the principle that innovation, design, and quality do not need to be sacrificed to provide exceptional value. Offering a wide range of in-stock and ready-to-ship hardware, Trax Drapery Hardware™ has evolved and developed an extensive range of exclusive

products, designs, and colors. The Soho Collection's commitment to continual advancement can be seen in our new patent pending installation assembly. The new mounting system simplifies the installation process and offers reliability in the areas where needed the most while respecting customers' expectations of design and value.

The Soho MotionTech Collection offers a wide range of finial designs in five designer colors. From modern to elegant, every curve has been carefully designed to enhance any room's decor. Every color has been carefully selected, from Polished Nickel to Matte Black and Brushed Brass combinations, the design possibilities are endless.

Offering the widest range of components and accessories, the Soho Collection has been engineered for installation precision. Every component of this collection has been carefully engineered to meet almost every installation situation imaginable. Flush-mounted ceiling brackets allow channel rods to be mounted without a ceiling gap, while extra-strong channel rod joints allow seamless joints over long spans and the placement of a bracket at the center of the joint.

The Soho Collection will meet our discerning customer's technical and design needs and continue in our never-ending goal of achieving design evolution.



TCHIP

NOTE: Sizes are approximate. Pictures of products may not be exact color.

Soho Motorized Tracks

Powered by bond



- 1 14 Finial, end cap, and end plug options available, in 5 finishes.
 - 2 Control pulleys work for both pinch pleat and ripplefold curtains, with motors able to be mounted on the left or right side.
 - 3 Powerful sleek motor with 77 lbs capacity
 - 4 Lithium Ion Battery Powered
 - 5 Ball bearing pinch pleat carriers.
 - 6 Master carriers are available in one way or center draws in both pinch pleat and ripplefold options.
 - 7 Return pulleys are available for center draw, one-way left or one way right draws.
 - 8 Ripplefold carriers are available in 60%, 80%, 100% and 120% fullness.
- 14 Finial, end cap, and end plug options available, in 5 finishes.
 - 77 lbs weight capacity.
 - Lithium Ion battery powered
 - Motors and accessories comply with international safety standards.
 - All products are quality tested during production.
 - MotionTech motors are backed by a 5 year limited warranty*
 - MotionTech motorized tracks are available in unspliced lengths of up to 96" and spliced lengths up to 192". Contact customer service for longer tracks.
 - Wide range of remotes to suit aesthetic need and functionality.

Features

Bi-Directional RF Communication

Easily program, either individual or groups of windows using radio frequency controls. Built-in bi-directional communication allows for greater control.

Dual Speed

Motors can be set at both high and low speeds to suit your preference.

Preferred Opened and Closed Positions

Effortlessly set limits for both the opened and closed positions.

Favorite Position

Enables users to set a position between the open and closed limits most often use.

Obstacle Interruption

Motors automatically stop to prevent damage if an obstacle is detected.

Manually Operable

Curtains can be manually operated without the use of a remote.

Whisper-Quiet

Whisper-quiet motors make these motors ideal for all settings.




Decorative Motorized Metal Track Configurations

Ripplefold and Pinch Pleat

Left Wall Mounted
Ripplefold
and Pinch Pleat



Right Wall Mounted
Ripplefold
and Pinch Pleat




Left Ceiling
Mounted
Ripplefold
and Pinch Pleat



Right Ceiling
Mounted
Ripplefold
and Pinch Pleat



Left Double Wall
Mounted
Ripplefold
and Pinch Pleat




Right Double Wall
Mounted
Ripplefold
and Pinch Pleat



How to Order Your Motorized Track

Powered by bond

1. Determine Your Total Finished Track Length, Finials And Colors



		Pair of Finial Adds to Total Length	Single Finial Adds to Total Length	Finial Colors					Track Colors					Track Length	Total Finished Length (Track length + Finial(s))
				AP	BB	MB	PN	SN	AP	BB	MB	PN	SN		
	SFN1	5.5"	2.75"												
	SFN2	4.5"	2.25"												
	SFN3	5.5"	2.75"												
	SFN4	6.5"	3.25"												
	SFN5	6.5"	3.25"												
	SFN6	4.5"	2.25"												
	SFN7	6.25"	3.125"												
	SFN8	5.25"	2.625"												
	SFN9	5.5"	2.75"												
	SFN10	2.5"	1.25"												
	SEC	0.25"	0.125"												
	SCAC	1.375"	0.687"												
	SCEP	0.25"	0.125"												

Maximum recommended lengths are 96" for one way draws and 192" for Center Draws. Center draws greater than 96" consist of two equal rod lengths (including pulleys). Please contact customer service for more information on longer tracks.


2. Select The Required Mounting:

			Finial Colors					Notes:
			AP	BB	MB	PN	SN	
	Ceiling Flush Mount	SFM						Ceiling Flush Mount only works with SECP and SCAC
	Ceiling Mount	SCM						Ceiling Mount (SCM) only works with SFN10, SCAC, SEC, and SCEP
	Single Wall Bracket	SSV						
	Extended Single Wall Bracket	SXLV						
	Double Wall Bracket	SDV						

Up to 72" — 3 brackets | 73" - 96" — 4 brackets | 97" - 144" — 5 brackets | 145" - 192" — 7 brackets




3. Select A Drapery Style



☐ Ripplefold

Fullness:


- ☐ 60% ☐ 80%
☐ 100% ☐ 120%




☐ Pinch Pleat

NOTE: 3 Ball bearing carriers per foot.


Select An Opening and Master Carrier(s)



	Butt Master Ripplefold and Pinch Pleat	ABML	
		ABMR	
	Under/Overlap Ripplefold and Pinch Pleat	AMU	
		AMO	



	Overlap Ripplefold and Pinch Pleat	AOL	
		ABOL	
	Butt Master Ripplefold	ABOL	



	Overlap Ripplefold and Pinch Pleat	AOR	
		ABOR	
	Butt Master Ripplefold	ABOR	

4. Select a Motor Option



☐ **MotionTech**
(TM098)
Includes rechargeable
Lithium-Ion battery
(Charger sold separately)

5. Select Accessories

☐ **Bond Bridge Pro**
(BD-1750)



☐ **Sidekik**
(SKS-500)



☐ **Single Channel Remote**
(TRH0027)




☐ **Digital 15 Channel Remote**
(TRH2027)

☐ **Battery Charger**
(TC5651)



☐ **Repeater**
TR7551



TWND AP ☐ TWND BB ☐ TWND MB ☐ TWND PN ☐ TWND SN ☐

NOTE: Visit www.uniquefinefabrics.com for a full range of MotionTech products.

Finials

SFN1 AP

Color: 
Antique Pewter: AP
Sold in Pairs



SFN1 BB

Color: 
Brushed Brass: BB
Sold in Pairs



SFN1 MB

Color: 
Matte Black: MB
Sold in Pairs




SFN1 PN

Color: 
Polished Nickel: PN
Sold in Pairs




SFN1 SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions



NOTE: Pair of SFN1 finials adds 5.5" to the total finished rod length.

Finials

SFN2 AP

Color: 
Antique Pewter: AP
Sold in Pairs



SFN2 BB

Color: 
Brushed Brass: BB
Sold in Pairs



SFN2 MB

Color: 
Matte Black: MB
Sold in Pairs



SFN2 PN

Color: 
Polished Nickel: PN
Sold in Pairs




SFN2 SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions



NOTE: Pair of SFN2 finials adds 4.5" to the total finished rod length.

Finials

SFN3 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs



SFN3 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN3 MB

Color: 
 Matte Black: MB
 Sold in Pairs




SFN3 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN3 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs



Dimensions



NOTE: Pair of SFN3 finials adds 5.375" to the total finished rod length.

Finials

SFN4 AP

Color: 
Antique Pewter: AP
Sold in Pairs




SFN4 BB

Color: 
Brushed Brass: BB
Sold in Pairs



SFN4 MB

Color: 
Matte Black: MB
Sold in Pairs



SFN4 PN

Color: 
Polished Nickel: PN
Sold in Pairs




SFN4 SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions



NOTE: Pair of SFN4 finials adds 6.375" to the total finished rod length.

Finials

SFN5 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs



SFN5 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN5 MB

Color: 
 Matte Black: MB
 Sold in Pairs



SFN5 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN5 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs



Dimensions



NOTE: Pair of SFN5 finials adds 6.375" to the total finished rod length.

Finials

SFN6 AP

Color: 
Antique Pewter: AP
Sold in Pairs



SFN6 BB

Color: 
Brushed Brass: BB
Sold in Pairs



SFN6 MB

Color: 
Matte Black: MB
Sold in Pairs



SFN6 PN

Color: 
Polished Nickel: PN
Sold in Pairs




SFN6 SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions



NOTE: Pair of SFN6 finials adds 4.5" to the total finished rod length.

Finials

SFN7 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs



SFN7 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN7 MB

Color: 
 Matte Black: MB
 Sold in Pairs



SFN7 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN7 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs



Dimensions



NOTE: Pair of SFN7 finials adds 6.25" to the total finished rod length.

Finials

SFN8 AP

Color: 
Antique Pewter: AP
Sold in Pairs



SFN8 BB

Color: 
Brushed Brass: BB
Sold in Pairs



SFN8 MB

Color: 
Matte Black: MB
Sold in Pairs



SFN8 PN

Color: 
Polished Nickel: PN
Sold in Pairs




SFN8 SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions



NOTE: Pair of SFN8 finials adds 5.25" to the total finished rod length.

Finials

SFN9 AP



Color: 
 Antique Pewter: AP
 Sold in Pairs

SFN9 BB



Color: 
 Brushed Brass: BB
 Sold in Pairs

SFN9 MB



Color: 
 Matte Black: MB
 Sold in Pairs

SFN9 PN




Color: 
 Polished Nickel: PN
 Sold in Pairs

SFN9 SN



Color: 
 Satin Nickel: SN
 Sold in Pairs

Dimensions



NOTE: Pair of SFN9 finials adds 5.5" to the total finished rod length.

Finials

SFN10 AP

Color: 
Antique Pewter: AP
Sold in Pairs



SFN10 BB

Color: 
Brushed Brass: BB
Sold in Pairs



SFN10 MB

Color: 
Matte Black: MB
Sold in Pairs



SFN10 PN

Color: 
Polished Nickel: PN
Sold in Pairs




SFN10 SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions

NOTE: Pair of SFN10 finials adds 2.625" to the total finished rod length.



End Caps

SEC AP

Color: 
Antique Pewter: AP
Sold in Pairs



SEC BB

Color: 
Brushed Brass: BB
Sold in Pairs



SEC MB

Color: 
Matte Black: MB
Sold in Pairs



SEC PN

Color: 
Polished Nickel: PN
Sold in Pairs



SEC SN

Color: 
Satin Nickel: SN
Sold in Pairs



Dimensions

NOTE: Pair of SEC end caps adds 0.25" to the total finished rod length.



Right Ripplefold and Pinch Pleat Pulley

SPTMR AP

Compatible with AMU/AMO,
ABML/ABMR, ABOR and AOR
Master Carriers



Color: 
Antique Pewter: AP
Sold Individually

SPTMR BB

Compatible with AMU/AMO,
ABML/ABMR, ABOR and AOR
Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPTMR MB

Compatible with AMU/AMO,
ABML/ABMR, ABOR and AOR
Master Carriers



Color: 
Matte Black: MB
Sold Individually

SPTMR PN

Compatible with AMU/AMO,
ABML/ABMR, ABOR and AOR
Master Carriers



Color: 
Polished Nickel: PN
Sold Individually


SPTMR SN

Compatible with AMU/AMO,
ABML/ABMR, ABOR and AOR
Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions



Left Ripplefold and Pinch Pleat Pulley

SPTML AP

Compatible with AMU/AMO,
ABML/ABMR, ABOL and AOL
Master Carriers



Color: 
Antique Pewter: AP
Sold Individually

SPTML BB

Compatible with AMU/AMO,
ABML/ABMR, ABOL and AOL
Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPTML MB

Compatible with AMU/AMO,
ABML/ABMR, ABOL and AOL
Master Carriers



Color: 
Matte Black: MB
Sold Individually

SPTML PN

Compatible with AMU/AMO,
ABML/ABMR, ABOL and AOL
Master Carriers



Color: 
Polished Nickel: PN
Sold Individually


SPTML SN

Compatible with AMU/AMO,
ABML/ABMR, ABOL and AOL
Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions



Right Center Split Return Pulley

SPCR AP

Compatible with AMU/AMO and
ABML/ABMR Master Carriers



Color: 
Antique Pewter: AP
Sold Individually

SPCR BB

Compatible with AMU/AMO and
ABML/ABMR Master Carriers



Color: 
Brushed Brass: BB
Sold Individually

SPCR MB

Compatible with AMU/AMO and
ABML/ABMR Master Carriers



Color: 
Matte Black: MB
Sold Individually

SPCR PN

Compatible with AMU/AMO and
ABML/ABMR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually

SPCR SN

Compatible with AMU/AMO and
ABML/ABMR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions



Right One Way Return Pulley

SPOR AP

Compatible with ABOL
and AOL Master Carriers



Color: 
Antique Pewter: AP
Sold Individually

SPOR BB

Compatible with ABOL
and AOL Master Carriers



Color: 
Brushed Brass: BB
Sold Individually

SPOR MB

Compatible with ABOL
and AOL Master Carriers



Color: 
Matte Black: MB
Sold Individually

SPOR PN

Compatible with ABOL
and AOL Master Carriers




Color: 
Polished Nickel: PN
Sold Individually

SPOR SN

Compatible with ABOL
and AOL Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions



Left Center Split Return Pulley

SPCL AP

Compatible with AMO/AMU and ABML/ABMR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPCL BB

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color: 
Brushed Brass: BB
Sold Individually

SPCL MB

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color: 
Matte Black: MB
Sold Individually

SPCL PN

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color: 
Polished Nickel: PN
Sold Individually


SPCL SN

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions



Left One Way Return Pulley

SPOL AP

Compatible with ABOR and AOR Master Carriers



Color: 
Antique Pewter: AP
Sold Individually

SPOL BB

Compatible with ABOR and AOR Master Carriers



Color: 
Brushed Brass: BB
Sold Individually

SPOL MB

Compatible with ABOR and AOR Master Carriers



Color: 
Matte Black: MB
Sold Individually

SPOL PN

Compatible with ABOR and AOR Master Carriers



Color: 
Polished Nickel: PN
Sold Individually


SPOL SN

Compatible with ABOR and AOR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually


Dimensions



Bond Bridge Pro

(BD-1750)

Phones not included. Demonstration of software only.



Download the Bond Home App to Get Started



- Bond Bridge Pro is a Sub GHz to WiFi (TCP/IP) Bridge
- Cover remote controls between 300MHz-450MHz
- Controls leading brands such as Somfy®, most ceiling fans, and fireplaces – with shade slider in the App
- 2.4 GHz Wi-Fi, Ethernet + PoE
- Connect up to 50 devices with each Bond Bridge Pro
- Extended Warranty – 3 yrs
- Expanded Range – 3500 sq ft

- Drivers for C4, Elan, RTI, URC, Savant, Hubitat, Smart Things, + others
- Open API + compatible with Google Home and Alexa – Voice Control
- Live Tech Support
- Wall and ceiling mount
- 6' power cable included
- 110-220V

Remotes



**Sidekik
(SKS-500)**

- Wireless flush-mount remote
- Controls up to 5 channels
- Communicates directly with shades
- 10-year battery life



**Single Channel Remote
(TRH0027)**

- Single Channel hand-held remotes
- control individual
- window coverings or groups
- of window coverings.



**15 Channel Remote
(TRH2027)**

- 15 Channel hand-held remotes
- control up to 15 individual
- window coverings or groups
- of window coverings.

MotionTech

TM098



- Draperies weighing up to 77 lbs
- Up to 7.80 in./s
- DC 14.8V
- 1.2 Nm torque
- Rechargeable Lithium-Ion Battery (charger sold separately)
- CE Certified

Power

Battery Charger (TC5651)

- 6' Battery Charger
- Input 100-240V 50/60Hz 0.5A Max
- Output 16.5V 0.89A



Connectivity



Repeater (TR7551)

- Input Voltage: DC 4.8V-5.2V
- Transmitting Frequency: 433.05-434.79Mhz
- Current <20mA
- Extends the wireless range of remotes up to 60'

1 3/8" Channel Rods



STRC4 AP
STRC6 AP
STRC8 AP

Color:
Antique Pewter: AP
Sold Individually



STRC4 BB
STRC6 BB
STRC8 BB

Color:
Brushed Brass: BB
Sold Individually



STRC4 MB
STRC6 MB
STRC8 MB

Color:
Matte Black: MB
Sold Individually



STRC4 PN
STRC6 PN
STRC8 PN

Color:
Polished Nickel: PN
Sold Individually



STRC4 SN
STRC6 SN
STRC8 SN

Color:
Satin Nickel: SN
Sold Individually

STRC4 Length 4' | STRC6 Length 6' | STRC8 Length 8'

Additional handling charges may apply on 8' rods.
Please contact customer service for information.


Channel Rod Joint

SCJNT



Channel Rod Joint allows for bracket to be installed centered behind it.


Dimensions



Available in Antique Pewter (SCJNT AP), Brushed Brass (SCJNT BB), Matte Black (SCJNT MB), Polished Nickel (SCJNT PN) and Satin Nickel (SCJNT SN) Sold Individually

Channel Rod Joint Cover

Dimensions



SCC AP
Color:
Antique Pewter: AP



SCC BB
Color:
Brushed Brass: BB



SCC MB
Color:
Matte Black: MB



SCC PN
Color:
Polished Nickel: PN




SCC SN
Color:
Satin Nickel: SN

Sold Individually

Channel Rod End Caps

Dimensions



SCAC AP
Color:
Antique Pewter: AP



SCAC BB
Color:
Brushed Brass: BB



SCAC MB
Color:
Matte Black: MB



SCAC PN
Color:
Polished Nickel: PN




SCAC SN
Color:
Satin Nickel: SN

NOTE: Pair of SCAC end caps adds 1.26" to the total finished length.

Sold in Pairs

Channel Rod End Plug

Dimensions



SCEP AP
Color:
Antique Pewter: AP
Sold Individually



SCEP BB
Color:
Brushed Brass: BB
Sold Individually



SCEP MB
Color:
Matte Black: MB
Sold Individually



SCEP PN
Color:
Polished Nickel: PN
Sold Individually



SCEP SN
Color:
Satin Nickel: SN
Sold Individually

NOTE: Pair of SCEP end plugs adds 0.25" to the total finished length.

Sold in Pairs

Ceiling Flush Mount

Ceiling Mount



Color: 
 Antique Pewter: AP
 Sold Individually

SFM AP



Color: 
 Antique Pewter: AP
 Sold Individually


SCM AP



Color: 
 Brushed Brass: BB
 Sold Individually


SFM BB



Color: 
 Brushed Brass: BB
 Sold Individually


SCM BB



Color: 
 Matte Black: MB
 Sold Individually

SFM MB



Color: 
 Matte Black: MB
 Sold Individually

SCM MB



Color: 
 Polished Nickel: PN
 Sold Individually

SFM PN



Color: 
 Polished Nickel: PN
 Sold Individually

SCM PN



Color: 
 Satin Nickel: SN
 Sold Individually


SFM SN




Color: 
 Satin Nickel: SN
 Sold Individually

SCM SN


Dimensions



Dimensions




NOTE: The ceiling flush mount sits right up against the ceiling, where as the ceiling mount allows the rod some space to sit slightly below.



Ceiling Flush Mount


Ceiling Mount

Single Bracket



Color: 
Antique Pewter: AP
Sold Individually


SSV AP




Color: 
Brushed Brass: BB
Sold Individually

SSV BB



Color: 
Matte Black: MB
Sold Individually

SSV MB



Color: 
Polished Nickel: PN
Sold Individually


SSV PN



Color: 
Satin Nickel: SN
Sold Individually

SSV SN

Dimensions



Extended Single Bracket



Color: 
Antique Pewter: AP
Sold Individually


SXLV AP



Color: 
Brushed Brass: BB
Sold Individually

SXLV BB



Color: 
Matte Black: MB
Sold Individually

SXLV MB



Color: 
Polished Nickel: PN
Sold Individually


SXLV PN




Color: 
Satin Nickel: SN
Sold Individually

SXLV SN

Dimensions



Cover



Double Bracket



SDV AP

Color: 
Antique Pewter: AP
Sold Individually



SDV BB

Color: 
Brushed Brass: BB
Sold Individually



SDV MB

Color: 
Matte Black: MB
Sold Individually



SDV PN


Color: 
Polished Nickel: PN
Sold Individually




SDV SN

Color: 
Satin Nickel: SN
Sold Individually

Dimensions



Cover




Wand



TWND AP	TWND BB	TWND MB	TWND PN	TWND SN
Color: 	Color: 	Color: 	Color: 	Color: 
Antique Pewter: AP Sold Individually	Brushed Brass: BB Sold Individually	Matte Black: MB Sold Individually	Polished Nickel: PN Sold Individually	Satin Nickel: SN Sold Individually

Dimensions



RPL-TECH® Carrier Guide

Carrier guide shows the maximum number of carriers required per track length.

Track Length in Inches	Fullness							
	60% One Way	60% Center Split	80% One Way	80% Center Split	100% One Way	100% Center Split	120% One Way	120% Center Split
24-30	12	12	13	14	15	16	16	16
31-36	14	14	16	16	17	18	20	20
37-42	16	16	18	18	20	20	23	24
43-48	19	20	21	22	23	24	26	26
49-54	21	22	23	24	26	26	29	30
55-60	23	24	26	26	29	30	32	32
61-66	26	26	28	28	32	32	36	36
67-72	28	28	31	32	34	34	39	40
73-78	30	30	33	34	37	38	42	42
79-84	32	32	36	36	40	40	45	46
85-90	35	36	38	38	43	44	48	48
91-96	37	38	41	42	46	46	52	52
97-102	39	40	43	44	48	48	55	56
103-108	42	42	46	46	51	51	58	58
109-114	44	44	48	48	54	54	61	62
115-120	46	46	51	52	57	58	64	64
121-126	48	48	54	54	60	60	68	68
127-132	51	52	56	56	63	64	71	72
133-138	53	54	59	60	65	66	74	74
139-144	55	56	61	62	68	68	77	78

Carrier Quantities

RPL-Tech® Calculator Available Upon Request

RPL-Tech® Tape



XTP-WH




XTP-CL



XTP-BL

Sold by the yard or rolls of 100 yards.

Dimensions




Ball Bearing Carriers

Reengineered, SmartSet™ ball bearing carriers offer the smoothest and quietest movement on the market today



Dimensions



SC16



Sold in Strips of 10 Quick load easy tear strips of carriers



End Stop
AES

Sold as set.
Set includes one nut
one plate and one bolt

Wheeled RPL-Tech® Carrier



Sold in Strips of 20 Carriers. Only RPL-Tech® carriers are recommended for Soho tracks.

Internal Components

Belt

ABLT



Sold by the yard or rolls of 109 yards.

Belt Connector


ABX



Belt connectors sold individually.

AOL


One Way Left Draw Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

AOR


One Way Right Draw Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

AMU


Under Center Draw Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

AMO


Upper Center Draw Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABOL


One Way Left Draw Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABOR


One Way Right Draw Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABML


Left Butt Master Center Draw Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABMR

Right Butt Master Center Draw Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

Powered by  bond



SOHO

C O L L E C T I O N

Design • Evolution



Distributed by:



490 Rowntree Dairy Rd.
Woodbridge, Ontario
L4L 8H2

Tel: 905-851-8866 | Fax: 905-851-8846

Toll Free: 1-800-653-0783 | Toll Free Fax: 1-877-388-5252

email: sales@uniquefinefabrics.com | uniquefinefabrics.com

