

# SOHO

COLLECTION

**Design** • Evolution















# Powered by **books**



# The Soho MotionTech Collection, Trax Drapery Hardware's Newest Line of Motorized Curtain Hardware

The Soho MotionTech collection of drapery hardware has been designed and engineered for installation and operation perfection. Featuring a slim profile, MotionTech motors offer impeccable aesthetics, allowing for uninterrupted ripplefold waves and flush-to-rod pinch pleats, all while using the same motor.

MotionTech motors are designed with every feature you would expect from a leading motorized curtain rod. Motors are programmable to allow for various settings and are bidirectional allowing for communication between compatible bridges and devices.

Optimized to be used with the Bond Bridge Pro, MotionTech motors open you up to a world of possibilities. When used in conjunction with the Bond Bridge Pro, you can quickly and easily set personalized schedules to automatically open and close your curtains when you like, and as much as you like. Bond Bridge Pro is integrated with leading automation systems such as Control 4, Crestron, Alexa, Google, Apple Siri, and many more, and is backed by amazing customer support. Designed to be powerful, quiet, and reliable, MotionTech motors have been tested and proven to meet the highest standards possible. Motion-Tech motors come with a two-year warranty to ensure your investment is protected.

Tax Drapery Hardware™ was founded on the principle that innovation, design, and quality do not need to be sacrificed to provide exceptional value. Offering a wide range of instock and ready-to-ship hardware, Trax Drapery Hardware™ has evolved and developed an extensive range of exclusive

products, designs, and colors. The Soho Collection's commitment to continual advancement can be seen in our new patent pending installation assembly. The new mounting system simplifies the installation process and offers reliability in the areas where needed the most while respecting customers' expectations of design and value.

The Soho MotionTech Collection offers a wide range of finial designs in five designer colors. From modern to elegant, every curve has been carefully designed to enhance any room's decor. Every color has been carefully selected, from Polished Nickel to Matte Black and Brushed Brass combinations, the design possibilities are endless.


Offering the widest range of components and accessories, the Soho Collection has been engineered for installation precision. Every component of this collection has been carefully engineered to meet almost every installation situation imaginable. Flush-mounted ceiling brackets allow channel rods to be mounted without a ceiling gap, while extra-strong channel rod joints allow seamless joints over long spans and the placement of a bracket at the center of the joint.

The Soho Collection will meet our discerning customer's technical and design needs and continue in our never-ending goal of achieving design evolution.



TRAX DRAPERY HARDWARE

# Soho Motorized Tracks Powered by **bond**



# **Features**

# Bi-Directional RF Communication

Easily program, either individual or groups of windows using radio frequency controls. Built-in bi-directional communication allows for greater control.

#### **Dual Speed**

Motors can be set at both high and low speeds to suit your preference.

# Preferred Opened and Closed Positions

Effortlessly set limits for both the opened and closed positions.

#### **Favorite Position**

Enables users to set a position between the open and closed limits most often use.

#### **Obstacle Interruption**

Motors automatically stop to prevent damage if an obstacle is detected.

#### Manually Operable

functionality.

Curtains can be manually operated without the use of a remote.

#### Whisper-Quiet

Whisper-quiet motors make these motors ideal for all settings.













# Decorative Motorized Metal Track Configurations

# Ripplefold and Pinch Pleat



# **How to Order Your Motorized Track**

# Powered by **6** bond


# 1. Determine Your Total Finished Track Width, Finials And Colors


							Tra	ack W	idth					
			_	Tota	l Finisl	hed T	rack \	Width	(Trac	k Wid	th + F	inials)		
	le sal		Finial Colors				Track Colors							
	Pair of Finial Adds to Total Width	Single Finial Adds to Total Width	AP	BB	MB	PN	SN	AP	BB	MB	PN	SN	Track Width	Total Finished Width (Track Width + Finial(s))
SFN1	5.5"	2.75"												
SFN2	4.5"	2.25"												
SFN3	5.5"	2.75"												
SFN4	6.5"	3.25"												
SFN5	6.5"	3.25"												
SFN6	4.5"	2.25"												
SFN7	6.25"	3.125"												
SFN8	5.25"	2.625"												
SFN9	5.5"	2.75"												
SFN10	2.5"	1.25"												
SEC	0.25"	0.125"												
SCAC	1.375"	0.687"												

Maximum recommended widths are 96" for one way draws and 192" for Center Draws. Center draws greater than 96" consist of two equal rod widths (including pulleys). Please contact customer service for more information on longer tracks.


# 2. Select The Required Mounting:

				iial Colo	ors		
		AP	BB	MB	PN	SN	Notes:
Ceiling Flush Mount	SFM						Ceiling Flush Mount only works with SECP and SCAC
Ceiling Mount	SCM						Ceiling Mount (SCM) only works with SFN10, SCAC, SEC, and SCEP
Single Wall Bracket	SSV						
Extended Single Wall Bracket	SXLV						
Double Wall Bracket	SDV						





# 3. Select A Drapery Style




☐ Ripplefold

#### Fullness:

**□** 60% **□** 80%

□ 100% □ 120%



☐ Pinch Pleat NOTE: 3 Ball bearing carriers per foot.

☐ Specified Quantity

# Select An Opening and Master Carrier(s)







Motor Position	□ Left □ Righ	t 
	Butt Master	ABML
	Ripplefold and Pinch Pleat	ABMR
Office Police Committee	Under/Overlap	AMU
	AMO	

Overlap Ripplefold and Pinch Pleat	AOL	
Butt Master Ripplefold	ABOL	

	Overlap Ripplefold and Pinch Pleat	AOR	
	Butt Master Ripplefold	ABOR	


# 4. Select a Motor Option











MotionTech

Repeater TR7551





NOTE: Pair of SFN1 finials adds 5.5" to the total finished rod width.


# SFN2 AP Color: Antique Pewter: AP Sold in Pairs SFN2 MB SFN2 BB Color: Brushed Brass Sold in Pairs SFN2 PN











NOTE: Pair of SFN2 finials adds 4.5" to the total finished rod width.



NOTE: Pair of SFN3 finials adds 5.5" to the total finished rod width.



NOTE: Pair of SFN4 finials adds 6.5" to the total finished rod width.



NOTE: Pair of SFN5 finials adds 6.5" to the total finished rod width.

Sold in Pairs



NOTE: Pair of SFN6 finials adds 4.5" to the total finished rod width.

1.57"





SFN7 BB



Antique Pewter: AP Sold in Pairs



SFN7 MB



SFN7 PN




Color: Matte Black: MB Sold in Pairs



SFN7 SN



Dimensions



Color: Satin Nickel: SN Sold in Pairs

NOTE: Pair of SFN7 finials adds 6.25" to the total finished rod width.





SFN8 BB



Antique Pewter: AP Sold in Pairs

SFN8 MB



SFN8 PN

Sold in Pairs

Brushed Brass: BB




Color: Matte Black: MB Sold in Pairs





Dimensions



NOTE: Pair of SFN8 finials adds 5.25" to the total finished rod width.



NOTE: Pair of SFN9 finials adds 5.5" to the total finished rod width.

# SFN10 AP

Color:
Antique Pewter: AP



#### SFN10 BB

Color: Brushed Brass: BB Sold in Pairs



## SFN10 MB

Sold in Pairs

Color:

Matte Black: MB

Sold in Pairs



## SFN10 PN

Color:
Polished Nickel: PN
Sold in Pairs




# SFN10 SN

Color:
Satin Nickel: SN
Sold in Pairs



#### Dimensions

NOTE: Pair of SFN10 finials adds 2.5" to the total finished rod width.



# **End Caps**

# SEC AP

Color:
Antique Pewter: AP
Sold in Pairs



# SEC BB

Color:

Brushed Brass: BB

Sold in Pairs



#### SEC MB

Color: Matte Black: MB Sold in Pairs



# SEC PN

Color:
Polished Nickel: PN
Sold in Pairs



## SEC SN

Color:
Satin Nickel: SN
Sold in Pairs



#### Dimensions

NOTE: Pair of SEC end caps adds 0.25" to the total finished rod width.



# Right Ripplefold and Pinch Pleat Motor Pulley

#### SPTMR AP

Compatible with AMU/AMO, ABML/ABMR, ABOR and AOR Master Carriers





# SPTMR BB

Compatible with AMU/AMO, ABML/ABMR, ABOR and AOR Master Carriers



Color:
Brushed Brass: BB
Sold Individually

#### SPTMR MB

Compatible with AMU/AMO, ABML/ABMR, ABOR and AOR Master Carriers



Color: Matte Black: MB
Sold Individually

#### SPTMR PN

Compatible with AMU/AMO, ABML/ABMR, ABOR and AOR Master Carriers



Color:
Polished Nickel: PN
Sold Individually


#### SPTMR SN

Compatible with AMU/AMO, ABML/ABMR, ABOR and AOR Master Carriers



Color:
Satin Nickel: SN
Sold Individually

#### Dimensions





# Left Ripplefold and Pinch Pleat Motor Pulley

# SPTML AP

Compatible with AMU/AMO, ABML/ABMR, ABOL and AOL Master Carriers



Color: Antique Pewter: AP Sold Individually

SPTML BB

Compatible with AMU/AMO, ABML/ABMR, ABOL and AOL Master Carriers



Color:

Brushed Brass: BB
Sold Individually

SPTML MB

Compatible with AMU/AMO, ABML/ABMR, ABOL and AOL Master Carriers



Color:

Matte Black: MB

Sold Individually

# SPTML PN

Compatible with AMU/AMO, ABML/ABMR, ABOL and AOL Master Carriers



Color:
Polished Nickel: PN
Sold Individually


# SPTML SN


Compatible with AMU/AMO, ABML/ABMR, ABOL and AOL Master Carriers



Color:
Satin Nickel: SN
Sold Individually

#### Dimensions





# Right Center Split Return Pulley

#### SPCR AP

Compatible with AMU/AMO and ABML/ABMR Master Carriers



Color:
Antique Pewter: AP
Sold Individually

## SPCR BB

Compatible with AMU/AMO and ABML/ABMR Master Carriers



Color:

Brushed Brass: BB
Sold Individually

# SPCR MB

Compatible with AMU/AMO and ABML/ABMR Master Carriers



Color:

Matte Black: MB

Sold Individually

#### **SPCR PN**

Compatible with AMU/AMO and ABML/ABMR Master Carriers



Color:
Polished Nickel: PN
Sold Individually


# **SPCR SN**

Compatible with AMU/AMO and ABML/ABMR Master Carriers



Color:
Satin Nickel: SN
Sold Individually

Dimensions



# Right One Way Return Pulley

#### **SPOR AP**

Combatible with ABOL and AOL Master Carriers



Color:
Antique Pewter: AP
Sold Individually

**SPOR BB** 

Combatible with ABOL and AOL Master Carriers



Color:
Brushed Brass: BB
Sold Individually

#### **SPOR MB**

Combatible with ABOL and AOL Master Carriers



Color:

Matte Black: MB

Sold Individually

## **SPOR PN**

Combatible with ABOL and AOL Master Carriers



Color:
Polished Nickel: PN
Sold Individually


#### **SPOR SN**

Combatible with ABOL and AOL Master Carriers



Color:
Satin Nickel: SN
Sold Individually

#### Dimensions





# Left Center Split Return Pulley

# SPCL AP

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color:
Antique Pewter: AP
Sold Individually

# **SPCL BB**

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color:

Brushed Brass: BB

Sold Individually

# **SPCL MB**

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color:

Matte Black: MB

Sold Individually

## SPCL PN

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color:
Polished Nickel: PN
Sold Individually


#### **SPCL SN**

Compatible with AMO/AMU and ABML/ABMR Master Carriers



Color:
Satin Nickel: SN
Sold Individually

Dimensions





# Left One Way Return Pulley

#### SPOL AP

Compatible with ABOR and AOR Master Carriers



Color:
Antique Pewter: AP
Sold Individually

**SPOL BB** 

Compatible with ABOR and AOR Master Carriers



Color: Brushed Brass: BB Sold Individually

**SPOL MB** 

Compatible with ABOR and AOR Master Carriers



Color: Matte Black: MB Sold Individually

**SPOL PN** 

Compatible with ABOR and AOR Master Carriers



Color:
Polished Nickel: PN
Sold Individually


# SPOL SN

Compatible with ABOR and AOR Master Carriers



Color:
Satin Nickel: SN
Sold Individually

#### Dimensions





# **Bond Bridge Pro**

(BD-1750)

Phones not included. Demonstration of software only.



Get IT ON Google Play



- Bond Bridge Pro is a Sub GHz to WiFi (TCP/IP) Bridge
- Cover remote controls between 300MHz-450MHz
- Controls leading brands such as Somfy®, most ceiling fans, and fireplaces – with shade slider in the App
- 2.4 GHz Wi-Fi, Ethernet + PoE
- Connect up to 50 devices with each Bond Bridge Pro
- Extended Warranty 3 yrs
- Expanded Range 3500 sq ft

· Drivers for C4, Elan, RTI, URC, Savant, Hubitat, Smart Things,

alexa

Control 4

- Open API + compatible with Google Home and Alexa -Voice Control
- Live Tech Support
- Wall and ceiling mount
- 6' power cable included
- 110-220V

\* SmartThings

# Remotes



# Sidekik (SKS-500)

- Wireless flush-mount remote
- Controls up to 5 channels
- Communicates directly with
- 10-year battery life



# Single Channel Remote (TRH0027)

- Single Channel hand-held remotes
- control individual
- window coverings or groups
- of window coverings.



# 15 Channel Remote (TRH2027)

- 15 Channel hand-held remotes
- control up to 15 individual
- window coverings or groups
- of window coverings.

# MotionTech

#### TM098



- Draperies weighing up to 77 lbs Up to 7.80 in./s
- DC 14.8V
- 1.2 Nm torque
- Rechargeable Lithium-Ion Battery (charger sold separately)
- CE Certified

# Power

# **Battery Charger** (TC5651)

- 6' Battery Charger Input 100-240V 50/60Hz 0.5A Max
- Output 16.5V 0.89A



# Connectivity



# Repeater (TR7551)

- Input Voltage: DC 4.8V-5.2V
- Transmitting Frequency:433.05-434.79Mhz
- Current ≤20mA
- Extends the wireless range of remotes up to 60'



# 1 3/8" Channel Rods



STRC4 AP STRC6 AP STRC8 AP

Color: Antique Pewter: AP Sold Individually



STRC4 BB STRC6 BB STRC8 BB

Color: Brushed Brass: BB Sold Individually



STRC4 MB STRC6 MB STRC8 MB

Color: Matte Black: MB Sold Individually



STRC4 PN STRC6 PN STRC8 PN

Color: Polished Nickel: PN Sold Individually



STRC4 SN STRC6 SN STRC8 SN Color: Satin Nickel: SN Sold Individually

#### STRC4 Length 4' | STRC6 Length 6' | STRC8 Length 8'

Additional handling charges may apply on 8' rods. Please contact customer service for information.

# Channel **Rod Joint**



Available in Antique Pewter (SCJNT AP), Brushed Brass (SCJNT BB), Matte Black (SCJNT MB), Polished Nickel (SCJNT PN) and Satin Nickel (SCJNT SN)

Sold Individually

Dimensions











SCC AP

SCC SN

Sold Individually

Dimensions

# Channel Rod **End Caps**













SCAC PN

NOTE: Pair of SCAC end caps adds  $1.375^{\circ}$  to the total finished width.

Sold in Pairs

# Channel Rod End Plug

















SCEP PN





NOTE: Pair of SCEP end plugs adds 0.25"

Sold in Pairs

# Ceiling Flush Mount

# Ceiling Recessed Mount



Color:
Antique Pewter: AP
Sold Individually



Color:
Antique Pewter: AP
Sold Individually



SFM BB

SFM MB

SFM PN

Color:
Brushed Brass: BB
Sold Individually



Color:
Brushed Brass: BB
Sold Individually



Color:

Matte Black: MB

Sold Individually



Color: Matte Black: MB Sold Individually



Color:
Polished Nickel: PN
Sold Individually



Color:
Polished Nickel: PN
Sold Individually





Color: Satin Nickel: SN Sold Individually





Color: Satin Nickel: SN Sold Individually











NOTE: The ceiling flush mount sits right up against the ceiling, where as the ceiling recessed mount allows the rod some space to sit slightly below.



# Single Bracket

# Extended Single Bracket





























Color:
Polished Nickel: PN
Sold Individually





SSV SN


Color: Satin Nickel: SN Sold Individually



Color: Satin Nickel: SN Sold Individually








# Double Bracket



# Wand



Dimensions



# RPL-TECH® Carrier Guide

Carrier guide shows the maximum number of carriers required per track width.

#### Fullness

Track Width in Inches	60% One Way	60% Center Split	80% One Way	80% Center Split	100% One Way	100% Center Split	120% One Way	120% Center Split
24-30	12	12	13	14	15	16	16	16
31-36	14	14			17	18	20	20
37-42	16	16	18	18	20	20	23	24
43-48	19	20	21	22	23	24	26	26
49-54	21	22	23	24	26	26	29	30
55-60	23	24	26	26	29	30	32	32
61-66	26	26	28	28	32	32	36	36
67-72		28		32	34	34	39	40
73-78	30	30	33	34	37	38	42	42
79-84	32	32			40	40	45	46
85-90	35	36	38	38	43	44	48	48
91-96	37	38	41	42	46	46	52	52
97-102	39	40	43	44	48	48	55	56
103-108	42	42	46	46	51	51	58	58
109-114	44	44	48	48	54	54	61	62
115-120	46	46	51	52	57	58	64	64
121-126	48	48	54	54	60	60	68	68
127-132	51	52	56	56	63	64	71	72
133-138	53	54	59	60	65	66	74	74
139-144	55	56	61	62	68	68	77	78

RPL-Tech® Calculator Available Upon Request

# RPL-Tech® Tape






XTP-CL



XTP-BL

Sold by the yard or rolls of 100 yards.

#### Dimensions



# **Ball Bearing Carriers**

Reengineered, SmartSet™ ball bearing carriers offer the smoothest and quietest movement on the market today







SC16

Sold in Strips of 10 Quick load easy tear strips of carriers





End Stop AES Sold as set. Set includes one nut one plate and one bolt

\_\_\_\_\_

C

# Wheeled RPL-Tech® Carrier





Sold in Strips of 20 Carriers. Only RPL-Tech® carriers are recommended for Soho tracks.

# **Internal Components**



Sold by the yard or rolls of 109 yards.

One Way Left Draw Master Carrier

(Ripplefold and Pinch Pleat)

00000

Sold Individually. (Includes 2 ABX Belt Conne

AOL

# ABX


**Belt Connector** 



Belt connectors sold individual

AOR


One Way Right Draw Master Carrier (Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

#### **AMU**


Under Center Draw Master Carrier (Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

# AMO


Upper Center Draw Master Carrier (Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

#### **ABOL**

One Way Left Draw Master Carrier (Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

#### **ABOR**

One Way Right Draw Master Carrier (Ripplefold)



#### **ABML**


Left Butt Master Center Draw Master Carrier (Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

#### **ABMR**

Right Butt Master Center Draw Master Carrier (Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors



# SOHO

COLLECTION

**Design** • Evolution



Distributed by:



490 Rowntree Dairy Rd. Woodbridge, Ontario L4L 8H2

Tel: 905-851-8866 | Fax: 905-851-8846

Toll Free: 1-800-653-0783 | Toll Free Fax: 1-877-388-5252

email: sales@uniquefinefabrics.com | uniquefinefabrics.com

