

POWERED by
somfy®

TRAX™
DRAPERY HARDWARE

SOHO

COLLECTION

Design • Evolution



works with the
Google Assistant

works with
alexa

Control4
CERTIFIED

SAVANT

CRESTRON



Endless Functionality



TCHIP

POWERED by somfy®

The Soho Collection, Powered by Somfy® is Trax Drapery Hardware's Newest Line of Motorized Drapery Hardware. The Soho Collection of drapery hardware has been designed and engineered for installation and operation perfection. Designed to operate with Somfy's industry-leading Glydea and Irsmo motors, The Soho Collection offers impeccable aesthetics, allowing for uninterrupted ripplefold waves and flush-to-track pinch pleats, all while using the same motor. Somfy® is an industry leader with over 50 years in the motorization and automation space. All Somfy® motors are fully programmable with every feature you would expect from a leading motorized drapery track. Motors are programmable to allow for settings such as open and close positions as well as personalized schedules.

Somfy® motors open you up to a world of possibilities. When used in conjunction with The TaHoma™ RTS Smartphone Interface, you can quickly and easily set up schedules to automatically open and close your drapes when you like, as much as you like. Somfy® is integrated with leading automation systems such as Control 4, Crestron, Alexa, Google, Apple Siri, and many more, and is backed by Somfy® customer support. Designed to be powerful, quiet, and reliable, Somfy® backs all motors with a five-year warranty, to ensure your investment is protected for years to come.

Trax Drapery Hardware™ was founded on the principle that innovation, design, and quality do not need to be sacrificed to provide exceptional value. Offering a wide range of in-

stock and ready-to-ship hardware, Trax Drapery Hardware™ has evolved and developed an extensive range of exclusive products, designs, and colors. The Soho Collection's commitment to continual advancement can be seen in our new patent pending installation assembly. The new mounting system simplifies the installation process and offers reliability in the areas where needed the most while respecting customers' expectations of design and value.


The Soho Collection offers a wide range of finial designs in five designer colors. From modern to elegant, every curve has been carefully designed to enhance any room's decor. Every color has been carefully selected, from Polished Nickel to Matte Black and Brushed Brass combinations, the design possibilities are endless.

Offering the widest range of components and accessories, the Soho Collection has been engineered for installation precision. Every component of this collection has been carefully engineered to meet almost every installation situation imaginable. Flush-mounted ceiling brackets allow channel tracks to be mounted without a ceiling gap, while extra-strong channel rod joints allow seamless joints over long spans and the placement of a bracket at the center of the joint.

We trust the Soho Collection will meet our discerning customer's technical and design needs and continue in our never-ending goal of achieving design evolution.

Soho Motorized Tracks

POWERED by



- 1 14 Finial, end cap, and end plug options available, in 5 finishes.
- 2 Motor pulleys are available for pinch pleat or ripplefold drapes, with motors able to be mounted on the left or right side.
- 3 Multiple Somfy® drapery motors to choose from.
- 4 Ball bearing pinch pleat carriers.
- 5 Master carriers are available in one way or center draws in both pinch pleat and ripplefold options.
- 6 Return pulleys are available for center draw, one-way left or one-way right draws.
- 7 Ripplefold carriers are available in 60%, 80%, 100% and 120% fullness.

- 14 Finial, end cap, and end plug options available, in 5 finishes.
- Varying weight capacities ranging from 77-132lbs*.
- Battery and wired motor options are available*.

- Motor and accessories comply with international safety standards.
- All products are quality tested during production.
- As with all Somfy® products, motors are backed by a 5 year warranty.

- Control technology: Radio Technology Somfy® (RTS) and other Somfy® controls dry contact wired technology.
- Somfy® motors are designed for performance and quiet operation (<44dba).

- Soho motorized tracks are available in unspliced widths of up to 96" and spliced widths up to 192". Contact customer service for longer tracks.
- Wide range of remotes to suit all aesthetic need and functionality.



Multiple Motor Options

- Glydea® 35e RTS
- Glydea® 60e RTS
- Irismo™ 35 RTS
- Irismo™ 45 WireFree RTS
- Soho Motorized Tracks are available in unspliced Widths of up to 96" and spliced widths up to 192".



Protocols*

- Radio Technology Somfy®
- Wired Technology
- Dry Contact
- Zigbee**

* Determined by motor selected
** Coming soon



Automate

- Easily automate your drapery settings by connecting to a TaHoma® Hub and App. The TaHoma App allows users to schedule time of day opening, closing, and favorite positions to fit their lifestyle



Integration

- Somfy® Motors are compatible with leading brands and products such as Google, Alexa, CRESTRON, SAVANT, and CONTROL4



Note: Contact customer service for longer tracks

Decorative Motorized Metal Track Configurations

Ripplefold

Wall Mounted
Motor Located on Left Side of Track
Ripplefold



Wall Mounted
Motor Located on Right Side of Track
Ripplefold



Ceiling Mounted
Motor Located on Left Side of Track
Ripplefold



Ceiling Mounted
Motor Located on Right Side of Track
Ripplefold



Double Wall Mounted
Motor Located on Left Side of Track
Ripplefold



Double Wall Mounted
Motor Located on Right Side of Track
Ripplefold




Pinch Pleat

Wall Mounted
Motor Located on Left Side of Track
Pinch Pleat



Wall Mounted
Motor Located on Right Side of Track
Pinch Pleat



Ceiling Mounted
Motor Located on Left Side of Track
Pinch Pleat



Ceiling Mounted
Motor Located on Right Side of Track
Pinch Pleat



Double Wall Mounted
Motor Located on Left Side of Track
Pinch Pleat




Double Wall Mounted
Motor Located on Right Side of Track
Pinch Pleat
















How to Order Your Motorized Track








1. Determine Your Total Finished Track Width, Finials and Colors



		Pair of Finial Adds to Total Width	Single Finial Adds to Total Width	Finial Colors					Track Colors					Track Width	Total Finished Width (Track Width + Finial(s))
				AP	BB	MB	PN	SN	AP	BB	MB	PN	SN		
	SFN1	5.5"	2.75"												
	SFN2	4.5"	2.25"												
	SFN3	5.5"	2.75"												
	SFN4	6.5"	3.25"												
	SFN5	6.5"	3.25"												
	SFN6	4.5"	2.25"												
	SFN7	6.25"	3.125"												
	SFN8	5.25"	2.625"												
	SFN9	5.5"	2.75"												
	SFN10	2.5"	1.25"												
	SEC	0.25"	0.125"												
	SCAC	1.375"	0.687"												
	SCEP	0.25"	0.125"												

Maximum recommended widths are 96" for one way draws and 192" for Center Draws. Center draws greater than 96" consist of two equal rod widths (including pulleys). Please contact customer service for more information on longer tracks.


2. Select The Required Mounting:

			Finial Colors					Notes:
			AP	BB	MB	PN	SN	
	Ceiling Flush Mount	SFM						Ceiling Flush Mount only works with SECP and SCAC
	Ceiling Mount	SCM						Ceiling Mount (SCM) only works with SFN10, SCAC, SEC, and SCEP
	Single Wall Bracket	SSV						
	Extended Single Wall Bracket	SXLV						
	Double Wall Bracket	SDV						

Up to 72" – 3 brackets | 73" – 96" – 4 brackets | 97" – 144" – 5 brackets | 145" – 192" – 7 brackets




3. Select A Drapery Style



Ripplefold

Fullness:

- 60% 80%
 100% 120%



Pinch Pleat

NOTE: 3 Ball bearing carriers per foot.

— or —

Specified Quantity

Select An Opening and Master Carrier(s)

		Motor Position	
		Left	Right
<input type="checkbox"/> Center 	<input type="checkbox"/> Butt Master Ripplefold and Pinch Pleat	ABML	
		ABMR	
<input type="checkbox"/> One way Left 	<input type="checkbox"/> Overlap Ripplefold and Pinch Pleat	AOL	
	<input type="checkbox"/> Butt Master Ripplefold	ABOL	
<input type="checkbox"/> One way Right 	<input type="checkbox"/> Overlap Ripplefold and Pinch Pleat	AOR	
	<input type="checkbox"/> Butt Master Ripplefold	ABOR	

4. Select a Motor Option



Irismo™ 35
Mini RTS
 (1003004)
 Mini DC RTS
 Includes Power Supply.

Irismo™ 45
WireFree RTS
 (1002353)
 Includes rechargeable battery. Charger sold separately.



Glydea®
35e RTS
 (1003152)
 10' plug

Glydea®
60e RTS
 (1003159)
 10' plug

5. Select Accessories

TaHoma® RTS/Zigbee
 Smartphone and Tablet
 Interface (1811731)



Situo® 1
RTS Pure II
 (1870571)

Situo® 5
RTS Pure II
 (1870575)

Telis 16
RTS Pure
 (1811081)



Smooove 4 RTS Pure
 (1811748)




Smooove 1 RTS Pure
 (1811533)



Decoflex
WireFree™
1 Channel
White
 (1810897)




Decoflex
WireFree™
5 Channel
White
 (1810813)



Decoflex
Surface RTS
5 Channel
White
 (1871025)



Battery Charger for Irismo™
45 WireFree RTS (1003080)



TWND
AP

TWND
BB

TWND
MB

TWND
PN

TWND
SN

NOTE: Visit www.uniquefinefabrics.com for a full range of Somfy® products.

Somfy® Motors



Somfy® offers end product suppliers a 5 year warranty on all motors and controls.*



Irismo™ 35 Mini RTS

(1003004)

Draperies weighing up to 77 lbs
13.12 ft cable length
<44 dBA
4.9 – 7.86 in./s
24V DC (includes low voltage transformer/power supply)
0.6 Nm torque
CE Certified



Irismo™ 45 WireFree RTS

(1002353)

Includes lithium ion battery
Power charger sold separately
Draperies weighing up to 99 lbs
<44 dBA at silent mode
4.9 – 7.86 in./s
25.9V DC
0.8 Nm torque
CE Certified



Glydea® 35e RTS

(1003152)

Draperies weighing up to 77 lbs
38 dBA at silent mode
4.9 – 7.86 in./s (2.95 in/s in silent mode)
120V AC 50/60 HZ
0.6 Nm torque
10' plug
CE Certified



Glydea® 60e RTS

(1003159)

Draperies weighing up to 132 lbs
9.84 ft cable length
38 dBA at silent mode
4.9 – 7.86 in./s (2.95 in/s in silent mode)
120V AC 50/60 HZ
1.1 Nm torque
10' plug
CE Certified

* Terms and Conditions Apply

Bridge



Phone not included. Demonstration of software only.

TaHoma® RTS/Zigbee Smartphone and Tablet Interface

(1811731)

TaHoma® is a WiFi to RTS gateway that can control up to 40 RTS channels. Create scenes and schedules using an app while home or away, or integrate with third-party systems. TaHoma works with Google Assistant and Amazon Alexa, allowing for natural voice commands to control shades.

Remotes



Situot® 1 RTS Pure II

(1870571)

Situot 1 hand-held remotes control one individual window covering or one group of window coverings. (1 Channel)



Situot® 5 RTS Pure II

(1870575)

Situot 5 hand-held remotes control up to five individual window coverings or groups of window coverings.



Telis 16 RTS Pure

(1811081)

The Telis 16 RTS hand-held remote extends control of motorized interior and exterior products to 16 different channels of control.


Wall Remotes



Smooove 1 RTS Pure

(1811533)

The Smooove® RTS surface-mounted wall switch avoids cutting into drywall. This single channel, battery-operated solution is easy to install and doesn't require an electrician.



Smooove 4 RTS Pure

(1811748)

The Smooove® 4 RTS surface-mounted wall switch avoids cutting into drywall. This 4 channel, battery-operated solution is easy to install and doesn't require an electrician.



Decoflex WireFree™ 1 White

(1810897)

This Decoflex WireFree™ is a one channel wall switch that is battery-powered and completely wireless.



Decoflex WireFree™ 5 Channel White

(Ref: 1810813)

This Decoflex WireFree™ is a five channel wall switch that is battery-powered and completely wireless.



Decoflex Surface RTS 5 Channel White

(1871025)

This Decoflex WireFree™ 5 Channel surface-mounted wall switch avoids cutting into drywall. This 5 channel, battery-operated solution is easy to install and doesn't require an electrician.

Power

Battery Charger for Irismo™ 45 WireFree RTS

(1003080)


Power Adaptor 0.6 DC - 230V/29.4V

CN for Irismo 45 WireFree RTS




Finials

SFN1 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs




SFN1 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN1 MB

Color: 
 Matte Black: MB
 Sold in Pairs




SFN1 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN1 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs




Dimensions



NOTE: Pair of SFN1 finials adds 5.5" to the total finished rod width.

Finials

SFN2 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs




SFN2 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN2 MB

Color: 
 Matte Black: MB
 Sold in Pairs




SFN2 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN2 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs



Dimensions




NOTE: Pair of SFN2 finials adds 4.5" to the total finished rod width.

Finials


SFN3 AP



Color: 
 Antique Pewter: AP
 Sold in Pairs


SFN3 BB



Color: 
 Brushed Brass: BB
 Sold in Pairs

SFN3 MB



Color: 
 Matte Black: MB
 Sold in Pairs


SFN3 PN




Color: 
 Polished Nickel: PN
 Sold in Pairs

SFN3 SN



Color: 
 Satin Nickel: SN
 Sold in Pairs

Dimensions




NOTE: Pair of SFN3 finials adds 5.5" to the total finished rod width.

Finials

SFN4 AP



Color: 
 Antique Pewter: AP
 Sold in Pairs


SFN4 BB



Color: 
 Brushed Brass: BB
 Sold in Pairs

SFN4 MB



Color: 
 Matte Black: MB
 Sold in Pairs


SFN4 PN




Color: 
 Polished Nickel: PN
 Sold in Pairs

SFN4 SN



Color: 
 Satin Nickel: SN
 Sold in Pairs

Dimensions




NOTE: Pair of SFN4 finials adds 6.5" to the total finished rod width.

Finials


SFN5 AP



Color: 
 Antique Pewter: AP
 Sold in Pairs


SFN5 BB



Color: 
 Brushed Brass: BB
 Sold in Pairs


SFN5 MB



Color: 
 Matte Black: MB
 Sold in Pairs

SFN5 PN




Color: 
 Polished Nickel: PN
 Sold in Pairs

SFN5 SN



Color: 
 Satin Nickel: SN
 Sold in Pairs

Dimensions



NOTE: Pair of SFN5 finials adds 6.5" to the total finished rod width.

Finials

SFN6 AP



Color: 
 Antique Pewter: AP
 Sold in Pairs


SFN6 BB



Color: 
 Brushed Brass: BB
 Sold in Pairs

SFN6 MB



Color: 
 Matte Black: MB
 Sold in Pairs


SFN6 PN




Color: 
 Polished Nickel: PN
 Sold in Pairs

SFN6 SN



Color: 
 Satin Nickel: SN
 Sold in Pairs

Dimensions




NOTE: Pair of SFN6 finials adds 4.5" to the total finished rod width.

Finials


SFN7 AP



Color: 
 Antique Pewter: AP
 Sold in Pairs


SFN7 BB



Color: 
 Brushed Brass: BB
 Sold in Pairs

SFN7 MB



Color: 
 Matte Black: MB
 Sold in Pairs


SFN7 PN




Color: 
 Polished Nickel: PN
 Sold in Pairs

SFN7 SN



Color: 
 Satin Nickel: SN
 Sold in Pairs

Dimensions



NOTE: Pair of SFN7 finials adds 6.25" to the total finished rod width.

Finials

SFN8 AP



Color: 
 Antique Pewter: AP
 Sold in Pairs


SFN8 BB



Color: 
 Brushed Brass: BB
 Sold in Pairs

SFN8 MB



Color: 
 Matte Black: MB
 Sold in Pairs


SFN8 PN




Color: 
 Polished Nickel: PN
 Sold in Pairs

SFN8 SN



Color: 
 Satin Nickel: SN
 Sold in Pairs

Dimensions




NOTE: Pair of SFN8 finials adds 5.25" to the total finished rod width.

Finials


SFN9 AP



Color: 
 Antique Pewter: AP
 Sold in Pairs


SFN9 BB



Color: 
 Brushed Brass: BB
 Sold in Pairs

SFN9 MB



Color: 
 Matte Black: MB
 Sold in Pairs

SFN9 PN




Color: 
 Polished Nickel: PN
 Sold in Pairs

SFN9 SN



Color: 
 Satin Nickel: SN
 Sold in Pairs


Dimensions



NOTE: Pair of SFN9 finials adds 5.5" to the total finished rod width.

Finials

SFN10 AP

Color: 
 Antique Pewter: AP
 Sold in Pairs




SFN10 BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SFN10 MB

Color: 
 Matte Black: MB
 Sold in Pairs




SFN10 PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SFN10 SN

Color: 
 Satin Nickel: SN
 Sold in Pairs




Dimensions


NOTE: Pair of SFN10 finials adds 2.5" to the total finished rod width.



End Caps

SEC AP

Color: 
 Antique Pewter: AP
 Sold in Pairs




SEC BB

Color: 
 Brushed Brass: BB
 Sold in Pairs



SEC MB

Color: 
 Matte Black: MB
 Sold in Pairs




SEC PN

Color: 
 Polished Nickel: PN
 Sold in Pairs




SEC SN

Color: 
 Satin Nickel: SN
 Sold in Pairs



Dimensions

NOTE: Pair of SEC end caps adds 0.25" to the total finished rod width.




Left Draw Pinch Pleat Motor Pulley

SSMPLP AP

Compatible with AMU/AMO and AOL Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SSMPLP BB

Compatible with AMU/AMO and AOL Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SSMPLP MB

Compatible with AMU/AMO and AOL Master Carriers




Color: 
Matte Black: MB
Sold Individually

SSMPLP PN

Compatible with AMU/AMO and AOL Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SSMPLP SN

Compatible with AMU/AMO and AOL Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Left Draw Ripplefold Motor Pulley

SSMPRL AP

Compatible with ABML/ABMR, ABOL and AOL Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SSMPRL BB

Compatible with ABML/ABMR, ABOL and AOL Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SSMPRL MB

Compatible with ABML/ABMR, ABOL and AOL Master Carriers




Color: 
Matte Black: MB
Sold Individually

SSMPRL PN

Compatible with ABML/ABMR, ABOL and AOL Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SSMPRL SN

Compatible with ABML/ABMR, ABOL and AOL Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Right Center Split Return Pulley

SPCR AP

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPCR BB

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPCR MB

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Matte Black: MB
Sold Individually

SPCR PN

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SPCR SN

Compatible with AMU/AMO and ABML/ABMR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Right One Way Return Pulley

SPOR AP

Compatible with ABOL and AOL Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPOR BB

Compatible with ABOL and AOL Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPOR MB

Compatible with ABOL and AOL Master Carriers




Color: 
Matte Black: MB
Sold Individually

SPOR PN

Compatible with ABOL and AOL Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SPOR SN

Compatible with ABOL and AOL Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Left Center Split Return Pulley

SPCL AP

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPCL BB

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPCL MB

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Matte Black: MB
Sold Individually

SPCL PN

Compatible with AMU/AMO and ABML/ABMR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SPCL SN

Compatible with AMU/AMO and ABML/ABMR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Left One Way Return Pulley

SPOL AP

Compatible with ABOR and AOR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SPOL BB

Compatible with ABOR and AOR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SPOL MB

Compatible with ABOR and AOR Master Carriers




Color: 
Matte Black: MB
Sold Individually

SPOL PN

Compatible with ABOR and AOR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SPOL SN

Compatible with ABOR and AOR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Right Draw Pinch Pleat Motor Pulley

SSMPPRP AP

Compatible with AMU/AMO and AOR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SSMPPRP BB

Compatible with AMU/AMO and AOR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SSMPPRP MB

Compatible with AMU/AMO and AOR Master Carriers




Color: 
Matte Black: MB
Sold Individually

SSMPPRP PN

Compatible with AMU/AMO and AOR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SSMPPRP SN

Compatible with AMU/AMO and AOR Master Carriers



Color: 
Satin Nickel: SN
Sold Individually

Dimensions




Right Draw Ripplefold Motor Pulley

SSMPPRR AP

Compatible with ABML/ABMR, AMU/AMO, ABOR and AOR Master Carriers




Color: 
Antique Pewter: AP
Sold Individually

SSMPPRR BB

Compatible with ABML/ABMR, AMU/AMO, ABOR and AOR Master Carriers




Color: 
Brushed Brass: BB
Sold Individually

SSMPPRR MB

Compatible with ABML/ABMR, AMU/AMO, ABOR and AOR Master Carriers




Color: 
Matte Black: MB
Sold Individually

SSMPPRR PN

Compatible with ABML/ABMR, AMU/AMO, ABOR and AOR Master Carriers




Color: 
Polished Nickel: PN
Sold Individually


SSMPPRR SN

Compatible with ABML/ABMR, AMU/AMO, ABOR and AOR Master Carriers




Color: 
Satin Nickel: SN
Sold Individually

Dimensions



1 3/8" Channel Rods



STRC4 AP
STRC6 AP
STRC8 AP

Color:
Antique Pewter: AP
Sold Individually



STRC4 BB
STRC6 BB
STRC8 BB

Color:
Brushed Brass: BB
Sold Individually



STRC4 MB
STRC6 MB
STRC8 MB

Color:
Matte Black: MB
Sold Individually



STRC4 PN
STRC6 PN
STRC8 PN

Color:
Polished Nickel: PN
Sold Individually



STRC4 SN
STRC6 SN
STRC8 SN

Color:
Satin Nickel: SN
Sold Individually

STRC4 Length 4' | STRC6 Length 6' | STRC8 Length 8'

Additional handling charges may apply on 8' rods.
Please contact customer service for information.

Channel Rod Joint


SCJNT



Channel Rod Joint allows for bracket to be installed centered behind it.





Dimensions



Available in Antique Pewter (SCJNT AP),
Brushed Brass (SCJNT BB), Matte Black (SCJNT MB),
Polished Nickel (SCJNT PN) and Satin Nickel (SCJNT SN) Sold Individually

Channel Rod Joint Cover

Dimensions





Color: Antique Pewter: AP
Color: Brushed Brass: BB
Color: Matte Black: MB
Color: Polished Nickel: PN
Color: Satin Nickel: SN

Sold Individually

Channel Rod End Caps

Dimensions




Color: Antique Pewter: AP
Color: Brushed Brass: BB
Color: Matte Black: MB
Color: Polished Nickel: PN
Color: Satin Nickel: SN

NOTE: Pair of SCAC end caps adds 1.375" to the total finished width.

Sold in Pairs

Channel Rod End Plug

Dimensions



Color: Antique Pewter: AP Sold Individually
Color: Brushed Brass: BB Sold Individually
Color: Matte Black: MB Sold Individually
Color: Polished Nickel: PN Sold Individually
Color: Satin Nickel: SN Sold Individually


NOTE: Pair of SCEP end plugs adds 0.25" to the total finished width.

Sold in Pairs

Ceiling Flush Mount


Ceiling Recessed Mount




Color: 
 Antique Pewter: AP
 Sold Individually


SFM AP




Color: 
 Antique Pewter: AP
 Sold Individually


SCM AP



Color: 
 Brushed Brass: BB
 Sold Individually


SFM BB



Color: 
 Brushed Brass: BB
 Sold Individually


SCM BB



Color: 
 Matte Black: MB
 Sold Individually

SFM MB



Color: 
 Matte Black: MB
 Sold Individually

SCM MB



Color: 
 Polished Nickel: PN
 Sold Individually


SFM PN



Color: 
 Polished Nickel: PN
 Sold Individually


SCM PN



Color: 
 Satin Nickel: SN
 Sold Individually


SFM SN




Color: 
 Satin Nickel: SN
 Sold Individually

SCM SN

Dimensions



Dimensions




NOTE: The ceiling flush mount sits right up against the ceiling, whereas the ceiling recessed mount allows the rod some space to sit slightly below.




Ceiling Flush Mount


Ceiling Recessed Mount


Single Bracket



Color: 
 Antique Pewter: AP
 Sold Individually


SSV AP




Color: 
 Brushed Brass: BB
 Sold Individually

SSV BB



Color: 
 Matte Black: MB
 Sold Individually


SSV MB



Color: 
 Polished Nickel: PN
 Sold Individually


SSV PN



Color: 
 Satin Nickel: SN
 Sold Individually


SSV SN

Dimensions




Extended Single Bracket



Color: 
 Antique Pewter: AP
 Sold Individually


SXLV AP



Color: 
 Brushed Brass: BB
 Sold Individually


SXLV BB



Color: 
 Matte Black: MB
 Sold Individually


SXLV MB



Color: 
 Polished Nickel: PN
 Sold Individually


SXLV PN




Color: 
 Satin Nickel: SN
 Sold Individually

SXLV SN

Dimensions




Cover



Double Bracket



SDV AP

Color: 
Antique Pewter: AP
Sold Individually




SDV BB

Color: 
Brushed Brass: BB
Sold Individually




SDV MB

Color: 
Matte Black: MB
Sold Individually




SDV PN


Color: 
Polished Nickel: PN
Sold Individually



SDV SN

Color: 
Satin Nickel: SN
Sold Individually


Dimensions



Wand




TWND AP

Color: 
Antique Pewter: AP
Sold Individually




TWND BB

Color: 
Brushed Brass: BB
Sold Individually




TWND MB

Color: 
Matte Black: MB
Sold Individually




TWND PN


Color: 
Polished Nickel: PN
Sold Individually



TWND SN

Color: 
Satin Nickel: SN
Sold Individually

Dimensions



RPL-TECH® Carrier Guide

Carrier guide shows the maximum number of carriers required per track width.

Track Width in Inches	Fullness							
	60% One Way	60% Center Split	80% One Way	80% Center Split	100% One Way	100% Center Split	120% One Way	120% Center Split
24-30	12	12	13	14	15	16	16	16
31-36	14	14	16	16	17	18	20	20
37-42	16	16	18	18	20	20	23	24
43-48	19	20	21	22	23	24	26	26
49-54	21	22	23	24	26	26	29	30
55-60	23	24	26	26	29	30	32	32
61-66	26	26	28	28	32	32	36	36
67-72	28	28	31	32	34	34	39	40
73-78	30	30	33	34	37	38	42	42
79-84	32	32	36	36	40	40	45	46
85-90	35	36	38	38	43	44	48	48
91-96	37	38	41	42	46	46	52	52
97-102	39	40	43	44	48	48	55	56
103-108	42	42	46	46	51	51	58	58
109-114	44	44	48	48	54	54	61	62
115-120	46	46	51	52	57	58	64	64
121-126	48	48	54	54	60	60	68	68
127-132	51	52	56	56	63	64	71	72
133-138	53	54	59	60	65	66	74	74
139-144	55	56	61	62	68	68	77	78

Carrier Quantities

RPL-Tech® Calculator Available Upon Request


RPL-Tech® Tape



XTP-WH




XTP-CL



XTP-BL

Sold by the yard or rolls of 100 yards.

Dimensions




Ball Bearing Carriers

Reengineered, SmartSet™ ball bearing carriers offer the smoothest and quietest movement on the market today



Dimensions



SC16




Sold in Strips of 10 Quick load easy tear strips of carriers



End Stop AES

Sold as set. Set includes one nut one plate and one bolt

Wheeled RPL-Tech® Carrier



Sold in Strips of 20 Carriers. Only RPL-Tech® carriers are recommended for Soho tracks.

Internal Components

Belt

ABLT



Sold by the yard or rolls of 109 yards.


Belt Connector ABX



Belt connectors sold individually.

AOL


One Way Left Draw
Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

AOR


One Way Right Draw
Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

AMU


Under Center Draw
Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

AMO


Upper Center Draw
Master Carrier
(Ripplefold and Pinch Pleat)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABOL


One Way Left Draw
Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABOR


One Way Right Draw
Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABML


Left Butt Master Center
Draw Master Carrier
(Ripplefold)



Sold Individually. (Includes 2 ABX Belt Connectors)

ABMR


Right Butt Master Center
Draw Master Carrier
(Ripplefold)




Sold Individually. (Includes 2 ABX Belt Connectors)

Overhead View of Drapery Pattern


One Way Left Draw Ripplefold




One Way Right Draw Ripplefold




Over/Underlap Ripplefold




One Way Pinch Pleat Left Draw




One Way Pinch Pleat Right Draw



Over/Underlap Pinch Pleat




Butt Master Ripplefold




Somfy® Hardware Specifications


TaHoma® RTS/Zigbee Smartphone and Tablet Interface




Irismo™ 35 Mini RTS




Irismo™ 45 WireFree RTS



Glydea® 35e RTS



Glydea® 60e RTS



SOHO

COLLECTION

Design • Evolution



Distributed by:



490 Rowntree Dairy Rd.
Woodbridge, Ontario
L4L 8H2

Tel: 905-851-8866 | Fax: 905-851-8846
Toll Free: 1-800-653-0783 | Toll Free Fax: 1-877-388-5252

email: sales@uniquefinefabrics.com | uniquefinefabrics.com