degit STELLA


Dear Stella fabrics are available online and in sewing and quilting shops worldwide. Ask for it at your local quilt shop!



Unraveled

quilt pattern

DESIGNED BY WENDY SHEPPARD www.wendysheppard.net • @ivory_spring (Instagram) Featured fabrics: Sew Mischievous



Sewing-themed prints from our *Sew Mischievous* collection are the perfect complement to this pretty pieced spool pattern. Three block variations are included!



Materials and Cutting Note: Cut pieces in the order given to make best use of fabric and to match print orientation in the quilt image.					
Fabric		Yardage	Cutting		
	Moonscape Stella- 1150 Marshmallow	4 yards	Cut: 4 strips, 2¹/2" × width of fabric (WOF). Sub-cut 3 A11 rectangles, 1¹/2" × 2¹/2". Reserve remaining strips for inner side borders. 4 strips, 7¹/2" × WOF. Sub-cut 80 A2 rectangles, 1¹/2" × 7¹/2". 11 strips, 2" × WOF. Sub-cut 29 A4 rectangles, 2" × 12¹/2", 3 A7 rectangles, 2" × 7", and 3 A10 rectangles, 2" × 1¹/2". 12 strips, 1¹/2" × WOF. Sub-cut 29 A3 rectangles, 1¹/2" × 9¹/2", 3 A5 rectangles, 1¹/2" × 5¹/2", 3 A6 rectangles, 1¹/2" × 3¹/2" 6 A11 rectangles, 1¹/2" × 2¹/2", and 70 A1 squares, 1¹/2" × 1¹/2". 1 strip, 1" x WOF. Sub-cut 18 A8 squares, 1" × 1", and 3 A9 rectangles, 1" × 4". From the remaining yardage, cut: 6 strips, 2¹/2" × length of fabric (LOF). Sub-cut 2 inner top/bottom borders, 2¹/2" × 52¹/2", and 4 sashing strips, 2¹/2" × 48¹/2". From the remaining yardage, cut: 1 strip, 12¹/2" × WOF. Sub-cut 1 A14 square, 12¹/2" × 12¹/2". 3 strips, 6¹/2" × WOF. Sub-cut 3 A12 rectangles, 6¹/2" × 8¹/2", and 3 A13 rectangles, 6¹/2" × 12¹/2".		
	Sew Mischievous Stella-DMB2027 White	1 yard	Cut: 8 strips, 31/2" × WOF, for outer borders.		
	Moonscape Stella-1150 Yolk	7/8 yard	Cut: 8 strips, 21/4" × WOF, for binding. Note: Reserve these B pieces for the Left-Tail Spool Block. 1 strip, 91/2" × WOF. Sub-cut 2 B1 rectangles, 2" × 91/2", 4 B2 rectangles, 11/2" × 71/2", 1 B7 rectangle, 11/2" × 41/2", 1 B6 rectangle, 11/2" × 31/2", and 1 B8 rectangle, 11/2" × 21/2". From remaining yardage, cut: 1 strip, 11/2" × WOF. Sub-cut 1 B4 rectangle, 11/2" × 5", 1 B8 rectangle, 11/2" × 21/2", 3 B3 rectangles, 11/2" × 11/2", and 1 B5 rectangle, 11/2" × 1".		
	Animal Planters Stella-DMB2028 Multi Sewing Machines Stella-DMB2029 Multi Sewing Floral Stella-DMB2030 Multi	¹ /3 yard each	From <i>each</i> fabric, cut: 2 strips, 2" × WOF. Sub-cut 6 B1 rectangles, 2" × 9 ¹ / ₂ ". 3 strips, 1 ¹ / ₂ " × WOF. Sub-cut 12 B2 rectangles, 1 ¹ / ₂ " × 7 ¹ / ₂ ". Continued on next page		


Materials and Cutting					
Fabric		Yardage	Cutting		
	Moonscape Stella-1150 Mauve	¹ /3 yard	From each fabric, cut: 1 strip, $9^1/2^n \times WOF$. Sub-cut 4 B1 rectangles, $2^n \times 9^1/2^n$, and 8 B2 rectangles, $1^1/2^n \times 7^1/2^n$.		
	Sewing Scissors Stella-DMB2032 Multi	each			
	Moonscape Stella-1150 Chartreuse	1/3 yard	1 strip, 91/2" × WOF. Sub-cut 4 B1 rectangles, 2" × 91/2", 8 B2 rectangles, 11/2" × 71/2", 2 B7 rectangles, 11/2" × 41/2", 2 B6 rectangles, 11/2" × 31/2", and 2 B8 rectangles, 11/2" × 21/2". 1 strip, 11/2" × WOF. Sub-cut 2 B4 rectangles, 11/2" × 5", 2 B8 rectangles, 11/2" × 2 1/2", 6 B3 squares, 11/2" × 11/2", and 2 B5 rectangles, 11/2" × 1".		
	Sewing Floral Stella-DMB2030 Multi	4 ³ / ₄ yards	Remove selvages and cut yardage into two equal lengths for backing.		
Other					
	Batting	66" x 86"			

Note: All seam allowances are 1/4" unless otherwise specified. Press seam allowances open unless otherwise indicated.


Make the Spool Blocks

Note: All **B** squares and rectangles should match in each block.

• Draw a diagonal line from corner to corner on the wrong side of two A1 squares. Matching two outer edges, and noting the orientation of the marked line, place one square right sides together in the lower left corner of a B1 rectangle. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Repeat to add a second triangle to the lower right corner of the B1 rectangle. Make two matching units.




② Alternate five **A2** rectangles and four matching **B2** rectangles in a single vertical row. *Note:* The **B2** rectangles should match the **B1** rectangles from step 1. Sew the rectangles together along adjacent edges. Press. Sew one **A3** rectangle to each long side of the rectangle unit. Press.



Noting the orientation of the step 1 units, sew one step 1 unit to the top edge, and the other to the bottom edge of the step 2 unit. Press. Sew one A4 rectangle to each long side of the

block. Press. Make a total of 13 Spool Blocks.



Spool Block Make 13.

Make the Right-Tail Spool Blocks

Note: All **B** squares and rectangles should match in each block.

• Draw a diagonal line from corner to corner on the wrong side of two A1 squares. Matching two outer edges, and noting the orientation of the marked line, place one square right sides together in the lower left corner of a B1 rectangle. Sew along the marked line. Trim the excess corner




Make 2.

fabric, leaving a 1/4" seam allowance. Press the triangle open. Repeat to add a second triangle to the lower right corner of the **B1** rectangle. Make two matching units.




Make 2.


② Alternate five A2 rectangles and four matching B2 rectangles in a single vertical row. *Note:* The B2 rectangles should match the B1 rectangles from step 1. Sew the rectangles together along adjacent edges. Press. Sew one A3 rectangle to left side of the rectangle unit. Press.



Taking care to orient a matching B3 square with the fabric prints of the step 2 unit, sew an A5 rectangle to the upper edge of the B3 square. Sew an A6 rectangle to the lower edge of the square. Press. Sew the pieced strip to the right edge of the step 2 unit. Press.




O Noting the orientation of the step 1 units, sew one step 1 unit to the top edge, and the other to the bottom edge of the step 2 unit. Press. Sew one A4 rectangle to the left edge of the A3 rectangle. Press.




⑤ Draw a diagonal line from corner to corner on the wrong side of two **A8** squares. Matching two outer edges, place one marked square right sides together in the upper right corner of a **B4** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a ¹/₄" seam allowance. Press the triangle open. Repeat to add a second triangle to the lower left corner of the **B4** rectangle.


Sew a **B5** rectangle to one short end of an **A9** rectangle. Press. Sew the joined rectangles to the right edge of the **B4** rectangle. Press.



Sew an **A10** rectangle to the lower edge of the pieced unit. Press. Sew an **A7** rectangle to the upper edge of the pieced unit. Press. Sew the joined units to the right edge of the block. Press.



⑤ Draw a diagonal line from corner to corner on the wrong side of two **A8** squares. Matching two outer edges, place one marked square right sides together in the upper right corner of a **B6** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a ¹/₄" seam allowance. Press the triangle open. Repeat to add a second triangle to the upper left corner of the **B6** rectangle.




Sew a **B3** square to either side of an **A1** square. Press. Sew the three-square unit to the lower edge of the **B6** unit. Press. Sew an **A11** rectangle to the left edge of the joined units.



Draw a diagonal line from corner to corner on the wrong side of one **A8** square. Matching two outer edges, place the marked square right sides together in the lower right corner of a **B7** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Sew an **A15** rectangle to the lower edge of the



B7 unit. Press. Sew the **B7** unit to the lower edge of the joined units. Press.




O Draw a diagonal line from corner to corner on the wrong side of one **A8** square. Matching two outer edges, place the marked square right sides together in the upper right corner of a **B8** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Sew an **A11** rectangle to the upper edge of the **B8** unit. Press.




3 Draw a diagonal line from corner to corner on the wrong side of one A1 square. Matching outer edges, place the marked square right sides together in one corner of a B8 rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Sew an A11 rectangle to the left edge of the B8 unit. Press.



Matching seam lines, sew the step 8 unit to the lower edge of the step 7 unit. Press. Sew the joined units to the right edge of the step 6 unit. Press. Sew an **A12** rectangle to the upper edge of the joined units. Press.



• Sew the step 9 section to the right edge of the block. Press. Sew an A13 rectangle to the right edge of the block. Press. Make a total of two Right-Tail Spool Blocks.



Right-tail Spool Block Make 2.


Make the Left-Tail Spool Block

Note: All **B** squares and rectangles should match in each block.


• Draw a diagonal line from corner to corner on the wrong side of two A1 squares. Matching two outer edges, and noting the orientation of the marked line, place one square right sides together in the lower left corner of a B1 rectangle. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Repeat to add a second triangle to the lower right corner of the B1 rectangle. Make two matching units.




② Alternate five A2 rectangles and four matching B2 rectangles in a single vertical row. *Note:* The B2 rectangles should match the B1 rectangles from step 1. Sew the rectangles together along adjacent edges. Press. Sew one A3 rectangle to right side of the rectangle unit. Press.



Taking care to orient a matching B3 square with the fabric prints of the step 2 unit, sew an A5 rectangle to the upper edge of the B3 square. Sew an A6 rectangle to the lower edge of the square. Press. Sew the pieced strip to the left edge of the step 2 unit. Press.




O Noting the orientation of the step 1 units, sew one step 1 unit to the top edge, and the other to the bottom edge of the step 2 unit. Press. Sew one A4 rectangle to the right edge of the A3 rectangle. Press.






6 Draw a diagonal line from corner to corner on the wrong side of two A8 squares. Matching two outer edges, place one marked square right sides together in the upper left corner of a **B4** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Repeat to add a second triangle to the lower right corner of the **B4** rectangle.

Sew a **B5** rectangle to one short end of an A9 rectangle. Press. Sew the joined rectangles to the left edge of the B4 rectangle. Press.




Sew an A10 rectangle to the lower edge of the pieced unit. Press. Sew an **A7** rectangle to the upper edge of the pieced unit. Press. Sew the joined units to the left edge of the block. Press.




6 Draw a diagonal line from corner to corner on the wrong side of two A8 squares. Matching two outer edges, place one marked square right sides together in the upper right corner of a **B6** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Repeat to add a second triangle to the upper left corner of the **B6** rectangle.

Sew a **B3** square to either side of an **A1** square. Press. Sew the three-square unit to the lower edge of the **B6** unit. Press. Sew an A11 rectangle to the right edge of the joined units.



Draw a diagonal line from corner to corner on the wrong side of one A8 square. Matching two outer edges, place the marked square right sides together in the lower left corner of a **B7** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Sew an A15 rectangle to the lower edge of the B7 unit. Press. Sew the B7 unit to the lower edge of the joined units. Press.




Draw a diagonal line from corner to corner on the wrong side of one A8 square. Matching two outer edges, place the marked square right sides together in the upper left corner of a **B8** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Sew an A11 rectangle to the upper edge of the B8 unit. Press.




Oraw a diagonal line from corner to corner on the wrong side of one A1 square. Matching outer edges, place the marked square right sides together in one corner of a **B8** rectangle, as shown. Sew along the marked line. Trim the excess corner fabric, leaving a 1/4" seam allowance. Press the triangle open. Sew an A11 rectangle to the right edge of the B8 unit. Press.



Matching seam lines, sew the step 8 unit to the lower edge of the step 7 unit. Press. Sew the joined units to the left edge of the step 6 unit. Press. Sew an A12 rectangle to the upper edge of the joined units. Press.



O Sew the step 9 section to the left edge of the block. Press. Sew an A13 rectangle to the left edge of the block. Press. Make one Left-Tail Spool Block.



Left-tail Spool Block Make 1.



Assemble the Quilt


- Referring to the quilt photo and Quilt Assembly Diagram for block placement, arrange the blocks and A14 square in five horizontal rows. Join the elements in each row along adjacent edges. Press.
- Place a sashing strip between each of the block rows. Sew the sashing strips and rows together along adjacent edges to make the quilt center. Press the seam allowances toward the sashing strips.
- Join the inner border side strips together end to end. Press. Cut two inner side borders, 21/2" × 681/2". Sew one border to either side of the quilt center. Press the seam allowances toward the inner borders. Sew one inner top/bottom border to the top, and the other to the bottom edge of the quilt center. Press the seam allowances toward the inner borders.
- Join pairs of outer border strips together along one short end.

 Press. Cut (2) outer side borders,

 31/2" × 721/2", and (2) outer top/bottom borders, 31/2" × 581/2". Sew one outer side border to either side of the quilt center. Press the seam allowances toward the outer borders. Sew one outer top/bottom border to the top, and the other to the bottom edge of the quilt center. Press the seam allowances toward the outer borders.

Finishing

- Using a 1/2" seam allowance, join the two large backing rectangles along one long edge to complete the quilt backing. Press.
- ② Layer the quilt backing, batting, and quilt top. Quilt as desired. Stitch a scant ¹/⁴" from the edge around the perimeter of the quilt. Trim the excess backing and batting. Use your favorite method to bind the quilt.



Quilt Assembly Diagram

Show what you're sewing with Dear Stella fabrics! #dearstella @dearstellafab