

IHP**Service Replacement Parts List****BIS Ultra****Cat. No. BISULTRAEPA****Model Years: July 1999 to January 2013**

EXTERIOR COMPONENTS		
Item No.	Cat. No.	Description
1	PR-SR2445	Left Side Fireplace Casing
2	PR-SR2446	Back Fireplace Casing
3	PR-SR2444	Right Side Fireplace Casing
4	PR-SR2449	Top Fireplace Casing
5	PR-SR1839	Upper Louver Frame
6	PR-SR1840	Lower Louver Frame
7	PR-SR1799	Louver Assembly (Qty : 1 Pk)
8	PR-SR1818G	Contemporary Left Door Ceramic Glass
**	PR-SR1788G	Victorian Left Door Ceramic Glass
9	PR-SR1818D	Contemporary Right Door Ceramic Glass
**	PR-SR1788D	Victorian Right Door Ceramic Glass
10	PR-SR1784	Right Side Door Rod Handle And Locking Mechanism
11	PR-SR1787	Wooden Handle (Qty : 2 Pk)
12	PR-SR1785	Left Side Door Static Handle Rod With Nut
13	PR-SR1823B	Glass Gasket (Qty : 1 Pk)
14	PR-SR1823A	Door Gasket (Qty : 2 Pk)
15	PR-SR1823C	Between Doors Gasket (Qty : 1 Pk)
**	PR-SR1800UR	Complete Door Hinges Kit
**	PR-VIS	Assorted Screws
**	SBMB6309	Touch-up Paint, Aerosol, Black Metallic (H8159, TSPK-B)
INTERIOR COMPONENTS		
18	PR-SR1971G	Left Side Refractory
19	PR-SR1971D	Right Side Refractory
20	PR-SR1973	Bottom Refractory
21	PR-SR1972	Back Refractory
22	PR-SR1965	Upper Back Deflector Refractory
23	PR-SR1968	Upper Front Deflector Refractory
24	7B30B2CF01	Ash Dump Cast Iron Plug

INTERIOR COMPONENTS (continued)

Item No.	Cat. No.	Description
25	PR-B2GA1	Ash Dump Gasket (Gasket Only)
26	PR-R161	Ash Dump Rod, Spring, Plate And Gasket
27	PR-BISUZH	Ashtray
28	PR-SR1995	Air Tube Back
29	PR-SR1994A	Air Tube Center #1
30	PR-SR1994B	Air Tube Center #2
31	PR-SR1994C	Air Tube Center #3
32	PR-SR1979	Air Tube Front
33	PR-B2CH	Cast Iron Log Retainer (Set)
34	PR-SR1982	Central Log Retainer (Qty : 1 Pk)
35	BISTSK-1	Deflector Kit With Insulation Pads
36	PR-SR1964R	Tube Support/Lock

DOORS

**	BAN38	<i>Victorian Arch Shape Doors, Black</i>
**	BCN38	<i>Contemporary Arch Shape Doors, Black</i>

OUTSIDE AIR KITS

**	UZI	<i>Outside Air Kit (4" I.D. x 10 ft. long insulated flex)</i>
**	UZIAD	<i>Outside Air Coupler for Connection of UZI to Fireplace</i>

OPTIONS

**	UZY5	<i>Heat Activated On/Off Pre-wired Fan Kit 200 cfm 115V/60H/39W</i>
**	BISZN-1	<i>Rigid Firescreen</i>
**	BISUMA30	<i>Adaptor for 30-degree Connection into a Masonry Chimney</i>
**	BISCF	<i>Panel for Clean Face Option</i>

FORCED AIR HEATING KIT

**	BISFWK-1	<i>Starter Kit: for Wall or furnace installations. Includes blower (BISZY); flex adaptor and 2 clamps (BISAF), blower variable speed control (VRUW), thermo-disc (VTU), blower flex adaptor (BISAVF) and back draft damper (BISBD)</i>
----	----------	--

Flex - Choose 15 feet or 25 feet depending on installation

**	5FLEX15	<i>Flex 5" I.D. X 15' long</i>
**	5FLEX25	<i>Flex 5" I.D. X 25' long</i>

Starter Kit Separate Components

**	BISAVF	<i>Blower flex adaptor, includes damper (BISBD)</i>
**	BISZY	<i>Blower - 250 CFM</i>
**	BISAF	<i>Flex adaptor and two clamps for fireplace connection</i>
**	VRUW	<i>Blower motor speed control</i>
**	VTU	<i>Thermo-disc - turns motor on when fireplace is hot and off when cool</i>
**	BISBD	<i>Back draft damper</i>
**	HCTW	<i>Heating / Cooling Thermostat - 110V</i>

GRAVITY VENTING KIT		
**	7B30ZK-1	<i>Gravity Kit: 2 Elbows 90-Degree, 2 Telescopic Lengths, 2 Grill Supports and 2 Black Grills and Fireplace Adaptors (2)</i>
**	7B30ZGB	<i>Brass Grill for 7B30ZK</i>
EXTRA COMPONENTS		
**	7B30ZO	<i>Black Grill with Support (set of 2)</i>
**	7B26ZE90	<i>Elbow 90-Degree, 8" I.D.</i>
**	7B26ZE45	<i>Elbow 45-Degree, 8" I.D.</i>
**	7B26ZLA	<i>Telescopic Length, 8" I.D. (15" to 26")</i>
**	7B26ZL2A	<i>Adjustable Length, 8" I.D. (2" - 5")</i>
**	8KL5	<i>Length 5ft.</i>
**	8KL4	<i>Length 4ft.</i>
**	8KL3	<i>Length 3ft.</i>
**	8KL2	<i>Length 2ft.</i>
**	8KL1	<i>Length 1ft.</i>
**	7B26ZR	<i>Radiation Shield, 8" I.D.</i>

Note: Items in italics may be discontinued 6 months after the end of model production or later if inventory is available.

**Items not displayed on drawing



