

**IHP****Service Replacement Parts List****BIS Tradition****Cat. No. BISTRAD****Model Years: June 2004 to 2014**

<b>MISC. COMPONENTS</b>		
<b>Item</b>	<b>Cat. No.</b>	<b>Description</b>
1	PR-SR2363	Top Fireplace Casing
2	PR-SR2365	Right Side Fireplace Casing
3	PR-SR2366	Back Fireplace Casing
4	PR-SR2394	Left Side Fireplace Casing
5	PR-SR2525	Air Tube Lock (2)
6	PR-SR2379	Secondary Air Tube (Qty : 1 Pk) (4)
7	PR-SR2425	Timer
8	PR-B2CH	Log Retainers (Qty : 2 Pk)
10	PR-SR1800T	Right Side Hinges (2)
11	PR-SR1800T	Left Side Hinges (2)
**	PR-SR1800T	Left And Right Side Hinge Kit
18	PR-SACBTBK2	<i>Decorative Screw Caps, Black (16)</i>
	PR-SACBTBN2	<i>Decorative Screw Caps, Brushed Nickel (16)</i>
	PR-SACBTFC	<i>Decorative Screw Caps, Charcoal (16)</i>
	PR-SACBTFG2	<i>Decorative Screw Caps, Gold (16)</i>
**	H8159	<i>Touch-Up Paint, Black, Aerosol, TSPK-B</i>
**	PR-P6201	<i>Touch-Up Paint, Charcoal (For Hammered Steel Facade)</i>
<b>BLOWER PARTS</b>		
9	PR-UZY7	Blower - Heat Activated On/Off Pre-wired Fan Kit 200 cfm 115V/60H/39W
**	VRUW	Blower Motor Speed Control (Wall Mount)
**	VTU	Snap Disk, Blower
<b>OUTSIDE AIR KITS</b>		
**	UZI	<i>Outside Air Ducting - includes 4" insulated flex x 10' long</i>
**	UZIAD	<i>Outside Air Coupler To Connect Outside Air (UZI) To Fireplace</i>
**	H3274	<i>Outside Air Coupler For AC Chimney 4" I.D., UACZI</i>

<b>FIREBOX</b>		
<b>Item No.</b>	<b>Cat. No.</b>	<b>Description</b>
19	PR-SR2415	Back Refractory
20	PR-SR2417	Right Side Refractory - Back
21	PR-SR2419	Right Side Refractory - Front
22	PR-SR2416	Left Side Refractory - Back
23	PR-SR2418	Left Side Refractory - Front
24	PR-SR2422	Bottom Refractory
25	PR-SR2421	Front Refractory (Qty : 1 Pk)
26	PR-ISO2521	Top Hearth Insulation
27	PR-ISO2205	Baffle Refractory (2 pieces) (top of firebox)
<b>DOOR PARTS</b>		
28	PR-SR1823I	On The Door Frame Gasket (48-3/8") (Qty: 1 Pk) (2)
29	PR-SR1823J	Between The Doors Gasket (17-5/8") (Qty: 1 Pk) (1)
30	PR-SR1685C	Around The Glass Gasket (61-3/4") (Qty: 1 Pk) (2)
12	PR-SR2356D	Ceramic Glass Right
13	PR-SR2356G	Ceramic Glass Left
14	PR-SR2401KIT	Between Doors Isulation Kit
15	PR-SR2543	Door Latch (top and bottom)
17	PR-SR1787	Wooden Door Handle
<b>DOOR KITS</b>		
**	BTCBK	<i>Door Kit, Black</i>
**	BTCG	<i>Door Kit, Gold Plated</i>
**	BTCBN	<i>Door Kit, Brushed Nickel</i>
**	BTCMC	<i>Door Kit, Hammered Steel</i>
<b>FACADES</b>		
**	BTFBK	<i>Facade Kit, Black</i>
**	BTFG	<i>Facade Kit, Gold Plated</i>
**	BTFBN	<i>Facade Kit, Brushed Nickel</i>
**	BTFMC	<i>Facade Kit, Hammered Steel</i>
<b>GRAVITY KIT</b>		
**	7B30ZK-1	<i>Gravity kit: Complete double duct system includes: 2 elbows 90°, 2 telescopic lengths, 2 grill supports and 2 black grills, 2 fireplace adaptors.</i>
<b>GRAVITY KIT ACCESSORIES</b>		
**	7B30ZO	<i>Black Grill With Support (set of 2)</i>
**	7B30ZGB	<i>Brass Grill (for 7B30ZK-1) (set of 2)</i>
**	7B26ZE90	<i>Elbow 90°, 8" dia. I.D.</i>
**	7B26ZE45	<i>Elbow 45°, 8" dia. I.D.</i>

**GRAVITY KIT ACCESSORIES (continued)**

Item No.	Cat. No.	Description
**	7B26ZLA	<i>Telescopic length, 8" dia. I.D. (15" to 26")</i>
**	7B26ZL2A	<i>Adjustable length, 8" dia. I.D. (2" - 5")</i>
**	8KL5	<i>Length five (5) feet</i>
**	8KL4	<i>Length four (4) feet</i>
**	8KL3	<i>Length three (3) feet</i>
**	8KL2	<i>Length two (2) feet</i>
**	8KL1	<i>Length one (1) feet</i>

**FIREPLACE KITS**


**	BTZN	<i>Rigid firescreen, BTZN</i>
**	BISTMA	<i>Masonry Chimney Adaptor, 45° (for use with TUBINOX liner) (not approved for use in the U.S.A.)</i>
**	BISTMA30	<i>Masonry Chimney Adaptor, 30° (for use with TUBINOX liner)</i>

**CENTRAL FORCED AIR KIT ACCESSORIES**


**	BISFWK-1	<i>Central forced air kit including: blower (BISZY), flex adaptor (BISAF), 2 clamps, variable speed control (VRUW), thermo-disk (VTU), fan to flexible pipe adaptor (BISAVF), back draft damper (BISBD), aluminium tape</i>
**	BISAF	<i>Fireplace to Flex adaptor and 2 clamps</i>
**	5FLEX15	<i>Flexible pipe 5" I.D. x 15 ft. Long</i>
**	5FLEX25	<i>Flexible pipe 5" I.D. x 30 ft. Long</i>
**	BISZY	<i>Blower 250 CFM for central forced air kit</i>
**	VRUW	<i>Blower variable speed control with decorative wall plate for (BISZY)</i>
**	VTU	<i>Thermo-disk, on/off blower control (for BISZY)</i>
**	BISAVF	<i>Blower to flexible pipe adaptor</i>
**	HCTW	<i>Heating and cooling thermostat, 24V</i>
**	BISBD	<i>Backdraft damper</i>

Note: Items in italics may be discontinued 6 months after the end of model production or later if inventory is available.

**\*\* NOT PICTURED**



RIGHT SIDE DOOR



LEFT SIDE DOOR

