



the Homestead Wood Stove

Model #8570F and #8570H

Hearth Mount (#8570H)



Freestanding (#8570F)



General Information

Parts and Accessories

Replacement Part

Castings		5570-010
Part Number	Description	5700-710
2510-730	Ash Grate	
2510-720	Ash Grate Frame	5700-705
25xx-740*	Ash Lip	
25xx-710*	Bottom	5570-140
2510-770	Flue Collar	5010-080
20xx-500*	Front Door	5400-2206
20xx-602*	Front Door Frame	5570-030
2010-550	Glass Retention Frame	5570-040
2510-750	Rear Panel	5570-050
25xx-700*	Short Foot (4" leg)	5570-080
25xx-705*	Long Foot (6" leg)	5570-110
25xx-760*	Side Leg	5570-070
25xx-780*	Тор	5570-121
*xx = color co	ode: 10 = Matte, 20 = Brown, 30 = Almond,	5570-122
	50 = Black, 66 = Navy, 80 = Green.	5570-123
		FF70 4F0

Stone/Refractory

Part Number	Description		
1141-253	Soapstone Front Side 2 $^{19}/_{32}$ " x 9 $^{1}/_{2}$ "		
1541-780	Soapstone Top 8" x 10 ¹ / ₂ "		
3060-429	Firebrick 8 $^{3}/_{32}$ " x 9 $^{7}/_{8}$ " x 1 $^{1}/_{4}$ "		
1541-730	Soapstone Side 8 $^{7}/_{8}^{\prime\prime}$ x 9 $^{3}/_{8}^{\prime\prime}$		
1141-252	Soapstone, Front Bottom 3 $^3/_4{^{\prime\prime}}$ x 9 $^1/_2{^{\prime\prime}}$		
1141-251	Soapstone, Front Top 2 $^3/_4$ " x 9 $^1/_2$ "		
0900-61	Soapstone Refractory		

Steel Set

Part Number	Description		
5570-130	Air Tube Lock Bracke		
5570-020	Ash Pan		

5570-010	Ash Pan Box
5700-710	Compact Oval-to-Round Adapter (standard
	on model #8570H)
5700-705	Freestanding Oval-to-Round Adapter
	(standard on model #8570F)
5570-140	Front Baffle Support
5010-080	Front Door Handle Crank
5400-2206	Front Door Latch
5570-030	Label Cable
5570-040	Primary Air Control Slider
5570-050	Primary Air Handle
5570-080	Primary Air Plenum
5570-110	Secondary Air Plenum
5570-070	Secondary Air Riser Tube
5570-121	Secondary Air Tube #1
5570-122	Secondary Air Tube #2
5570-123	Secondary Air Tube #3
5570-150	Top Heat Shield

Miscellaneous

Part Number	Description
3900-177	Black Wood Handle
3120-920	Ceramic Board 21 $^{27}/_{32}$ " x 11 $^5/_{32}$ " x $^1/_2$ "
3110-056	Gasket Rope 1/4"
3110-057	Gasket Rope ³ / ₈ "
3110-059	Gasket Rope ³ / ₈ " Medium Density
3160-080	Gasket Tape $^{3}/_{4}$ " x $^{1}/_{16}$ "
3030-026	IR Glass 11 $^3/_{16}$ " x 17 $^9/_{16}$ " x 5mm
95-52700xx	Hearth Mount Conversion Kit
95-50700xx	Freestanding Conversion Kit

Optional Accessories

Part Number	Description	Picture	Explanation
90-57000	Blower Fan Kit	FETTING TO THE PARTY OF THE PAR	Not for use in an enclosure (such as a fireplace or alcove). Must be installed with the Rear Heat Shield Kit. For freestanding installations only.
95-50700xx*	Freestanding Conversion Kit	installation on a UL listed flo 2.5 and minimum dimension	nield and long (6") legs in matching colors. For cor protector or a site built protector with an R-value of ons of 41" x 41". This conversion kit can also be used in a color code designations on the previous page.)
95-52700xx*	Hearth Mount Conversion Kit	floor, such as a slab, cemer 6.6 or more and minimum of	matching colors. For installation on a noncombustible of the stone hearth or a floor protector with an R-value of dimensions of 41" x 41". This conversion kit can also be ion. (See color code designations on previous page.)
5700-705	Freestanding Oval- to-Round Adapter		A stainless oval-to-round adapter that fits best in large fireplaces or freestanding configurations.
5700-710	Compact Oval-to- Round adapter		A stainless oval-to-round adapter that fits best in a hearth mounting configurations.
95-53700	Outside Air Kit		Allows for a 3" ducted inlet. For use where required by code or in well insulated homes. Three-position inlet for versatile installation.
95-68700	Rear Heat Shield Kit		Reduces rear, corner, and side clearances. Typically for freestanding installations.
95-59710	Surround Kit		A matte black, sheet metal, surround set for fireplace installations with short or tall legs. It "hangs" on brackets mounted to the rear of the stove. The depth (distance from the rear of the stove) is adjustable. This surround also acts as a heat shield, reducing the mantle and side trim clearances.

*xx = color code: 10 = Matte, 20 = Brown, 30 = Almond, 50 = Black, 66 = Navy, 80 = Green.