

NOVEX²

EXTRACT BATTERY



510
THREAD



FLEX
TEMP



COMPACT
DESIGN



EASY TO
USE



400
mAh



REGISTER YOUR NOVEX 2

- 1.** Find the authentication code etched near the charger port.
- 2.** Go to ooze.life/register and use this code to fill out the registration form.
- 3.** Submit the form. Your Novex 2 is officially registered in our system, and your warranty is activated!

HOW TO USE THE NOVEX 2

- 1.** Click the button 5x to turn the device on, the pulse wave tech will buzz once.
- 2.** Screw your 510 cartridge directly into the chamber, it will buzz twice when connected.
- 3.** Click the button 3x to adjust the temperature level. There are 5 voltages:



* Pro Tip: Click the button 4x for an alternate view of your battery percentage!

4. You're ready to heat the device! Press and hold the button for up to 15 seconds to take your hit.

* **Pro Tip:** Click the button 2x to activate Prep Mode. This is a gentle 15-second heat cycle that will clear any clogs in the airway of your oil cartridge!

5. Click the button 5x to turn the Novex 2 off, it will buzz one more time.

CHARGING THE NOVEX 2

1. Connect the Type-C charging cable to your Novex 2.

2. Use an adapter and wall outlet to charge the device, it will buzz twice when it connects to the power source.

3. Watch the battery percentage climb until it reaches a full charge.

NEW LED SCREEN

BATTERY LIFE
Know exactly what % your battery is at. Click 4X for alternate battery view.

VOLTAGE
Your temperature level. Click the button 3X to change.

LOCKING
Make sure your cartridge is successfully connected, locked in, & ready to rip.

50
BATTERY LIFE

50
CHARGING

LOW BATT
LOW CHARGE

3.5
VOLTS

GO!
PRE HEAT

GO!
PRE HEAT

95%
4.0