

Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 1 of 10

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Isopropanol**

Product Code(s) : Not available.

Recommended use of the chemical and restrictions on use

: Solvent; Reagent  
Use pattern: Professional Use Only  
Restriction on use: None known

Chemical family : Pure substance

Name, address, and telephone number  
of the supplier:

**Comet Chemical Company Ltd.**

3463 Thomas Street

Innisfill, ON, Canada  
L9S 3W4

Supplier's Telephone # : 705-436-5580

**24 Hr. Emergency Tel #** : TERRRAPURE ENVIRONMENTAL : 800-567-7455

Name, address, and telephone number of  
the manufacturer:

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear colourless liquid. Alcoholic.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Flammable Liquids - Category 2

Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)

Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Highly flammable liquid and vapour!

Causes serious eye irritation.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 2 of 10

## SAFETY DATA SHEET

### Precautionary statement(s)

Keep away from heat, open flames and hot surfaces. - No smoking.  
Keep container tightly closed.  
Ground and bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing mist or vapours.  
Wash thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
If eye irritation persists: get medical advice/attention.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell.  
In case of fire: Use water fog, dry chemical, CO<sub>2</sub> or 'alcohol' foam for extinction.

Store in a well-ventilated place. Keep cool.  
Keep container tightly closed.  
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other hazards

Other hazards which do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration</u>
Isopropyl alcohol	Isopropyl alcohol 2-propanol	67-63-0	100.00

## SECTION 4. FIRST-AID MEASURES

### Description of first aid measures

- Ingestion* : Call a physician or poison control centre immediately. Do not induce vomiting. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Get medical attention if symptoms persist.
- Skin contact* : Wash off with soap and plenty of water. If irritation or symptoms develop, seek medical attention. Wash contaminated clothing before re-use.
- Eye contact* : Immediately flush eyes with running water for at least 15 minutes. Obtain medical attention if irritation persists.

Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 3 of 10

## SAFETY DATA SHEET

### Most important symptoms and effects, both acute and delayed

- : Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis. Direct skin contact may cause slight or mild, transient irritation. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing and breathing difficulties. May cause central nervous system effects. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

### Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. This product is a CNS depressant.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

#### *Suitable extinguishing media*

- : Use water fog or fine spray, foams, carbon dioxide or dry chemical. Do not use a solid water stream as it may scatter and spread fire.

#### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

### Special hazards arising from the substance or mixture / Conditions of flammability

- : Vapors may travel considerable distance to a source of ignition and flash back. Vapors are heavier than air and may spread along floors. Static discharge, impact, friction, and heat may ignite exposed chemical material.

### Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable Liquids - Category 2

### Hazardous combustion products

- : Carbon monoxide, carbon dioxide, toxic vapours, gases or particulates.

### Special protective equipment and precautions for firefighters

#### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### *Special fire-fighting procedures*

- : Fight fires from a safe distance. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.

### Environmental precautions

- : Do not allow material to contaminate ground water system. For large spills, dike the area to prevent spreading.

### Methods and material for containment and cleaning up

- : Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with inert, non-combustible absorbent material (e.g. sand, vermiculite), then place material into open, unsealed containers. For waste disposal, see Section 13 of the SDS.

Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 4 of 10

## SAFETY DATA SHEET

### Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
- US CERCLA Reportable quantity (RQ): None.

### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

- : Use only in well-ventilated areas. Wear suitable protective equipment during handling. Do not ingest or swallow. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat and flame. Use only non-sparking tools with this material. Avoid contact with incompatible materials. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not use pressure to empty drums. Do not cut, weld, drill or grind on or near this container. Follow labeled warnings even after container is emptied.

#### Conditions for safe storage

- : Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

#### Incompatible materials

- : Strong oxidizing agents; Strong acids.; Alkali metals; Aluminium. . .

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Limits:

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Isopropyl alcohol	200 ppm	400 ppm	400 ppm (980 mg/m <sup>3</sup> )	N/Av

#### Exposure controls

##### Ventilation and engineering measures

- : Ensure adequate ventilation, especially in confined areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

##### Respiratory protection

- : Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

##### Skin protection

- : Wear impervious gloves, such as nitrile rubber. Advice should be sought from glove suppliers.

##### Eye / face protection

- : Chemical splash goggles are recommended. A full face shield may also be necessary.

##### Other protective equipment

- : An eyewash station and safety shower should be made available in the immediate working area. Depending on conditions of use, an impervious apron should be worn. Other equipment may be required depending on workplace standards.

##### General hygiene considerations

- : Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not ingest. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

- : Clear colourless liquid.

Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 5 of 10

## SAFETY DATA SHEET

**Odour** : Alcohol  
**Odour threshold** : 3-60 ppm  
**pH** : N/Av  
**Melting/Freezing point** : - 89°C (--128.2°F)  
**Initial boiling point and boiling range**  
: 82.5°C (180.5°F)  
**Flash point** : 13°C (-55.4°F)  
**Flashpoint (Method)** : closed cup  
**Evaporation rate (BuAe = 1)** : Not available.  
**Flammability (solid, gas)** : Not applicable.  
**Lower flammable limit (% by vol.)**  
: 2.5%  
**Upper flammable limit (% by vol.)**  
: 12%  
**Oxidizing properties** : None.  
**Explosive properties** : Not explosive  
**Vapour pressure** : 24.7  
**Vapour density** : Not available.  
**Relative density / Specific gravity**  
: 0.79  
**Solubility in water** : Complete  
**Other solubility(ies)** : Soluble in most organic solvents (e.g. ethanol, acetone, diethyl ether, chloroform).  
**Partition coefficient: n-octanol/water or Coefficient of water/oil distribution**  
: 0.05  
**Auto-ignition temperature** : 399°C (750.2°F)  
**Decomposition temperature** : Not applicable.  
**Viscosity** : 2.1 mPa.s @ 25°C  
**Volatiles (% by weight)** : Not available.  
**Volatile organic Compounds (VOC's)**  
: N/Av  
**Absolute pressure of container**  
: N/Av  
**Flame projection length** : N/Av  
**Other physical/chemical comments**  
: Molecular formula: C3-H8-OC C3-H8-O  
Molecular Weight: 60.1 g/mol

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : Not normally reactive.  
**Chemical stability** : Stable under the recommended storage and handling conditions prescribed.  
**Possibility of hazardous reactions**  
: Hazardous polymerization will not occur.  
**Conditions to avoid** : Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation. Avoid heat, open flames, sparks, static electricity and electrical equipment.  
**Incompatible materials** : Strong oxidizing agents; Strong acids.; Alkali metals; Aluminium. . .  
**Hazardous decomposition products**  
: None known, refer to hazardous combustion products in Section 5.

Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 6 of 10

## SAFETY DATA SHEET

### SECTION 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure:**

Routes of entry inhalation : YES

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption  
: NO

**Potential Health Effects:**

**Signs and symptoms of short-term (acute) exposure**

*Sign and symptoms Inhalation*

- : May cause irritation of the nose, throat, mucous membranes, and respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

*Sign and symptoms ingestion*

- : May cause irritation of mouth, throat, and stomach. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

*Sign and symptoms skin*

- : May cause mild skin irritation.

*Sign and symptoms eyes*

- : May cause severe eye irritation.

**Potential Chronic Health Effects**

- : Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause liver and kidney effects.

**Mutagenicity**

- : Not expected to be mutagenic in humans.

**Carcinogenicity**

- : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

**Reproductive effects & Teratogenicity**

- : Not expected to have other reproductive effects.

**Sensitization to material**

- : Not expected to be a skin or respiratory sensitizer.

**Specific target organ effects**

- : Eyes, skin, respiratory system, digestive system, central nervous system. Liver

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)

Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

May cause respiratory irritation. May cause drowsiness or dizziness.

**Medical conditions aggravated by overexposure**

- : Pre-existing skin, eye and respiratory disorders.

**Synergistic materials**

- : None known or reported by the manufacturer.

**Toxicological data**

- : See below for toxicological data on the substance.

Chemical name	LC <sub>50</sub> (4hr)	LD <sub>50</sub>	
	inh, rat	(Oral, rat)	(Rabbit, dermal)
Isopropyl alcohol	17 000 ppm (41.8 mg/L) (vapour)	4720 mg/kg	12 890 mg/kg

Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 7 of 10

## SAFETY DATA SHEET

**Other important toxicological hazards**

: None known or reported by the manufacturer.

**SECTION 12. ECOLOGICAL INFORMATION**
**Ecotoxicity** : See the following tables for individual ingredient ecotoxicity data.

**Ecotoxicity data:**

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Isopropyl alcohol	67-63-0	9640 mg/L (Fathead minnow)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Isopropyl alcohol	67-63-0	> 10 000 mg/L/24hr (Daphnia magna)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Isopropyl alcohol	67-63-0	N/Av	N/Av	None.

**Persistence and degradability**

: Readily biodegradable.

**Bioaccumulation potential**

: Does not significantly accumulate in organisms.

<u>Components</u>	<u>Partition coefficient n-octanol/ater (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Isopropyl alcohol (CAS 67-63-0)	0.05	1.0

**Mobility in soil** : No data is available on the product itself.

**Other Adverse Environmental effects**

: No data is available on the product itself.

**SECTION 13. DISPOSAL CONSIDERATIONS**
**Handling for Disposal**

: See Section 7 (Handling and Storage) for further details. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

**Methods of Disposal**

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.





Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 8 of 10

## SAFETY DATA SHEET

### SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1219	ISOPROPANOL	3	II	
<b>TDG Additional information</b>	May be shipped as a Limited Quantity when transported in containers no larger than 5.0 L, in combination packagings no larger than 30 kg gross mass.				
49CFR/DOT	UN1219	ISOPROPANOL; or ISOPROPYL ALCOHOL	3	II	
<b>49CFR/DOT Additional information</b>	For limited quantity and other exemptions see section 173.150.				
ICAO/IATA	UN1219	Isopropanol; or Isopropyl alcohol	3	II	
<b>ICAO/IATA Additional information</b>	Refer to IATA/ICAO packaging instruction.				
IMDG	UN1219	ISOPROPANOL; or ISOPROPYL ALCOHOL	3	II	
<b>IMDG Additional information</b>	Refer to the IMDG regulations for more information.				

**Special precautions for user** : Keep away from heat, sparks and open flame. - No smoking.

**Environmental hazards** : See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: Not available.

### SECTION 15 - REGULATORY INFORMATION


#### US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

Ingredients	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Isopropyl alcohol	67-63-0	Yes	None.	None.	Yes	No

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Immediate (Acute) health hazard Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.





Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 9 of 10

## SAFETY DATA SHEET

### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Isopropyl alcohol	67-63-0	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

### Canadian Information:

WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product.  
All ingredients are present on the DSL.

### International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Isopropyl alcohol	67-63-0	200-661-7	Present	Present	(2)-207	KE-29363	Present	HSR001180

## SECTION 16. OTHER INFORMATION

### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists  
CA: California  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
CFR: Code of Federal Regulations  
CNS: Central Nervous System  
CSA: Canadian Standards Association  
DOT: Department of Transportation  
EPA: Environmental Protection Agency  
HMIS: Hazardous Materials Identification System  
HSDB: Hazardous Substances Data Bank  
IARC: International Agency for Research on Cancer  
Inh: Inhalation  
IUCLID: International Uniform Chemical Information Database  
LC: Lethal Concentration  
LD: Lethal Dose  
MA: Massachusetts  
MN: Minnesota  
N/Ap: Not Applicable  
N/Av: Not Available  
NFPA: National Fire Protection Association  
NIOSH: National Institute of Occupational Safety and Health  
NJ: New Jersey  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PA: Pennsylvania  
PEL: Permissible exposure limit  
RCRA: Resource Conservation and Recovery Act  
RI: Rhode Island

Isopropanol

SDS Preparation Date (mm/dd/yyyy): 09/10/2015

Page 10 of 10

## SAFETY DATA SHEET

RTECS: Registry of Toxic Effects of Chemical Substances  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit  
TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
TLV: Threshold Limit Values  
TWA: Time Weighted Average  
WHMIS: Workplace Hazardous Materials Identification System

**References** : Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, RTECs, HSDB, INCHEM).  
European Chemicals Agency, Classification Legislation, 2015  
OECD- The Global Portal to Information on Chemical Substances - eChemPortal, 2015  
Material Safety Data Sheet from manufacturer

**Preparation Date (mm/dd/yyyy)**

: 09/10/2015

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

<p><b>Prepared for:</b> Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4 Information (M-F 8:00-5:00): 705-436-5580 www.cometchemical.com</p>	
<p><b>Prepared by:</b> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

END OF DOCUMENT