

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/20/2019

Reviewed on 08/20/2019

1 Identification

- **Product Identifier**
- **Trade Name:** *Plaster-Weld*®
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Surface applied bonding agent for interior only surfaces.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Larsen Products Corp.
8264 Preston Court
Jessup, MD 20794
P: 301-776-4595
F: 301-776-2723
jlasen@larsenproducts.com
www.larsenproducts.com
- **Emergency telephone number:** 800-633-6668

2 Hazard(s) Identification

- **Classification of the substance or mixture:**
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:		
Trade Secret	STOT RE 2, H373; Acute Tox. 4, H302	≤2.5%

- **Additional information:**
The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/20/2019

Reviewed on 08/20/2019

Trade Name: **Plaster-Weld**©

4 First-Aid Measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in the side position for transportation.
- **After skin contact:** If skin irritation occurs, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
If eye irritation occurs, consult a doctor.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

9002-89-5	Poly(vinyl alcohol)	24 mg/m ³
	Trade Secret	30 ppm
	Trade Secret	2.3 ppm
532-32-1	Sodium Benzoate	61 mg/m ³
556-67-2	Octamethylcyclotetrasiloxane	30 ppm

- **PAC-2:**

9002-89-5	Poly(vinyl alcohol)	270 mg/m ³
	Trade Secret	150 ppm

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/20/2019

Reviewed on 08/20/2019

Trade Name: Plaster-Weld®

	Trade Secret	25 ppm
532-32-1	Sodium Benzoate	680 mg/m ³
556-67-2	Octamethylcyclotetrasiloxane	68 ppm
· PAC-3:		
9002-89-5	Poly(vinyl alcohol)	1,600 mg/m ³
	Trade Secret	900 ppm
	Trade Secret	150 ppm
532-32-1	Sodium Benzoate	810 mg/m ³
556-67-2	Octamethylcyclotetrasiloxane	130 ppm

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**

· **Components with occupational exposure limits:**

Trade Secret

TLV Short-term value: 10** mg/m³, 50* ppm
Long-term value: 25* ppm
*vapor fraction:**inh. fraction, aerosol only

WEEL I (2)

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/20/2019

Reviewed on 08/20/2019

Trade Name: Plaster-Weld®**· Eye protection:**

Goggles recommended during refilling.

· Limitation and supervision of exposure into the environment: None*** 9 Physical and Chemical Properties****· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:** Liquid**Color:** Pink**· Odor:** Mild**· Odor threshold:** Not determined.**· pH-value @ 20 °C (68 °F):** 4-5**· Change in condition****Melting point/Melting range:** Not determined.**Boiling point/Boiling range:** 182.2-340 °C (360-644 °F)**· Flash point:** >113 °C (>235.4 °F)**· Flammability (solid, gaseous):** Not applicable.**· Ignition temperature:** Not applicable**· Decomposition temperature:** Not determined.**· Auto igniting:** Product is not self-igniting.**· Danger of explosion:** Product does not present an explosion hazard.**· Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**· Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)**· Density @ 20 °C (68 °F):** 1.1092 g/cm³ (9.2563 lbs/gal)**· Relative density:** Not determined.**· Vapor density:** Not determined.**· Evaporation rate:** Not determined.**· Solubility in / Miscibility with:****Water:** Miscible**· Partition coefficient (n-octanol/water):** Not determined.**· Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**· Solvent content:****VOC content:** .85 %

24.6 g/l / 0.21 lb/gal

· Other information: No further relevant information available.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/20/2019

Reviewed on 08/20/2019

Trade Name: **Plaster-Weld**©

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Trade Secret		
Oral	LD50	5,840 mg/kg (Rat)
Dermal	LD50	9,530 mg/kg (Rabbit)
Inhalative	LC50/96 hours	38.109 mg/l (Trout)
	LC50/48 hrs	16.103 mg/l (Daphnia)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**
Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

9002-89-5	Poly(vinyl alcohol)	3
-----------	---------------------	---

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**

Trade Secret	
EC50	3.536 mg/l (Green algae)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/20/2019

Reviewed on 08/20/2019

Trade Name: Plaster-Weld©

- **Additional ecological information:**

- **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment:**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- **Uncleaned packaging**

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport Information

- **UN-Number:**

- **DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

- **UN proper shipping name:**

- **DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

- **Transport hazard class(es):**

- **DOT, ADR/ADN, ADN, IMDG, IATA**

- **Class:**

Non-Regulated Material

- **Packing group:**

- **DOT, ADR/ADN, IMDG, IATA**

Non-Regulated Material

- **Environmental hazards:**

Not applicable.

- **Special precautions for user:**

Not applicable.

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable.

- **UN "Model Regulation":**

Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

Trade Secret

- **TSCA (Toxic Substances Control Act):**

7732-18-5 Water, distilled water, deionized water

ACTIVE

9002-89-5 Poly(vinyl alcohol)

ACTIVE

Trade Secret

ACTIVE

Trade Secret

ACTIVE

532-32-1 Sodium Benzoate

ACTIVE

556-67-2 Octamethylcyclotetrasiloxane

ACTIVE

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/20/2019

Reviewed on 08/20/2019

Trade Name: Plaster-Weld©

· Hazardous Air Pollutants	Trade Secret
· California Proposition 65:	
· Chemicals known to cause cancer:	None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for females:	None of the ingredients are listed.
· Chemicals known to cause reproductive toxicity for males:	None of the ingredients are listed.
· Chemicals known to cause developmental toxicity:	Trade Secret
· New Jersey Right-to-Know List:	Trade Secret
	Trade Secret
· New Jersey Special Hazardous Substance List:	None of the ingredients are listed.
· Pennsylvania Right-to-Know List:	Trade Secret
	Trade Secret
· Pennsylvania Special Hazardous Substance List:	Trade Secret
	E
· Carcinogenic categories:	
· EPA (Environmental Protection Agency):	None of the ingredients are listed.
· TLV (Threshold Limit Value established by ACGIH):	Trade Secret
	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health):	None of the ingredients are listed.
· GHS label elements Non-Regulated Material	
· Hazard pictograms: Non-Regulated Material	
· Signal word: Non-Regulated Material	
· Hazard statements: Non-Regulated Material	
· National regulations:	None of the ingredients are listed.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of last revision/ revision number:** 08/20/2019 / 2

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 08/20/2019

Reviewed on 08/20/2019

Trade Name: **Plaster-Weld**©

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106