

ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



DISTRIBUTOR:

MANUFACTURER:

SAMPLE INFORMATION

Sample No.: 1162921

Product Name:

Vegamour GRO+ Adv Hair Care Gummies

Pass

C Pass

Edible (Gummy) Matrix: 3043029 Lot#:

TEST SUMMARY

Cannabinoid Profile: Pesticide Residue Screen: Pass

Heavy Metal Screen: Mycotoxin Screen:

Microbiological Screen:

Residual Solvent Screen: Foreign Material:

Date Collected: 06/08/2023 Date Received: 06/08/2023 Date Reported: 06/09/2023

Pass Pass Water Activity:

06/09/2023

O Tested

@ Pass

Cannabinoid Profile Pass

MF-CHEM-15 Liquid Chromatography Diode Array Detector (LC-DAD)

0.0333 mg/g Limit of Detection Limit of Quantification 0.1 mg/g

Cannabinoid	mg/g	%	mg/serving	mg/package	Labeled mg/serving	serving)	Status
Δ8-THC	ND	ND	ND	ND	_		Pass
BO TITLE	ND	ND	ND	ND	*		
	ND	ND	ND	ND	-		-
	ND	ND	ND	ND	-	•	•
		ND	ND	ND	-	•	
THCVA	ND		10.57	317.14	10	5.71	
CBD	2.80	0.280	ND ND	ND	-	•	
CBDA	ND	ND		<loq< td=""><td></td><td>-</td><td>-</td></loq<>		-	-
CBC	<loq< td=""><td><loq< td=""><td><loq< td=""><td>ND</td><td>-</td><td></td><td>•</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>ND</td><td>-</td><td></td><td>•</td></loq<></td></loq<>	<loq< td=""><td>ND</td><td>-</td><td></td><td>•</td></loq<>	ND	-		•
CBCA	ND	ND	ND			-	-
CBDV	ND	ND	ND	ND	10	3.79	-
CBG	2.75	0.275	10.38	311.37		-	
CBGA	ND	ND	ND	ND			•
CBN	ND	ND	ND	ND			
Total THC	ND	ND	ND	ND	-	-	
	2.80	0.280	10.57	317.14	-	-	
Total CBD		0.555	20.95	628.51	•	-	
Total Cannabinoids	5.55	0.555				_	_
Sum of Cannabinoids	5.55	0.555	20.95	628.51			

Serving Weight (g) 3.7724 Package Weight (g) 113.17

Total THC = Δ9-THC + (0.877 * Δ9-THCA)

Total CBD = CBD + (0.877 * CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen

06/09/2023

Method: AOAC 2016.01

	Findings	Units		
Analyte		/25g		
E. coli (STEC)	Negative			
Salmonella	Negative	/25g	9/2023	

Pesticide Residue Screen Pass

MF-CHEM-13 Method: Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Analyte			0.3	Pass
Abamectin	0.04/0.10	ND		

Anresco Laboratories www.anresco.com

Sample #: 1162921

Page 1 of 4

1375 Van Dyke Ave, San Francisco, CA 94124

Lot #: 3043029

Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND ND	0.02	Pass
Dimethomorph	0.02/0.06	ND ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06		10.0	
	0.02/0.06	ND	0.02	Pass Pass
Fenoxycarb	0.02/0.06	ND ND	2.0	Pass
Fenpyroximate		ND		
Fipronil Flonicamid	0.02/0.06	ND	0.02	Pass
	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
T1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.02/0.06	ND	0.02	Pass
Inlacioprid	0.0270.00			
Thiacloprid Thiamethoxam	0.02/0.06	ND	4.5	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1162921 Lot #: 3043029 Page 2 of 4

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disdosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



06/09/2023

06/09/2023

06/09/2023

06/09/2023

06/09/2023

Residual Solvent Screen Pass

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Ameliato	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Analyte	0.2/0.5	ND	1	Pass
1,2-Dichloroethane		ND	5000	Pass
Acetone	67/200		410	Pass
Acetonitrile	67/200	ND	1	Pass
Benzene	0.2/0.5	ND	5000	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
	0.2/0.5	ND	1	Pass
Ethylene oxide	67/200	ND	5000	Pass
n-Heptane	67/200	ND	290	Pass
n-Hexane		ND	5000	Pass
Isopropyl alcohol	67/200		3000	Pass
Methanol	67/200	<loq< td=""><td>1</td><td>Pass</td></loq<>	1	Pass
Methylene chloride	0.2/0.5	ND	5000	Pass
n-Pentane	67/200	ND	5000	
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Heavy Metal Screen Pass

Method: MF-CHEM-16 instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Commence and the commence of t	0.02/0.05	ND	1.5	Pass
Arsenic Cadmium	0.02/0.05	ND	0.5	Pass
	0.02/0.05	ND	3	Pass
Mercury	0.02/0.05	BLOQ	0.5	Pass

Foreign Material Pass

Method: MF-MACRO-5

Analyte	Findings	Limit	Status
Sand, Soils, Cinders, and Dirt	ND	25%	Pass
Mold	ND	25%	Pass
Imbedded Foreign Material	ND	25%	Pass
Insect Fragment	ND	1 per 3g	Pass
Hair	ND	1 per 3g	Pass
Mammalian Excreta	ND	1 per 3g	Pass

Mycotoxin Screen Pass

Method: MF-CHEM-13 Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	
Aflatoxin G2	2/5	ND	-	
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

Water Activity

Method: MF 14G051

Instrument: Decagon

Analyte	Findings	Limit	Status
Water Activity	0.62	0.85	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1162921 Lot #: 3043029

Page 3 of 4 Report ID: S-3

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by





Scan to verify