

#### ANALYZED BY:

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



### SAMPLE INFORMATION

Sample No.: 1155693

Product Vegamour GRO+ Adv Hair Care Gummies Matrix:

Edible (Gummy) 2050198

**Tested** 

Date Collected: 04/04/2023 Date Received: 04/05/2023

Date Reported: 04/10/2023

**TEST SUMMARY** 

Batch #:

**Cannabinoid Profile:** Pesticide Residue Screen:

@ Pass Pass Heavy Metal Screen: Mycotoxin Screen:

ND

0.324

0.612

0.612

0.289

0.324

<L00

Microbiological Screen: Residual Solvent Screen:

mg/serving

ND

ND

ND

ND

ND

11,60

<LOQ

ND

ND

ND

ND

ND

ND

11.60

21.94

21.94

1034

**O** Tested **O** Pass

04/10/2023

Foreign Material: Water Activity:

Pass @ Pass

**Cannabinoid Profile** 

Method:

MF-CHEM-15

Instrument:

Liquid Chromatography Diode Array Detector (LC-DAD)

Limit of Detection 0.0333 mg/g Limit of Quantification 0.1000 mg/g

Cannabinoid	mg/g	
Δ8-THC	ND	
Δ9-THC	ND	
Δ9-ΤΗCΑ	ND	
THCV	ND	
THCVA	ND	
CBD	3.24	
CBDA	ND	
CBC	<loq< td=""></loq<>	
CBCA	ND	
CBDV	ND	
CBG	2.89	
CBGA	ND	
CBN	ND	
Total THC	ND	
Total CBD	3.24	
Total Cannabinoids	6.12	
Sum of Cannabinoids	6.12	
Serving Weight (g)	3.5829	

Total THC =  $\Delta 9$ -THC + (0.877 \*  $\Delta 9$ -THCA) Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) + [0.877 \*  $\Sigma$  (acidic cannabinoids)]

Comments

E. coli (STEC)

Salmonella

Method:

This result of this sample is confirmed with a retest.

Microbiological Screen

Method: AOAC 2016.01 Analyte

**Findings** Negative Negative

Units

/25g /25g

Pesticide Residue Screen Pass MF-CHEM-13

04/10/2023

04/10/2023

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte Abamectin Acephate

LOD/LOQ (µg/g) 0.04/0.10 0.02/0.06

Findings (µg/g) ND

Limit (µg/g) 0.3 5.0

Status Pass Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1155693 Batch #: 2050198

ND

Page 1 of 4 Report ID: S-4



Analyte Acequinocyl Acetamiprid Aldicarb Azoxystrobin Bifenazate Bifenthrin Boscalid Captan Carbaryl Carbofuran Chlorantraniliprole Chlordane	LOD/LOQ (µg/g) 0.04/0.10 0.02/0.06 0.02/0.06 0.02/0.06 0.02/0.06 0.04/0.10 0.02/0.06 0.2/0.6	Findings (µg/g) ND ND ND ND ND ND ND ND	Limit (µg/g) 4.0 5.0 0.02 40.0 5.0	Status Pass Pass Pass
Acetamiprid Aldicarb Azoxystrobin Bifenazate Bifenthrin Boscalid Captan Carbaryl Carbofuran Chlorantraniliprole Chlordane	0.02/0.06 0.02/0.06 0.02/0.06 0.02/0.06 0.04/0.10 0.02/0.06	ND ND ND ND	4.0 5.0 0.02 40.0	Pass Pass Pass
Aldicarb Azoxystrobin Bifenazate Bifenthrin Boscalid Captan Carbaryl Carbofuran Chlorantraniliprole Chlordane	0.02/0.06 0.02/0.06 0.02/0.06 0.04/0.10 0.02/0.06	ND ND ND	5.0 0.02 40.0	Pass Pass
Azoxystrobin Bifenazate Bifenthrin Boscalid Captan Carbaryl Carbofuran Chlorantraniliprole Chlordane	0.02/0.06 0.02/0.06 0.04/0.10 0.02/0.06	ND ND ND	0.02 40.0	Pass
Bifenazate Bifenthrin Boscalid Captan Carbaryl Carbofuran Chlorantraniliprole Chlordane	0.02/0.06 0.02/0.06 0.04/0.10 0.02/0.06	ND ND	40.0	
Bifenthrin Boscalid Captan Carbaryl Carbofuran Chlorantraniliprole Chlordane	0.02/0.06 0.04/0.10 0.02/0.06	ND		
Boscalid Captan Carbaryl Carbofuran Chlorantraniliprole Chlordane	0.04/0.10 0.02/0.06			Pass
Captan Carbaryl Carbofuran Chlorantraniliprole Chlordane	0.02/0.06	NU		Pass
Carbaryl Carbofuran Chlorantraniliprole Chlordane		ND	0.5	Pass
Carbaryl Carbofuran Chlorantraniliprole Chlordane	0.270.0	ND	10.0	Pass
Carbofuran Chlorantraniliprole Chlordane	0.02/0.06	ND	5.0	Pass
Chlorantraniliprole Chlordane	0.02/0.06	ND	0.5	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
	0.02/0.06	ND	40.0	Pass
	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND		Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06		1.0	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon		ND	0.02	Pass
	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND		Pass
Flonicamid	0.02/0.06	ND	0.02	Pass
Fludioxonil	0.02/0.06		2.0	Pass
Hexythiazox	The state of the s	ND	30.0	Pass
The state of the s	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	
Mevinphos	0.02/0.06	ND		Pass
Myclobutanil	0.02/0.06	ND	0.02	Pass
Naled	0.02/0.06		9.0	Pass
Oxamyl	0.02/0.06	ND	0.5	Pass
Paclobutrazol		ND	0.2	Pass
	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.15/0.50	ND		Pass
Pyridaben	0.02/0.06	ND	1.0	Pass
Spinetoram	0.02/0.06		3.0	Pass
Spinosad		ND	3.0	Pass
Spiromesifen	0.02/0.06	ND	3.0	Pass
Spirottetramat	0.04/0.10	ND	12.0	Pass
	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
	0.02/0.06	ND	2.0	Pass
	the state of the s			
Thiacloprid	0.02/0.06	ND	0.02	Pass
Tebuconazole Thiacloprid Thiamethoxam Trifloxystrobin	0.02/0.06 0.02/0.06 0.02/0.06	ND ND	0.02 4.5	Pass Pass



Residual Solvent Screen Pass 04/10/2023 Method: MF-CHEM-32 Instrument: Gas Chromatography Mass Spectrometry (GC/MS) Analyte LOD/LOQ (ppm) Findings (ppm) Limit (ppm) Status 1,2-Dichloroethane 0.2/0.5 Pass Acetone 67/200 ND 5000 Pass Acetonitrile 67/200 ND 410 Pass Benzene 0.2/0.5 ND Pass n-Butane 67/200 ND 5000 Pass Chloroform 0.2/0.5 ND Pass Ethanol 67/200 ND 5000 Pass Ethyl acetate 67/200 ND 5000 Pass Ethyl ether 67/200 ND 5000 Pass Ethylene oxide 0.2/0.5 ND Pass n-Heptane 67/200 ND 5000 Pass n-Hexane 67/200 ND 290 Pass Isopropyl alcohol 67/200 ND 5000 Pass Methanol 67/200 ND 3000 Pass Methylene chloride 0.2/0.5 ND Pass n-Pentane 67/200 ND 5000 Pass Propane 67/200 ND 5000 Pass Toluene 67/200 ND 890 Pass Total xylenes (ortho-, meta-, para-) 67/200 ND 2170 Pass Trichloroethylene 0.2/0.5 ND Pass Heavy Metal Screen Pass 04/10/2023 Method: MF-CHEM-16 instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS) Analyte LOD/LOQ (µg/g) Findings (µg/g) Limit (µg/g) Status Arsenic 0.02/0.05 ND 1.5 Pass Cadmium 0.02/0.05 ND 0.5 Pass Mercury 0.02/0.05 ND 3 Pass Lead 0.02/0.05 ND 0.5 Pass Foreign Material Pass 04/10/2023 Method: MF-MACRO-5 Analyte Findings Limit Status Sand, Soils, Cinders, and Dirt ND 25% Pass ND 25% Pass Imbedded Foreign Material ND 25% Pass Insect Fragment ND 1 per 3g Pass ND 1 per 3g Pass Mammalian Excreta ND 1 per 3g Pass Mycotoxin Screen Pass 04/10/2023 Method: MF-CHEM-13 Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS) LOD/LOQ (µg/kg) Findings (µg/kg) Limit (µg/kg) Status Aflatoxin B1 2/5 ND Aflatoxin B2 2/5 ND Aflatoxin G1 2/5 ND Aflatoxin G2 2/5 ND Total Aflatoxins 8/20 ND 20 Pass Ochratoxin A 6/20 ND 20 **Water Activity** 04/10/2023 Method: MF 14G051 Instrument: Decagon Analyte Findings Limit Status Water Activity 0.72 0.85 Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1155693 Batch #: 2050198

Page 3 of 4

Report ID: S-4



(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by





Scan to verify