## Infant CPR Skills Testing Checklist (1 of 2)



life is why™

Student Name	Date of Test
Hospital Scenario: "You are working in a hospital or clinic wher shouts, 'Help me! My baby's not breathing.' You have gloves a emergency response system and to get the emergency equipm	nd a pocket mask. You send your coworker to activate the
Prehospital Scenario: "You arrive on the scene for an infant wh You approach the scene and ensure that it is safe. Demonstrat	
Assessment and Activation  Checks responsiveness Shouts for help/Activates emerged Checks pulse	ency response system   Checks breathing
Once student shouts for help, instructor says, "Here's the barrier d	evice."
Cycle 1 of CPR (30:2) *CPR feedback devices preferre	ed for accuracy
Infant Compressions  ☐ Performs high-quality compressions*:  • Placement of 2 fingers in the center of the chest, just below the nipple line  • 30 compressions in no less than 15 and no more than 18 seconds  • Compresses at least one third the depth of the chest, about 1½ inches (4 cm)  • Complete recoil after each compression	Infant Breaths  ☐ Gives 2 breaths with a barrier device:  • Each breath given over 1 second  • Visible chest rise with each breath  • Resumes compressions in less than  10 seconds
Cycle 2 of CPR (repeats steps in Cycle 1) Only ch	neck box if step is successfully performed as in less than 10 seconds
Rescuer 2 arrives with bag-mask device and begins ventilation whi hands technique.	le Rescuer 1 continues compressions with 2 thumb-encircling
Cycle 3 of CPR	
Rescuer 1: Infant Compressions  ☐ Performs high-quality compressions*:  • 15 compressions with 2 thumb–encircling hands technique  • 15 compressions in no less than 7 and no more than 9 seconds  • Compresses at least one third the depth of the chest, about 1½ inches (4 cm)	Rescuer 2: Infant Breaths This rescuer is not evaluated.

(continued)

© 2016 American Heart Association

## Infant CPR Skills Testing Checklist (2 of 2)



**PASS** 

Date\_

NR

life is why™

dent Name	Date of Test
Cycle 4 of CPR	
Rescuer 2: Infant Compressions	Rescuer 1: Infant Breaths
This rescuer is not evaluated.	☐ Gives 2 breaths with a bag-mask device:
	Each breath given over 1 second
	Visible chest rise with each breath
	Resumes compressions in less than
	10 seconds
STOP TEST	
structor Notes	
Place a ✓ in the box next to each step the student com	
	s indicated by at least 1 blank check box), the student must receive nediation (refer to Instructor Manual for information about remediation

Circle **PASS** or **NR** to indicate pass or needs remediation:

Instructor Number

© 2016 American Heart Association

Instructor Initials \_

**Test Results**