

Printing date 09/18/2014 Reviewed on 09/18/2014

1 Identification

- · Product identifier
- · Trade name: Colorsol x
- · Application of the substance / the mixture

Dry-cleaning

Spotting agent, stain remover

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEITZ GmbH

Gutenbergstrasse 3

65830 Kriftel / Germany

Tel. + 49(0) 6192-9948-0

Fax + 49(0) 6192-9948-99

msds@seitz24.com

www.seitz24.com

· Information department:

CHEM-TEL Inc.

1305 North Florida Ave

Tampa Florida 33602

· Emergency telephone number: 1-800-255-3924

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

benzenesulfonic acid, C10-13-alkyl derivs., sodium salts stearylamine, ethoxylated

· Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

(Contd. on page 2)



Printing date 09/18/2014 Reviewed on 09/18/2014

Trade name: Colorsol x

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

- · Hazard description:
- · WHMIS classification

D2B - Toxic material causing other toxic effects



- · Classification system
- NFPA ratings (scale 0-4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0-4)



Health = 2Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· CAS-No.	Components:	
34590-94-8	dipropylen glycol monomethylether	25 - 50%
68411-30-3	benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	< 15%
26635-92-7	stearylamine, ethoxylated	< 10%
68551-17-7	alkanes, C10-13-iso-	< 2.5%

4 First-aid measures

- · Description of first aid measures
- General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 09/18/2014 Reviewed on 09/18/2014

Trade name: Colorsol x

(Contd. of page 2)

 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents No further relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with eyes and skin.

- · Environmental precautions: Do not allow product to reach sewage system or any water course.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.

· Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Keep away from heat and direct sunlight.

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Time of storage: max. 18 month

· Specific end use(s) Dry-cleaning

USA



Printing date 09/18/2014 Reviewed on 09/18/2014

Trade name: Colorsol x

(Contd. of page 3)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

	 Components with limit values that require monitoring at the workplace: 34590-94-8 dipropylen glycol monomethylether 				
	PEL (USA)	Long-term value: 600 mg/m³, 100 ppm Skin			
	REL (USA)	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin			
	TLV (USA)	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin			
	EL (Canada)	Short-term value: 150 ppm Long-term value: 100 ppm Skin			
	EV (Canada)	Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm			

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Breathing equipment:

Ensure good ventilation/exhaustion at the workplace.

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

· Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

USA



Printing date 09/18/2014 Reviewed on 09/18/2014

Trade name: Colorsol x

(Contd. of page 4)

nformation on basic physical and c Beneral Information	hemical properties
Appearance:	
Form:	Fluid
Color:	Yellow
Odor:	Product specific
Odour threshold:	No further relevant information available.
H-value (100 g/l) at 20 °C (68 °F):	~ 9.0
hange in condition	
Melting point/Melting range:	undetermined
Boiling point/Boiling range:	undetermined
lash point:	Not applicable
Flammability (solid, gaseous)	No further relevant information available.
nition temperature:	No further relevant information available.
ecomposition temperature:	No further relevant information available.
uto igniting:	Product is not selfigniting.
anger of explosion:	Product does not present an explosion hazard.
xplosion limits:	
Lower:	No further relevant information available.
Upper:	No further relevant information available.
xidizing properties	No further relevant information available.
apor pressure:	No further relevant information available.
ensity at 20 °C (68 °F):	~ 1.01 g/cm3 (ISO 2811)
Relative density	No further relevant information available.
apour density	No further relevant information available.
vaporation rate	No further relevant information available.
olubility in / Miscibility with	
Water: ´	Fully miscible
artition coefficient (n-octanol/wate	r): No further relevant information available.
iscosity:	
dynamic:	No further relevant information available.
kinematic:	No further relevant information available.
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

Stable under normal ambient conditions.

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions None if used as directed.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known

ISA



Printing date 09/18/2014 Reviewed on 09/18/2014

Trade name: Colorsol x

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

2 10 0.10 10 2							
· LD/LC50 values that are relevant for classification:							
34590-94-8 dipropylen glycol monomethylether							
Oral	LD50	> 5000 mg/kg (rat)					
Dermal	LD50	9500 mg/kg (rabbit)					
Inhalative	LC50 (7h)	> 500 mg/l (rat)					
68411-30-3 benzenesulfonic acid, C10-13-alkyl derivs., sodium salts							
Oral	LD50	200 - 2000 mg/kg (rat)					
Dermal	LD50	> 2000 mg/kg (rat)					
26635-92-7 stearylamine, ethoxylated							
Oral	LD50	> 2000 mg/kg (rat)					
68551-17-	68551-17-7 alkanes, C10-13-iso-						
Oral	LD50	> 5000 mg/kg (rat)					
Dermal	LD50	> 5000 mg/kg (rabbit)					
Inhalative	LC50	> 5 mg/l (rat)					

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Printing date 09/18/2014 Reviewed on 09/18/2014

Trade name: Colorsol x

· Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

14 Transport information				
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void			
UN proper shipping nameDOT, ADR, ADN, IMDG, IATA	Void			
· Transport hazard class(es)				
· DOT, ADR, ADN, IMDG, IATA · Class	Void			
Packing groupDOT, ADR, IMDG, IATA	Void			
· Environmental hazards:	Not applicable.			
· Special precautions for user	Not applicable.			
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.				
· Transport/Additional information:	Not dangerous according to the above specifications.			
· UN "Model Regulation":	-			

15 Regulatory information

- · Canadian substance lists
- · Canadian domestic substance list (DSL):

All ingredients are listed.

· Canadian ingredient disclosure list (limit 0.1%):

None of the ingredients is listed.

· Canadian ingredient disclosure list (limit 1%):

34590-94-8 dipropylen glycol monomethylether

68411-30-3 benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 8)



Printing date 09/18/2014 Reviewed on 09/18/2014

Trade name: Colorsol x

(Contd. of page 7)

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations
- · Other regulations, limitations and prohibitive regulations
- · Please note:

The informationherein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· Other information: The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 09/18/2014 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

 \cdot * Data compared to the previous version altered.