1. IDENTIFICATION

Product Identifier: NO. 10 BOILER COMPOUND Date of Revision: March 09, 2023

Product Code: S762

Other Name(s): not applicable
Distributed By: not applicable

Recommended Use and Restrictions on Use: boiler water treatment

Manufactured By: Ostrem Chemical Co. Ltd. Phone/Emergency Phone:

2310 - 80th Avenue NW 780-440-1911

Edmonton, Alberta, Canada T6P 1N2 Mon. - Fri. 8:00am - 4:30pm MT

www.ostrem.com

2. HAZARDS IDENTIFICATION

Classification of the Mixture: Serious Eye Damage/Irritation - Category 1

Skin Corrosion/Irritation - Category 1
Acute Toxicity, Oral - Category 4

Specific Target Organ Toxicity (Repeated Exposure) - Category 2

Corrosive to Metals - Category 1

Label Elements:

Hazard Pictogram(s):







Signal Word: DANGER

Hazard Statement(s): Causes severe skin burns and eye damage.

Harmful if swallowed.

May cause damage to organs (kidneys, liver, central nervous system) through prolonged or

repeated exposure.

May be corrosive to metals.

Precautionary Statement(s):

Prevention: Wear protective gloves, protective clothing, and eye/face protection.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe fumes or vapours. Keep only in original packaging.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or

physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash

contaminated clothing before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do. Continue rinsing. Immediately call a poison centre or physician.

Get medical advice/attention if you feel unwell. Absorb spillage to prevent material-damage.

Storage: Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Physical/health hazards not otherwise classified:

There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup).

3. COMPOSITION/INFORMATION ON INGREDIENTS

NO. 10 BOILER COMPOUND Page 1 of 5

Chemical Name	Conc. w/w	CAS#	Common Names
ethylene glycol	30 - 60%	107-21-1	
potassium hydroxide (45%)	15 - 40%	1310-58-3	caustic potash, lye
tetrasodium salt of ethylene diamine tetraacetic	5 - 10%	64-02-8	
acid (40%)			

4. FIRST-AID MEASURES

Necessary Measures:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison centre or physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a poison centre or physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing. Immediately call a poison centre or physician.

Get medical advice/attention if you feel unwell.

Absorb spillage to prevent material-damage.

Most important symptoms, both acute and delayed:

Causes serious eye damage.

Causes severe skin burns and eye damage.

Harmful if swallowed.

May cause damage to organs (kidneys, liver, central nervous system) through prolonged or repeated exposure.

Indication of immediate medical attention and special treatment needed, if necessary:

not applicable

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use extinguishing media appropriate for surrounding fire.

Specific hazards arising from the chemical (e.g.: hazardous combustion products):

May liberate carbon monoxide, carbon dioxide, and sulphur dioxide.

Special protective equipment and precautions for firefighters:

As for surrounding fire. Firefighters should wear full protective clothing and self contained breathing equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. See section 8.

Environmental precautions:

Prevent from entering sewers, waterways or low areas.

Methods and materials for containment and cleaning up:

Isolate hazard area and restrict access. Small spills: soak up with inert absorbent material and scoop into containers. Large spills: prevent contamination of waterways. Dike and pump into suitable containers. Clean up residual with absorbent material, place in appropriate container and flush with water.

7. HANDLING AND STORAGE

Precautions for safe handling:

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Do not breathe fumes or vapours.

Keep only in original packaging.

Do not ingest. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities:

Store locked up.

Store in a corrosion resistant container with a resistant inner liner.

Keep out of reach of children. Store in a cool, dry area.

NO. 10 BOILER COMPOUND Page 2 of 5

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters - Exposure limits:

Ingredient: Limit:

TWA: 100 mg/m3 ACGIH (TLV) ethylene glycol

> CEIL: 125 mg/m3 OSHA (PEL) CEIL: 50 ppm OSHA (PEL)

potassium hydroxide (45%) ACGIH Ceiling: 2 mg/m3

tetrasodium salt of ethylene diamine tetraacetic not available

acid (40%)

Appropriate engineering controls:

Provide exhaust ventilation to keep airborne levels below recommended exposure limits.

Respiratory protection:

If exposure exceeds occupational exposure limits, use an appropriate NIOSH approved respirator.

Other protection:

Wear protective gloves, protective clothing, and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, colour etc.): clear, light to dark brown liquid

slight ammonia odour Odour:

Odour threshold: not available

13+ pH:

Melting/Freezing point: not available Initial boiling point and range: not available Flash point: not applicable **Evaporation rate:** not available Flammability (solid, gas): not available not available Upper/lower flammability or explosive limits: Vapour pressure: not available Vapour density: not available Relative density (specific gravity): 1.160 complete Solubility(ies): Partition co-efficient: n-octanol/water: not available not available Auto-ignition temperature: **Decomposition temperature:** not available not available

10. STABILITY AND REACTIVITY

Reactivity:

Viscosity:

This material is considered to be non-reactive under normal use conditions.

Chemical stability:

Stable.

Possibility of hazardous reactions:

not available

Conditions to avoid (e.g.: static discharge, shock or vibration):

not applicable

Incompatible materials:

Oxidizers / Acid / Other

Hazardous decomposition products:

not available

11. TOXICOLOGICAL INFORMATION

POTENTIAL ACUTE HEALTH EFFECTS

NO. 10 BOILER COMPOUND Page 3 of 5

Inhalation: Inhalation of mist may cause damage to nasal and respiratory passages. Irritation may lead to

chemical pneumonitis and pulmonary edema.

Ingestion: Harmful if swallowed.

Eye contact: Causes serious eye damage.

Skin contact: Causes severe skin burns and eye damage.

Skin absorption: not available

POTENTIAL CHRONIC HEALTH EFFECTS

Inhalation: not available
Ingestion: not available
Eye contact: not available
Skin contact: not available
Skin absorption: not available

Mutagenicity: not available

Carcinogenicity:

Reproductive toxicity:

Sensitization of product:

Specific Target Organ Toxicity - repeated exposure:

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

This information, if applicable, can be found in Section 2.

Toxicological Data:

<u>Ingredient:</u> <u>Data:</u>

ethylene glycol Oral LD50: 4700 mg/kg (rat) potassium hydroxide (45%) Oral LD50: 273 mg/kg (rat) tetrasodium salt of ethylene diamine tetraacetic acid Oral LD50: 513 mg/kg (rat)

(40%)

Other Toxicological Information on Ingredients:

ethylene glycol

There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 milliliters (1/2 cup). This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs.

The substance may be toxic to kidneys, liver, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial, where available):

Persistence and degradability:

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

not available

not available

not available

not available

13. DISPOSAL CONSIDERATIONS

Waste disposal: Disposal of all waste must be done according to local, provincial and federal regulations.

14. TRANSPORT INFORMATION

TDG classification: UN 1760; CORROSIVE LIQUID, N.O.S. (POTASSIUM HYDROXIDE); CLASS 8; PG II

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. PREPARATION INFORMATION

NO. 10 BOILER COMPOUND Page 4 of 5

Prepared by: Technical Services Department, Ostrem Chemical Co. Ltd., Ph.: 780-440-1911

Date of Preparation: March 09, 2023 **Date of Revision:** March 09, 2023

This Safety Data Sheet may not be changed or altered in any way without the express knowledge and permission of Ostrem Chemical Co. Ltd.

End of Document

NO. 10 BOILER COMPOUND Page 5 of 5