

INSTRUCTIONS: Download. Print at 100% to get a 3.5" x 2" reference card (Once folded). Add data. Cutout. Store in kit for quick reference.

 **CUT LINE**

 **FOLD LINE**

Torque value reference card



Firearm:

	in-lb/Nm
Action screws	<input type="text"/>
Barrel screws	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>

Optic:

	in-lb/Nm
Base clamp screws	<input type="text"/>
Ring screws	<input type="text"/>
Turret screws	<input type="text"/>
Zero stop screws	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>

Always follow manufacturer's torque specifications to avoid damage to your equipment

Torque value conversions



4 in-lb = 0.45 Nm	40 in-lb = 4.52 Nm
6 in-lb = 0.68 Nm	45 in-lb = 5.08 Nm
10 in-lb = 1.13 Nm	49 in-lb = 5.54 Nm
15 in-lb = 1.69 Nm	53 in-lb = 5.99 Nm
18 in-lb = 2.03 Nm	55 in-lb = 6.21 Nm
20 in-lb = 2.26 Nm	60 in-lb = 6.78 Nm
25 in-lb = 2.82 Nm	62 in-lb = 7.01 Nm
30 in-lb = 3.39 Nm	65 in-lb = 7.34 Nm
35 in-lb = 3.95 Nm	70 in-lb = 7.91 Nm
	80 in-lb = 9.04 Nm

Always follow manufacturer's torque specifications to avoid damage to your equipment

Torque value reference card



Firearm:

	in-lb/Nm
Action screws	<input type="text"/>
Barrel screws	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>

Optic:

	in-lb/Nm
Base clamp screws	<input type="text"/>
Ring screws	<input type="text"/>
Turret screws	<input type="text"/>
Zero stop screws	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>

Always follow manufacturer's torque specifications to avoid damage to your equipment

Torque value conversions



4 in-lb = 0.45 Nm	40 in-lb = 4.52 Nm
6 in-lb = 0.68 Nm	45 in-lb = 5.08 Nm
10 in-lb = 1.13 Nm	49 in-lb = 5.54 Nm
15 in-lb = 1.69 Nm	53 in-lb = 5.99 Nm
18 in-lb = 2.03 Nm	55 in-lb = 6.21 Nm
20 in-lb = 2.26 Nm	60 in-lb = 6.78 Nm
25 in-lb = 2.82 Nm	62 in-lb = 7.01 Nm
30 in-lb = 3.39 Nm	65 in-lb = 7.34 Nm
35 in-lb = 3.95 Nm	70 in-lb = 7.91 Nm
	80 in-lb = 9.04 Nm

Always follow manufacturer's torque specifications to avoid damage to your equipment

Torque value reference card



Firearm:

	in-lb/Nm
Action screws	<input type="text"/>
Barrel screws	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>

Optic:

	in-lb/Nm
Base clamp screws	<input type="text"/>
Ring screws	<input type="text"/>
Turret screws	<input type="text"/>
Zero stop screws	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>

Always follow manufacturer's torque specifications to avoid damage to your equipment

Torque value conversions



4 in-lb = 0.45 Nm	40 in-lb = 4.52 Nm
6 in-lb = 0.68 Nm	45 in-lb = 5.08 Nm
10 in-lb = 1.13 Nm	49 in-lb = 5.54 Nm
15 in-lb = 1.69 Nm	53 in-lb = 5.99 Nm
18 in-lb = 2.03 Nm	55 in-lb = 6.21 Nm
20 in-lb = 2.26 Nm	60 in-lb = 6.78 Nm
25 in-lb = 2.82 Nm	62 in-lb = 7.01 Nm
30 in-lb = 3.39 Nm	65 in-lb = 7.34 Nm
35 in-lb = 3.95 Nm	70 in-lb = 7.91 Nm
	80 in-lb = 9.04 Nm

Always follow manufacturer's torque specifications to avoid damage to your equipment

Torque value reference card



Firearm:

	in-lb/Nm
Action screws	<input type="text"/>
Barrel screws	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>

Optic:

	in-lb/Nm
Base clamp screws	<input type="text"/>
Ring screws	<input type="text"/>
Turret screws	<input type="text"/>
Zero stop screws	<input type="text"/>
.....	<input type="text"/>
(other)	<input type="text"/>

Always follow manufacturer's torque specifications to avoid damage to your equipment

Torque value conversions



4 in-lb = 0.45 Nm	40 in-lb = 4.52 Nm
6 in-lb = 0.68 Nm	45 in-lb = 5.08 Nm
10 in-lb = 1.13 Nm	49 in-lb = 5.54 Nm
15 in-lb = 1.69 Nm	53 in-lb = 5.99 Nm
18 in-lb = 2.03 Nm	55 in-lb = 6.21 Nm
20 in-lb = 2.26 Nm	60 in-lb = 6.78 Nm
25 in-lb = 2.82 Nm	62 in-lb = 7.01 Nm
30 in-lb = 3.39 Nm	65 in-lb = 7.34 Nm
35 in-lb = 3.95 Nm	70 in-lb = 7.91 Nm
	80 in-lb = 9.04 Nm

Always follow manufacturer's torque specifications to avoid damage to your equipment