

## **Headlight Restorer for HVLP**

## **Directions:**

- 1. Clean headlight and surrounding are with 191983 Foaming Cleaner. Wipe area with clean dry cloth.
- 2. Mask off area around headlight.
- 3. Apply 191983 Foaming Cleaner liberally to the headlight.
- 4. Sand headlight with 600-800 grit sandpaper until yellow film is removed.
- 5. Finish sand with 2000 grit paper.
- 6. Clean with 191983 Foaming Cleaner and wipe dry.
- 7. Ensure Headlight Restorer 191982 and air temperature are at least 65F before applying.
- 8. Turn on headlights before applying coating to ensure lenses are warm.
- 9. Shake Headlight Restorer 191982 well and transfer to HVLP gun.
- 10. Apply 2 light coats of Headlight Restorer 191982 allowing 2 minutes flash between coats.
- 11. Cure the coating with 191516 Dual Lamp UV Tripod, 302031 UV Handheld Spot Light, or direct sunlight.

For more information and UV Curing times see full instructions available for download on cureUV.com.

REGULATORY VOC: 5.00lb/gal (600 g/l)

**ACTUAL VOC:** 2.48lb/gal (297 g/l)

DANGER! EXTREMELY FLAMMABLE. VAPOR HARMFUL. IRRITATES EYES, SKIN AND RESPIRATORY TRACT.

Contains: n-Butyl Acetate (123-86-4), Methyl Acetate (79-20-9), Aliphatic Naphtha (64742-89-8), Butyrolacetone (96-48-0).

**PRECAUTIONS:** Do not use near sparks, heat or open flame. Vapors will accumulate quickly and may ignite explosively. Keep area well ventilated during use and until all vapors are gone. DO NOT SMOKE. Extinguish all flames, pilot lights and heaters. Turn off stoves, electric tools, appliances and any other sources of ignition. Avoid prolonged exposure to heat or sunlight. Do not store above 120F.

Distributed exclusively by: cureUV.com (800) 977-7292



**FIRST AID:** In case of eye contact, flush with large amounts of water for 15 minutes and get medical attention. For skin contact, wash thoroughly with soap and water. In case of respiratory difficulty, provide fresh air and call physician.

## KEEP OUT OF THE REACH OF CHILDREN.

**NOTICE:** Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful of fatal. Use only as directed. Follow all precautions. In case of spillage absorb with inert material and dispose of in accordance with applicable regulations.

