


### INSTRUMENT INTERCHANGEABILITY

NOTE: TO BETTER ASSIST IN DETERMINATION OF INTERCHANGEABILITY OF INSTRUMENTS WITHOUT PANEL MODIFICATION, PANEL CUTOUTS ARE SHOWN BELOW. PANEL CUTOUTS ARE FOR THOSE FIGURES LISTED UNDER DESCRIPTION IN THE FOLLOWING CHARTS.

### PANEL CUTOUTS











































































RESTRICTED  
T. O. No. 00-45-1

X'S IN SAME LINE SHOW HORIZONTAL INTERCHANGEABILITY  
X'S IN SAME COLUMN SHOW VERTICAL INTERCHANGEABILITY (ONLY BETWEEN RED LINES)  
DO NOT CROSS RED LINE FOR INTERCHANGEABILITY (EXCEPT WHEN NOTED IN REMARKS)

LINE NO.	DESCRIPTION	VENDOR	PART NO.	TYPE	V. H. BOMBERS												HEAVY BOMBERS												MEDIUM BOMBERS												LIGHT BOMBERS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
					B-24CO	B-24HW	B-24A1	B-24A2	B-24A3	B-24A4	B-24A5	B-24A6	B-24A7	B-24A8	B-24A9	B-24A10	B-24A11	B-24A12	B-24A13	B-24A14	B-24A15	B-24A16	B-24A17	B-24A18	B-24A19	B-24A20	B-24A21	B-24A22	B-24A23	B-24A24	B-24A25	B-24A26	B-24A27	B-24A28	B-24A29	B-24A30	B-24A31	B-24A32	B-24A33	B-24A34	B-24A35	B-24A36	B-24A37	B-24A38	B-24A39	B-24A40	B-24A41	B-24A42	B-24A43	B-24A44	B-24A45	B-24A46	B-24A47	B-24A48	B-24A49	B-24A50	B-24A51	B-24A52	B-24A53	B-24A54	B-24A55	B-24A56	B-24A57	B-24A58	B-24A59	B-24A60	B-24A61	B-24A62	B-24A63	B-24A64	B-24A65	B-24A66	B-24A67	B-24A68	B-24A69	B-24A70	B-24A71	B-24A72	B-24A73	B-24A74	B-24A75	B-24A76	B-24A77	B-24A78	B-24A79	B-24A80	B-24A81	B-24A82	B-24A83	B-24A84	B-24A85	B-24A86	B-24A87	B-24A88	B-24A89	B-24A90	B-24A91	B-24A92	B-24A93	B-24A94	B-24A95	B-24A96	B-24A97	B-24A98	B-24A99	B-24A100	B-24A101	B-24A102	B-24A103	B-24A104	B-24A105	B-24A106	B-24A107	B-24A108	B-24A109	B-24A110	B-24A111	B-24A112	B-24A113	B-24A114	B-24A115	B-24A116	B-24A117	B-24A118	B-24A119	B-24A120	B-24A121	B-24A122	B-24A123	B-24A124	B-24A125	B-24A126	B-24A127	B-24A128	B-24A129	B-24A130	B-24A131	B-24A132	B-24A133	B-24A134	B-24A135	B-24A136	B-24A137	B-24A138	B-24A139	B-24A140	B-24A141	B-24A142	B-24A143	B-24A144	B-24A145	B-24A146	B-24A147	B-24A148	B-24A149	B-24A150	B-24A151	B-24A152	B-24A153	B-24A154	B-24A155	B-24A156	B-24A157	B-24A158	B-24A159	B-24A160	B-24A161	B-24A162	B-24A163	B-24A164	B-24A165	B-24A166	B-24A167	B-24A168	B-24A169	B-24A170	B-24A171	B-24A172	B-24A173	B-24A174	B-24A175	B-24A176	B-24A177	B-24A178	B-24A179	B-24A180	B-24A181	B-24A182	B-24A183	B-24A184	B-24A185	B-24A186	B-24A187	B-24A188	B-24A189	B-24A190	B-24A191	B-24A192	B-24A193	B-24A194	B-24A195	B-24A196	B-24A197	B-24A198	B-24A199	B-24A200	B-24A201	B-24A202	B-24A203	B-24A204	B-24A205	B-24A206	B-24A207	B-24A208	B-24A209	B-24A210	B-24A211	B-24A212	B-24A213	B-24A214	B-24A215	B-24A216	B-24A217	B-24A218	B-24A219	B-24A220	B-24A221	B-24A222	B-24A223	B-24A224	B-24A225	B-24A226	B-24A227	B-24A228	B-24A229	B-24A230	B-24A231	B-24A232	B-24A233	B-24A234	B-24A235	B-24A236	B-24A237	B-24A238	B-24A239	B-24A240	B-24A241	B-24A242	B-24A243	B-24A244	B-24A245	B-24A246	B-24A247	B-24A248	B-24A249	B-24A250	B-24A251	B-24A252	B-24A253	B-24A254	B-24A255	B-24A256	B-24A257	B-24A258	B-24A259	B-24A260	B-24A261	B-24A262	B-24A263	B-24A264	B-24A265	B-24A266	B-24A267	B-24A268	B-24A269	B-24A270	B-24A271	B-24A272	B-24A273	B-24A274	B-24A275	B-24A276	B-24A277	B-24A278	B-24A279	B-24A280	B-24A281	B-24A282	B-24A283	B-24A284	B-24A285	B-24A286	B-24A287	B-24A288	B-24A289	B-24A290	B-24A291	B-24A292	B-24A293	B-24A294	B-24A295	B-24A296	B-24A297	B-24A298	B-24A299	B-24A300	B-24A301	B-24A302	B-24A303	B-24A304	B-24A305	B-24A306	B-24A307	B-24A308	B-24A309	B-24A310	B-24A311	B-24A312	B-24A313	B-24A314	B-24A315	B-24A316	B-24A317	B-24A318	B-24A319	B-24A320	B-24A321	B-24A322	B-24A323	B-24A324	B-24A325	B-24A326	B-24A327	B-24A328	B-24A329	B-24A330	B-24A331	B-24A332	B-24A333	B-24A334	B-24A335	B-24A336	B-24A337	B-24A338	B-24A339	B-24A340	B-24A341	B-24A342	B-24A343	B-24A344	B-24A345	B-24A346	B-24A347	B-24A348	B-24A349	B-24A350	B-24A351	B-24A352	B-24A353	B-24A354	B-24A355	B-24A356	B-24A357	B-24A358	B-24A359	B-24A360	B-24A361	B-24A362	B-24A363	B-24A364	B-24A365	B-24A366	B-24A367	B-24A368	B-24A369	B-24A370	B-24A371	B-24A372	B-24A373	B-24A374	B-24A375	B-24A376	B-24A377	B-24A378	B-24A379	B-24A380	B-24A381	B-24A382	B-24A383	B-24A384	B-24A385	B-24A386	B-24A387	B-24A388	B-24A389	B-24A390	B-24A391	B-24A392	B-24A393	B-24A394	B-24A395	B-24A396	B-24A397	B-24A398	B-24A399	B-24A400	B-24A401	B-24A402	B-24A403	B-24A404	B-24A405	B-24A406	B-24A407	B-24A408	B-24A409	B-24A410	B-24A411	B-24A412	B-24A413	B-24A414	B-24A415	B-24A416	B-24A417	B-24A418	B-24A419	B-24A420	B-24A421	B-24A422	B-24A423	B-24A424	B-24A425	B-24A426	B-24A427	B-24A428	B-24A429	B-24A430	B-24A431	B-24A432	B-24A433	B-24A434	B-24A435	B-24A436	B-24A437	B-24A438	B-24A439	B-24A440	B-24A441	B-24A442	B-24A443	B-24A444	B-24A445	B-24A446	B-24A447	B-24A448	B-24A449	B-24A450	B-24A451	B-24A452	B-24A453	B-24A454	B-24A455	B-24A456	B-24A457	B-24A458	B-24A459	B-24A460	B-24A461	B-24A462	B-24A463	B-24A464	B-24A465	B-24A466	B-24A467	B-24A468	B-24A469	B-24A470	B-24A471	B-24A472	B-24A473	B-24A474	B-24A475	B-24A476	B-24A477	B-24A478	B-24A479	B-24A480	B-24A481	B-24A482	B-24A483	B-24A484	B-24A485	B-24A486	B-24A487	B-24A488	B-24A489	B-24A490	B-24A491	B-24A492	B-24A493	B-24A494	B-24A495	B-24A496	B-24A497	B-24A498	B-24A499	B-24A500	B-24A501	B-24A502	B-24A503	B-24A504	B-24A505	B-24A506	B-24A507	B-24A508	B-24A509	B-24A510	B-24A511	B-24A512	B-24A513	B-24A514	B-24A515	B-24A516	B-24A517	B-24A518	B-24A519	B-24A520	B-24A521	B-24A522	B-24A523	B-24A524	B-24A525	B-24A526	B-24A527	B-24A528	B-24A529	B-24A530	B-24A531	B-24A532	B-24A533	B-24A534	B-24A535	B-24A536	B-24A537	B-24A538	B-24A539	B-24A540	B-24A541	B-24A542	B-24A543	B-24A544	B-24A545	B-24A546	B-24A547	B-24A548	B-24A549	B-24A550	B-24A551	B-24A552	B-24A553	B-24A554	B-24A555	B-24A556	B-24A557	B-24A558	B-24A559	B-24A560	B-24A561	B-24A562	B-24A563	B-24A564	B-24A565	B-24A566	B-24A567	B-24A568	B-24A569	B-24A570	B-24A571	B-24A572	B-24A573	B-24A574	B-24A575	B-24A576	B-24A577	B-24A578	B-24A579	B-24A580	B-24A581	B-24A582	B-24A583	B-24A584	B-24A585	B-24A586	B-24A587	B-24A588	B-24A589	B-24A590	B-24A591	B-24A592	B-24A593	B-24A594	B-24A595	B-24A596	B-24A597	B-24A598	B-24A599	B-24A600	B-24A601	B-24A602	B-24A603	B-24A604	B-24A605	B-24A606	B-24A607	B-24A608	B-24A609	B-24A610	B-24A611	B-24A612	B-24A613	B-24A614	B-24A615	B-24A616	B-24A617	B-24A618	B-24A619	B-24A620	B-24A621	B-24A622	B-24A623	B-24A624	B-24A625	B-24A626	B-24A627	B-24A628	B-24A629	B-24A630	B-24A631	B-24A632	B-24A633	B-24A634	B-24A635	B-24A636	B-24A637	B-24A638	B-24A639	B-24A640	B-24A641	B-24A642	B-24A643	B-24A644	B-24A645	B-24A646	B-24A647	B-24A648	B-24A649	B-24A650	B-24A651	B-24A652	B-24A653	B-24A654	B-24A655	B-24A656	B-24A657	B-24A658	B-24A659	B-24A660	B-24A661	B-24A662	B-24A663	B-24A664	B-24A665	B-24A666	B-24A667	B-24A668	B-24A669	B-24A670	B-24A671	B-24A672	B-24A673	B-24A674	B-24A675	B-24A676	B-24A677	B-24A678	B-24A679	B-24A680	B-24A681	B-24A682	B-24A683	B-24A684	B-24A685	B-24A686	B-24A687	B-24A688	B-24A689	B-24A690	B-24A691	B-24A692	B-24A693	B-24A694	B-24A695	B-24A696	B-24A697	B-24A698	B-24A699	B-24A700	B-24A701	B-24A702	B-24A703	B-24A704	B-24A705	B-24A706	B-24A707	B-24A708	B-24A709	B-24A710	B-24A711	B-24A712	B-24A713	B-24A714	B-24A715	B-24A716	B-24A717	B-24A718	B-24A719	B-24A720	B-24A721	B-24A722	B-24A723	B-24A724	B-24A725	B-24A726	B-24A727	B-24A728	B-24A729	B-24A730	B-24A731	B-24A732	B-24A733	B-24A734	B-24A735	B-24A736	B-24A737	B-24A738	B-24A739	B-24A740	B-24A741	B-24A742	B-24A743	B-24A744	B-24A745	B-24A746	B-24A747	B-24A748	B-24A749	B-24A750	B-24A751	B-24A752	B-24A753	B-24A754	B-24A755	B-24A756	B-24A757	B-24A758	B-24A759	B-24A760	B-24A761	B-24A762	B-24A763	B-24A764	B-24A765	B-24A766	B-24A767	B-24A768	B-24A769	B-24A770	B-24A771	B-24A772	B-24A773	B-24A774	B-24A775	B-24A776	B-24A777	B-24A778	B-24A779	B-24A780	B-24A781	B-24A782	B-24A783	B-24A784	B-24A785	B-24A786	B-24A787	B-24A788	B-24A789	B-24A790	B-24A791	B-24A792	B-24A793	B-24A794	B-24A795	B-24A796	B-24A797	B-24A798	B-24A799	B-24A800	B-24A801	B-24A802	B-24A803	B-24A804	B-24A805	B-24A806	B-24A807	B-24A808	B-24A809	B-24A810	B-24A811	B-24A812	B-24A813	B-24A814	B-24A815	B-24A816	B-24A817	B-24A818	B-24A819	B-24A820	B-24A821	B-24A822	B-24A823	B-24A824	B-24A825	B-24A826	B-24A827	B-24A828	B-24A829	B-24A830	B-24A831	B-24A832	B-24A833	B-24A834	B-24A835	B-24A836	B-24A837	B-24A838	B-24A839	B-24A840	B-24A841	B-24A842	B-24A843	B-24A844	B-24A845	B-24A846	B-24A847	B-24A848	B-24A849	B-24A850	B-24A851	B-24A852	B-24A853	B-24A854	B-24A855	B-24A856	B-24A857	B-24A858	B-24A859	B-24A860	B-24A861	B-24A862	B-24A863	B-24A864	B-24A865	B-24A866	B-24A867	B-24A868	B-24A869	B-24A870	B-24A871	B-24A872	B-24A873	B-24A874	B-24A875	B-24A876	B-24A877	B-24A878	B-24A879	B-24A880	B-24A881	B-24A882	B-24A883	B-24A884	B-24A885	B-24A886	B-24A887	B-24A888	B-24A889	B-24A890	B-24A891	B-24A892	B-24A893	B-24A894	B-24A895	B-24A896	B-24A897	B-24A898	B-24A899	B-24A900	B-24A901	B-24A902	B-24A903	B-24A904	B-24A905	B-24A906	B-24A907	B-24A908	B-24A909	B-24A910	B-24A911	B-24A912	B-24A913	B-24A914	B-24A915	B-24A916	B-24A917	B-24A918	B-24A919	B-24A920	B-24A921	B-24A922	B-24A923	B-24A924	B-24A925	B-24A926	B-24A927	B-24A928	B-24A929	B-24A930	B-24A931	B-24A932	B-24A933	B-24A934	B-24A935	B-24A936	B-24A937	B-24A938	B-24A939	B-24A940	B-24A941	B-24A942	B-24A943	B-24A944	B-24A945	B-24A946	B-24A947	B-24A948	B-24A949	B-24A950	B-24A951	B-24A952	B-24A953	B-24A954	B-24A955	B-24A956	B-24A957	B-24A958	B-24A959	B-24A960	B-24A961	B-24A962	B-24A963	B-24A964	B-24A965	B-24A966	B-24A967	B-24A968	B-24A969	B-24A970	B-24A971	B-24A972	B-24A973	B-24A974	B-24A975	B-24A976	B-24A977	B-24A978	B-24A979	B-24A980	B-24A981	B-24A982	B-24A983	B-24A984	B-24A985	B-24A986	B-24A987	B-24A988	B-24A989	B-24A990	B-24A991	B-24A992	B-24A993	B-24A994	B-24A995	B-24A996	B-24A997	B-24A998	B-24A999	B-24A1000	B-24A1001	B-24A1002	B-24A1003	B-24A1004	B-24A1005






































































**HOSE CHART**

FUEL CHART 1 HOSE—SELF-SEALING Aromatic Resistant (See Notes)				FUEL CHART 2 HOSE—AROMATIC RESISTANT (See Notes)				FUEL—OIL—COOLANT CHART 3 HOSE—AIRCRAFT Non-Aromatic Resistant (See Notes)																																																																																																																																																																																													
																																																																																																																																																																																																					
<table border="1"> <thead> <tr> <th colspan="2">Sizes</th> <th rowspan="2">Class 6600 Stock No.</th> <th rowspan="2">Spec. No.</th> </tr> <tr> <th>Inside Dia.</th> <th>Approx. Outside Dia.</th> </tr> </thead> <tbody> <tr><td>5/8</td><td>1-5/16</td><td>489600</td><td>26587</td></tr> <tr><td>3/4</td><td>1-7/16</td><td>489625</td><td>"</td></tr> <tr><td>1</td><td>1-11/16</td><td>489675</td><td>"</td></tr> <tr><td>1-1/4</td><td>2-1/32</td><td>489725</td><td>"</td></tr> <tr><td>1-1/2</td><td>2-9/32</td><td>489775</td><td>"</td></tr> <tr><td>1-3/4</td><td></td><td>489825</td><td>"</td></tr> <tr><td>2</td><td>2-25/32</td><td>489850</td><td>"</td></tr> <tr><td>2-1/2</td><td>3-9/32</td><td>489900</td><td>"</td></tr> </tbody> </table>				Sizes		Class 6600 Stock No.	Spec. No.	Inside Dia.	Approx. Outside Dia.	5/8	1-5/16	489600	26587	3/4	1-7/16	489625	"	1	1-11/16	489675	"	1-1/4	2-1/32	489725	"	1-1/2	2-9/32	489775	"	1-3/4		489825	"	2	2-25/32	489850	"	2-1/2	3-9/32	489900	"	<table border="1"> <thead> <tr> <th colspan="2">Sizes</th> <th rowspan="2">Class 6600 Stock No.</th> <th rowspan="2">Spec. No.</th> </tr> <tr> <th>Inside Dia.</th> <th>Max. Outside Dia.</th> </tr> </thead> <tbody> <tr><td>* 3/16</td><td>9/16</td><td>380810</td><td>AN-ZZ-H456a</td></tr> <tr><td>1/4</td><td>5/8</td><td>380811</td><td>"</td></tr> <tr><td>5/16</td><td>11/16</td><td>380812</td><td>"</td></tr> <tr><td>3/8</td><td>3/4</td><td>380813</td><td>"</td></tr> <tr><td>1/2</td><td>7/8</td><td>380814</td><td>"</td></tr> <tr><td>5/8</td><td>1</td><td>380815</td><td>"</td></tr> <tr><td>3/4</td><td>1-1/8</td><td>380817</td><td>"</td></tr> <tr><td>7/8</td><td>1-1/4</td><td>380819</td><td>"</td></tr> <tr><td>1</td><td>1-3/8</td><td>380820</td><td>"</td></tr> <tr><td>1-1/8</td><td>1-5/8</td><td>380820-5</td><td>"</td></tr> <tr><td>1-1/4</td><td>1-3/4</td><td>380821</td><td>"</td></tr> <tr><td>1-3/8</td><td>1-7/8</td><td>380822</td><td>"</td></tr> <tr><td>1-1/2</td><td>2</td><td>380823</td><td>"</td></tr> <tr><td>1-5/8</td><td>2-1/8</td><td>380824</td><td>"</td></tr> <tr><td>1-3/4</td><td>2-1/4</td><td>380826</td><td>"</td></tr> <tr><td>2</td><td>2-1/2</td><td>380828</td><td>"</td></tr> <tr><td>2-1/4</td><td>2-3/4</td><td>380835</td><td>"</td></tr> <tr><td>2-1/2</td><td>3</td><td>380837</td><td>"</td></tr> <tr><td>2-3/4</td><td>3-1/4</td><td>380840</td><td>"</td></tr> </tbody> </table>				Sizes		Class 6600 Stock No.	Spec. No.	Inside Dia.	Max. Outside Dia.	* 3/16	9/16	380810	AN-ZZ-H456a	1/4	5/8	380811	"	5/16	11/16	380812	"	3/8	3/4	380813	"	1/2	7/8	380814	"	5/8	1	380815	"	3/4	1-1/8	380817	"	7/8	1-1/4	380819	"	1	1-3/8	380820	"	1-1/8	1-5/8	380820-5	"	1-1/4	1-3/4	380821	"	1-3/8	1-7/8	380822	"	1-1/2	2	380823	"	1-5/8	2-1/8	380824	"	1-3/4	2-1/4	380826	"	2	2-1/2	380828	"	2-1/4	2-3/4	380835	"	2-1/2	3	380837	"	2-3/4	3-1/4	380840	"	<table border="1"> <thead> <tr> <th colspan="2">Sizes</th> <th rowspan="2">Class 6600 Stock No.</th> <th rowspan="2">Spec. No.</th> </tr> <tr> <th>Inside Dia.</th> <th>Max. Outside Dia.</th> </tr> </thead> <tbody> <tr><td>1/4</td><td>5/8</td><td>380625</td><td>AN-H-26</td></tr> <tr><td>3/8</td><td>3/4</td><td>380630</td><td>"</td></tr> <tr><td>1/2</td><td>7/8</td><td>380632</td><td>"</td></tr> <tr><td>3/4</td><td>1-1/8</td><td>380636</td><td>"</td></tr> <tr><td>7/8</td><td>1-1/4</td><td>380638</td><td>"</td></tr> <tr><td>1</td><td>1-3/8</td><td>380640</td><td>"</td></tr> <tr><td>1-1/8</td><td>1-5/8</td><td>380642</td><td>"</td></tr> <tr><td>1-1/4</td><td>1-3/4</td><td>380644</td><td>"</td></tr> <tr><td>1-3/8</td><td>1-7/8</td><td>380646</td><td>"</td></tr> <tr><td>1-1/2</td><td>2</td><td>380648</td><td>"</td></tr> <tr><td>1-3/4</td><td>2-1/4</td><td>380650</td><td>"</td></tr> <tr><td>2</td><td>2-1/2</td><td>380652</td><td>"</td></tr> <tr><td>2-1/8</td><td>2-5/8</td><td>380654</td><td>"</td></tr> <tr><td>2-1/2</td><td>3</td><td>380656</td><td>"</td></tr> <tr><td>3</td><td>3-1/2</td><td>380658</td><td>"</td></tr> </tbody> </table>				Sizes		Class 6600 Stock No.	Spec. No.	Inside Dia.	Max. Outside Dia.	1/4	5/8	380625	AN-H-26	3/8	3/4	380630	"	1/2	7/8	380632	"	3/4	1-1/8	380636	"	7/8	1-1/4	380638	"	1	1-3/8	380640	"	1-1/8	1-5/8	380642	"	1-1/4	1-3/4	380644	"	1-3/8	1-7/8	380646	"	1-1/2	2	380648	"	1-3/4	2-1/4	380650	"	2	2-1/2	380652	"	2-1/8	2-5/8	380654	"	2-1/2	3	380656	"	3	3-1/2	380658	"
Sizes		Class 6600 Stock No.	Spec. No.																																																																																																																																																																																																		
Inside Dia.	Approx. Outside Dia.																																																																																																																																																																																																				
5/8	1-5/16	489600	26587																																																																																																																																																																																																		
3/4	1-7/16	489625	"																																																																																																																																																																																																		
1	1-11/16	489675	"																																																																																																																																																																																																		
1-1/4	2-1/32	489725	"																																																																																																																																																																																																		
1-1/2	2-9/32	489775	"																																																																																																																																																																																																		
1-3/4		489825	"																																																																																																																																																																																																		
2	2-25/32	489850	"																																																																																																																																																																																																		
2-1/2	3-9/32	489900	"																																																																																																																																																																																																		
Sizes		Class 6600 Stock No.	Spec. No.																																																																																																																																																																																																		
Inside Dia.	Max. Outside Dia.																																																																																																																																																																																																				
* 3/16	9/16	380810	AN-ZZ-H456a																																																																																																																																																																																																		
1/4	5/8	380811	"																																																																																																																																																																																																		
5/16	11/16	380812	"																																																																																																																																																																																																		
3/8	3/4	380813	"																																																																																																																																																																																																		
1/2	7/8	380814	"																																																																																																																																																																																																		
5/8	1	380815	"																																																																																																																																																																																																		
3/4	1-1/8	380817	"																																																																																																																																																																																																		
7/8	1-1/4	380819	"																																																																																																																																																																																																		
1	1-3/8	380820	"																																																																																																																																																																																																		
1-1/8	1-5/8	380820-5	"																																																																																																																																																																																																		
1-1/4	1-3/4	380821	"																																																																																																																																																																																																		
1-3/8	1-7/8	380822	"																																																																																																																																																																																																		
1-1/2	2	380823	"																																																																																																																																																																																																		
1-5/8	2-1/8	380824	"																																																																																																																																																																																																		
1-3/4	2-1/4	380826	"																																																																																																																																																																																																		
2	2-1/2	380828	"																																																																																																																																																																																																		
2-1/4	2-3/4	380835	"																																																																																																																																																																																																		
2-1/2	3	380837	"																																																																																																																																																																																																		
2-3/4	3-1/4	380840	"																																																																																																																																																																																																		
Sizes		Class 6600 Stock No.	Spec. No.																																																																																																																																																																																																		
Inside Dia.	Max. Outside Dia.																																																																																																																																																																																																				
1/4	5/8	380625	AN-H-26																																																																																																																																																																																																		
3/8	3/4	380630	"																																																																																																																																																																																																		
1/2	7/8	380632	"																																																																																																																																																																																																		
3/4	1-1/8	380636	"																																																																																																																																																																																																		
7/8	1-1/4	380638	"																																																																																																																																																																																																		
1	1-3/8	380640	"																																																																																																																																																																																																		
1-1/8	1-5/8	380642	"																																																																																																																																																																																																		
1-1/4	1-3/4	380644	"																																																																																																																																																																																																		
1-3/8	1-7/8	380646	"																																																																																																																																																																																																		
1-1/2	2	380648	"																																																																																																																																																																																																		
1-3/4	2-1/4	380650	"																																																																																																																																																																																																		
2	2-1/2	380652	"																																																																																																																																																																																																		
2-1/8	2-5/8	380654	"																																																																																																																																																																																																		
2-1/2	3	380656	"																																																																																																																																																																																																		
3	3-1/2	380658	"																																																																																																																																																																																																		
<p><b>HYDRAULIC</b> CHART 4 HOSE—MEDIUM PRESSURE Triple Braid (See Notes)</p> 				<p><b>HYDRAULIC</b> CHART 7 HOSE—MEDIUM-HIGH PRESSURE</p> 																																																																																																																																																																																																	
<table border="1"> <thead> <tr> <th colspan="2">Sizes</th> <th rowspan="2">Hose Dash No.</th> <th rowspan="2">O.D. of Tubing to Be Mated</th> <th rowspan="2">Class 6600 Stock No.</th> <th rowspan="2">Spec. No.</th> </tr> <tr> <th>I.D.</th> <th>O.D.</th> </tr> </thead> <tbody> <tr><td>1/8</td><td>1/2</td><td>3</td><td>3/16</td><td>493286</td><td>AN-H-6</td></tr> <tr><td>3/16</td><td>9/16</td><td>4</td><td>1/4</td><td>493290</td><td>"</td></tr> <tr><td>1/4</td><td>5/8</td><td>5</td><td>5/16</td><td>493292</td><td>"</td></tr> <tr><td>5/16</td><td>11/16</td><td>6</td><td>3/8</td><td>493295</td><td>"</td></tr> <tr><td>13/32</td><td>13/16</td><td>8</td><td>1/2</td><td>493302</td><td>"</td></tr> <tr><td>1/2</td><td>1</td><td>10</td><td>5/8</td><td>493305</td><td>"</td></tr> <tr><td>5/8</td><td>1-1/8</td><td>12</td><td>3/4</td><td>493307</td><td>"</td></tr> </tbody> </table>				Sizes		Hose Dash No.	O.D. of Tubing to Be Mated	Class 6600 Stock No.	Spec. No.	I.D.	O.D.	1/8	1/2	3	3/16	493286	AN-H-6	3/16	9/16	4	1/4	493290	"	1/4	5/8	5	5/16	493292	"	5/16	11/16	6	3/8	493295	"	13/32	13/16	8	1/2	493302	"	1/2	1	10	5/8	493305	"	5/8	1-1/8	12	3/4	493307	"	<p>CHART 6 HOSE—FLAME RESISTANT</p>  <table border="1"> <thead> <tr> <th>Inside Dia.</th> <th>Max O. D.</th> <th>Class 6600 Stock No.</th> <th>Spec. No.</th> </tr> </thead> <tbody> <tr><td>1/4</td><td>2-3/32</td><td>380620-4</td><td>26597</td></tr> <tr><td>5/16</td><td>1-3/16</td><td>380620-7</td><td>26597</td></tr> <tr><td>3/8</td><td>7/8</td><td>380621</td><td>26597</td></tr> <tr><td>1/2</td><td>1-1/32</td><td>380622</td><td>26597</td></tr> <tr><td>1</td><td>1-17/32</td><td>380623</td><td>26597</td></tr> <tr><td>1-1/2</td><td>2-3/32</td><td>380624</td><td>26597</td></tr> </tbody> </table>				Inside Dia.	Max O. D.	Class 6600 Stock No.	Spec. No.	1/4	2-3/32	380620-4	26597	5/16	1-3/16	380620-7	26597	3/8	7/8	380621	26597	1/2	1-1/32	380622	26597	1	1-17/32	380623	26597	1-1/2	2-3/32	380624	26597																																																																																																																
Sizes		Hose Dash No.	O.D. of Tubing to Be Mated	Class 6600 Stock No.	Spec. No.																																																																																																																																																																																																
I.D.	O.D.																																																																																																																																																																																																				
1/8	1/2	3	3/16	493286	AN-H-6																																																																																																																																																																																																
3/16	9/16	4	1/4	493290	"																																																																																																																																																																																																
1/4	5/8	5	5/16	493292	"																																																																																																																																																																																																
5/16	11/16	6	3/8	493295	"																																																																																																																																																																																																
13/32	13/16	8	1/2	493302	"																																																																																																																																																																																																
1/2	1	10	5/8	493305	"																																																																																																																																																																																																
5/8	1-1/8	12	3/4	493307	"																																																																																																																																																																																																
Inside Dia.	Max O. D.	Class 6600 Stock No.	Spec. No.																																																																																																																																																																																																		
1/4	2-3/32	380620-4	26597																																																																																																																																																																																																		
5/16	1-3/16	380620-7	26597																																																																																																																																																																																																		
3/8	7/8	380621	26597																																																																																																																																																																																																		
1/2	1-1/32	380622	26597																																																																																																																																																																																																		
1	1-17/32	380623	26597																																																																																																																																																																																																		
1-1/2	2-3/32	380624	26597																																																																																																																																																																																																		
<p><b>DE-ICER</b> CHART 5 HOSE—NON-KINK (See Notes)</p>  <table border="1"> <thead> <tr> <th colspan="2">Sizes</th> <th rowspan="2">Class 6600 Stock No.</th> <th rowspan="2">Spec. No.</th> </tr> <tr> <th>Inside Dia.</th> <th>Outside Dia.</th> </tr> </thead> <tbody> <tr><td>3/8</td><td>.....</td><td>480500</td><td>.....</td></tr> <tr><td>1/2</td><td>.....</td><td>481000</td><td>.....</td></tr> <tr><td>5/8</td><td>.....</td><td>481500</td><td>.....</td></tr> <tr><td>3/4</td><td>.....</td><td>481615</td><td>.....</td></tr> <tr><td>1</td><td>.....</td><td>481720</td><td>.....</td></tr> <tr><td>1-1/4</td><td>.....</td><td>481740</td><td>.....</td></tr> </tbody> </table>				Sizes		Class 6600 Stock No.	Spec. No.	Inside Dia.	Outside Dia.	3/8	.....	480500	.....	1/2	.....	481000	.....	5/8	.....	481500	.....	3/4	.....	481615	.....	1	.....	481720	.....	1-1/4	.....	481740	.....	<p>Pending availability of Non-Aromatic Hose, DAILY INSPECTION will be made on all AROMATIC RESISTANT HOSE used in oil and coolant lines. *Not Stocked.</p> <p><b>3. NOTES REFERRING TO CHART NO. 3</b> Black hose with solid white stripe and solid red stripe stamped with manufacturer's trademark and quarter and year of manufacture on each 3-ft piece and at 3-ft intervals over entire length on longer pieces. Airplanes operating on fuel of 91 octane or LOWER can use this type of hose in the fuel system. This type hose will be used in the oil and coolant systems of all airplanes—has less tendency to "cold flow." T. O. 04-5-12.</p> <p><b>4. NOTES REFERRING TO CHART NO. 4</b> Triple braided hose with specification, size and manufacturer's name and trademark. Weatherhead and Aeroquip fittings can be used to make up necessary hydraulic assemblies. Weatherhead fittings do not require special tools for assembling. Special tool kit No. 8042-388, is required to install Aeroquip fittings. T. O. 04-1-8. Temperature identification: Yellow dot-dash line—for low temperatures to -65°F. White dot-dash line—for warm climates stand to -40°F. Hose I.D. 1/8 to 5/16 in. inclusive—used up to 1500 lbs per sq in. Hose I.D. 1/8 to 5/8 in. inclusive—used up to 1000 lbs per sq in.</p> <p><b>5. NOTES REFERRING TO CHART NO. 5</b> Plain brown hose.</p> <p><b>6. NOTES REFERRING TO CHART NO. 6</b> Black hose with broken red and broken white stripes. Stamped with numbers designating quarter and year of manufacture. The first quarter of the year is represented by the figure "1," the second by "4," the third by "7," and the last by "10." Only the last two figures of the year need be used. Example: August, 1945 (Third Quarter) 7-45-7-45. The letters CAA may appear sometime in this date marking. This hose is intended for use in aromatic fuel and oil lines in engine compartments of some airplanes not using self-sealing hose.</p>																																																																																																																																																																			
Sizes		Class 6600 Stock No.	Spec. No.																																																																																																																																																																																																		
Inside Dia.	Outside Dia.																																																																																																																																																																																																				
3/8	.....	480500	.....																																																																																																																																																																																																		
1/2	.....	481000	.....																																																																																																																																																																																																		
5/8	.....	481500	.....																																																																																																																																																																																																		
3/4	.....	481615	.....																																																																																																																																																																																																		
1	.....	481720	.....																																																																																																																																																																																																		
1-1/4	.....	481740	.....																																																																																																																																																																																																		