#### 1. PRODUCT IDENTIFICATION

TRADE NAME: GT-5092

OTHER MEANS OF IDENTIFICATION: RECOMMENDED USE OF

RECOMMENDED USE OF PRODUCT:

**SUPPLIER'S DETAILS:** GT Products, Inc.

501 Industrial Blvd. Grapevine, TX 76051

**Condensation Cure Base** 

Telephone: (800) 221-0866

(817) 481-7113 Fax: (817) 421-1211

EMERGENCY CONTACT: CHEMTREC (24 Hours):1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

#### **GHS CLASSIFICATION**

PHYSICAL HAZARDS Not Classified

HEALTH HAZARDS Reproductive Toxicity – Category 2

ENVIRONMENTAL HAZARDS Not Classified

#### **GHS LABEL ELEMENTS**

**PICTOGRAMS** 



SIGNAL WORDS Warning

HAZARD STATEMENTS H361: Suspected of damaging fertility

PRECAUTIONARY STATEMENTS
[PREVENTION] P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been read

and understood

P281: Use personal protective equipment as required

[RESPONSE] P308+313: IF exposed or concerned: Get medical advice/attention

GHS GT5092 printed: 01/08/16 page 1 of 6

[STORAGE]	P405: Store locked up
[DISPOSAL]	P501-Dispose of contents/container through a waste management
	company authorized by the local government.

#### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance or Mixture	Mixture				
Hazardous Ingredients	CAS#	Percentage (%)			
Octamethylcyclotetrasiloxane	556-67-2	<2.5%			
Polydimethyl(methyl vinyl)siloxane, hydroxyl terminated	67923-19-7	1-5%			
*Titanium dioxide	13463-67-7	0.1 – 1%			
*This product in the physical state as sold (liquid paste) should not present a dust hazard, which is the hazardous form of titanium dioxide, under normal conditions.					

#### 4. FIRST AID MEASURES

INGESTION:	Rinse mouth.	Never aiv	e anvthing	bν	mouth to an unconscious
7,10 <u>2</u> 0,10,1.	Tillioc Illocatili	THE VEL GIV	C diry tilling	$\sim$	inioatti to att attooriscioas

person. Seek medical attention; Do NOT induce vomiting.

**SKIN CONTACT:** Remove contaminated clothing immediately and dispose of safely.

When in contact with the skin, clean with soap and water.

**INHALATION:** Remove to fresh air. Oxygen or artificial respiration if needed. Do

not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Call a physician if symptoms develop or persist.

EYE CONTACT: Immediately flush with COOL water for 15 minutes; Call a

physician if irritation persists.

**PROTECTION FOR FIRST-**

AIDERS:

A rescuer should wear personal protective equipment, such as

rubber gloves and air-tight goggles

#### 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING

MEDIA:

SPECIFIC FIRE HAZARDS:

Foam, carbon dioxide, dry chemical

Fire will form hazardous combustion gases of carbon dioxide

 $(CO_2)$ , carbon monoxide (CO),  $SiO_2$ , and oxides of nitrogen  $(NO_x)$ .

Product contains silicone, which is known to produce

formaldehyde when temperatures reach in excess of 150°C.

Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

**FIREFIGHTER EQUIPMENT:** Wear respirator and all protective coverings.

GHS GT5092 printed: 01/08/16 page 2 of 6

#### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECATIONS,

PROTECTIVE EQUIPMENT AND

**EMERGENCY:** 

**CLEAN UP:** 

**ENVIRONMENTAL PRECAUTIONS:** 

Prevent product from entering drains.

contact. Provide sufficient ventilation.

Scrape up and disposed of in accordance with appropriate laws

Safety glasses and gloves are suggested to prevent eye and skin

and regulations.

7. HANDLING AND STORAGE

Wear protective equipment; Avoid contact with skin and eyes. **HANDLING:** 

STORAGE: Keep container tightly closed. Store in a cool, dry place. Keep

away from oxidizing material. Store locked up

Not established.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**EXPOSURE LIMITS:** 

Hazardous Ingredient CAS# Limit/Set by

13463-67-7

Octamethylcyclotetrasiloxane 556-67-2 Not established.

Polydimethyl(methylvinyl)siloxane, 67923-19-7

hydroxyl terminated

Titanium dioxide

For Respirable Dust (TWA) TLV: 10mg/m<sup>3</sup> /(ACGIH),

PEL: 15mg/m<sup>3</sup>/(OSHA)

**ENGINEERING CONTROLS:** None Available

PERSONAL PROTECTIVE

**EQUIPMENT:** 

Not required under normal use RESPIRATORY PROTECTION:

Protective aloves HAND PROTECTION

EYE PROTECTION Wear safety glasses or goggles. Face shield if situation requires

SKIN AND BODY PROTECTION Protective clothing if situation requires

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Flowable Paste

No Odor ODOR: **ODOR THRESHOLD:** Not Available pH: Not Available **MELTING POINT:** Not Available

**BOILING POINT RANGE:** Not Applicable, will decompose before it will boil

>205°F (Setaflash) **FLASH POINT:** Not Available **EVAPORATION RATE:** FLAMMABILITY(solid/gas): Not Available

**EXPLOSION LIMITS:** 

**GHS GT5092** printed: 01/08/16 page 3 of 6

#### SAFETY DATA SHEET

UPPERNot AvailableLOWERNot AvailableVAPOR PRESSURE:Not Available

**VAPOR DENSITY:** All vapors are denser than air

**RELATIVE DENSITY:** 1.1 g/mL

**SOLUBILITY:** Not soluble in water

PARTITION COEFFICIENT: N-

OCTANOL/WATER: Not Available AUTO-IGNITION TEMPERATURE: Not Available

**DECOMPOSITION** 

**TEMPERATURE:** >150°C

*VISCOSITY:* 30,000 - 50,000 cS

#### 10. STABILITY AND REACTIVITY

**REACTIVITY:** Product is designed to react with a catalyst to initiate

vulcanization.

**CHEMICAL STABILITY:** Stable in the absence of contamination

HAZARDOUS REACTIONS: None

CONDITIONS TO AVOID: HAZARDOUS DECOMPOSITION

**PRODUCTS:** 

Avoid contact with strong acids, alkalis, and oxidizing agents. Hazardous combustion gases of carbon dioxide( $CO_2$ ), carbon

monoxide(CO),  $SiO_2$ , and oxides of nitrogen (NO<sub>x</sub>). Product contains silicone, which is known to produce formaldehyde when temperatures reach in excess of 150°C.

Formaldehyde is a known skin, eye, and throat irritant as well as a

potential cancer hazard

**INCOMPATIBILITY:** Acids, Alkalis, Oxidizing Agents

#### 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY:** Oral – LD<sub>50</sub>(Rat): >10000mg/kg (calculated from known toxicities)

SKIN CORROSION/IRRITATION: Not Available EYE DAMAGE/IRRITATION: Not Available RESPIRATORY OR SKIN Not Available

**SENSITATION:** 

**GERM CELL MUTAGENICITY:** Not Available

CARCINOGENICITY: Titanium dioxide is listed by the IARC under its 2B classification. It

is also listed by the ACGIH under its A4 classification. However, these two hazards are associated with titanium dioxide in its dust form. As mentioned in Section 3, titanium dioxide in its current

form should not produce a dust hazard.

**REPRODUCTIVE TOXICITY:** Octamethylcyclotetrasiloxane is suspected of damaging fertility. A

two year combined chronic/carcinogenicity assay was conducted on octamethylcyclotetrasiloxane (D4). Fischer-344 rats were exposed by whole body vapor inhalation 6hr/day, 5 days/week for up to 103 weeks to 0, 10,30, 150 or 700ppm of D4. A statistically

significant increase in incidence of uterine endometrial cell

hyperplasia and uterine adenomas (benign tumors) were observed in female rats at 700ppm. Since these effects only occurred at 700ppm, a level that greatly exceeds typical workplace or consumer exposure, it is unlikely that industrial, commercial or

GHS GT5092 printed: 01/08/16 page 4 of 6

#### SAFETY DATA SHEET

consumer uses of products containing D4 would result in a

significant risk to humans.

STOST- SINGLE EXPOSURE:Not AvailableSTOST- REPEATED EXPOSURE:Not AvailableASPIRATION HAZARD:Not Available

#### 12. ECOLOGICAL INFORMATION

**ECOTOXICITY:** Do not allow to enter soil, waterways or waste water canal. It is

not allowed to be released into biological sewage treatment

plants. Ecological data is not available.

PERSISTENCE/DEGRADABILITY: Not Available BIOACCUMULATIVE POTENTIAL: Not Available Not Available Not Available

#### 13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

#### 14. TRANSPORT INFORMATION

UN/NA Number: Not Regulated

**DOT SHIPPING NAME:** Not Regulated **DOT HAZARD CLASS:** Not Regulated

IMDG - P.S.N.:Not RegulatedIMDG - CLASS:Not RegulatedIMDG - PACKING GROUP:Not RegulatedIMDG - Marine Pollutant:Not RegulatedIATA - P.S.N.:Not RegulatedIATA - CLASS:Not RegulatedIATA - PACKING GROUP:Not Regulated

This product and its ingredients are NOT considered dangerous goods according to the *UN Model Regulations*, ADR, RID, and the ADN.

#### 15. REGULATORY INFORMATION

#### **US REGULATIONS**

**US SARA REPORTING REQUIREMENTS:** The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

Hazardous Ingredient SARA 302 SARA 304 SARA 313

(40 CFR 355, (40 CFR Table (40 CFR 372.65)

Appendix A) 302.4)

Octamethylcyclotetrasiloxane No No No No

GHS GT5092 printed: 01/08/16 page 5 of 6

#### SAFETY DATA SHEET

Polydimethyl (methyl vinyl)siloxane,

hydroxyl terminated No No No No Titanium dioxide No No No No

*U.S. SARA THRESHOLD PLANNING QUANTITY:* There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

SARA 311/312(40 CFR 370) HAZARDS: Acute: No, Chronic: Yes, Fire: No, Pressure: No

CALIFORNIA, (PROPOSITION 65): Titanium dioxide

**TSCA INVENTORY STATUS:** These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

**CANADIAN DSL/NDSL INVENTORY:** The components of this product are on the DSL or NDSL Inventories.

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS:** The components of this product are listed on the AICS

KOREAN INVENTORY: The components of this product are listed or exempted.

#### 16. OTHER INFORMATION

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 12/07/15 Made By: Daniel Shaw

GHS GT5092 printed: 01/08/16 page 6 of 6

#### 1. PRODUCT IDENTIFICATION

TRADE NAME: CA-5092

OTHER MEANS OF IDENTIFICATION:

RECOMMENDED USE OF

**SUPPLIER'S DETAILS:** 

**PRODUCT:** 

Curing catalyst for condensation base

GT Products, Inc. 501 Industrial Blvd. Grapevine, TX 76051

Telephone: (800) 221-0866

(817) 481-7113 Fax: (817) 421-1211

EMERGENCY CONTACT: CHEMTREC (24 Hours):1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

#### GHS CLASSIFICATION

PHYSICAL HAZARDS Flammable - Category 3

HEALTH HAZARDS Acute Toxicity, Oral – Category 5

STOT, Repeated Exposure – Category 2 (Bladder)

ENVIRONMENTAL HAZARDS Not Classified

#### **GHS LABEL ELEMENTS**

**PICTOGRAMS** 



SIGNAL WORDS Warning

HAZARD STATEMENTS H226: Flammable liquid and vapour

H303: May be harmful if swallowed

H373: May cause damage to organs, bladder, through prolonged

or repeated exposure by ingestion.

PRECAUTIONARY STATEMENTS

[PREVENTION]

P210: Keep away from heat/sparks/open flames/hot surfaces - No

smoking

GHS CA5092 printed: 01/08/16 page 1 of 7

	31 11044005, 1110.				
SAFETY DATA SHEET					
	P233: Keep container tightly closed				
	P240: Ground/bond container and receiving equipment				
	P241: Use explosion-proof electrical/ventilating/light//equipment				
	P242: Use only non-sparking tools				
	P243: Take precautionary measures against static discharge				
	P260: Do not breathe dust/fume/gas/mist/vapours/spray				
	P280: Wear protective gloves/protective clothing/eye protection/face protection.				
[RESPONSE]	P312: Call a POISON CENTER or doctor/physician if you feel unwell				
	P314: Get Medical advice/attention if you feel unwell P370+378: In case of fire, use an Class ABC dry extinguisher for				
	extinction				
	P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with				
	water/shower				
[STORAGE]	P403+P235-Store in a well-ventilated place. Keep cool.				
[DISPOSAL]	P501-Dispose of contents/container through a waste management company authorized by the local government.				
3. COMPOSITION AND INFORMATION ON INGREDIENTS					
Substance or Mixture	Mixture				
Hazardous Ingredients	CAS# Percentage (%)				

# Hazardous IngredientsCAS#Percentage (%)Phenyltrimethoxysilane2996-92-125-35Dimethyldineodecanoatetin68928-76-71-4

#### 4. FIRST AID MEASURES

INGESTION: Rinse with water. If swallowed: Call a poison center or doctor/physican if you fell unwell. Never give anything by mouth

to an unconscious person.

GHS CA5092 printed: 01/08/16 page 2 of 7

**SKIN CONTACT:** Remove contaminated clothing immediately and dispose of safely.

When in contact with the skin, clean with soap and water.

INHALATION: Remove to fresh air. If breathing is difficult, give oxygen. Call a

physician if symptoms develop or persist.

**EYE CONTACT:** Immediately flush with COOL water for 15 minutes; Call a

physician if irritation persists.

PROTECTION FOR FIRST-

AIDERS:

A rescuer should wear personal protective equipment, such as

rubber gloves and air-tight goggles

#### FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING

**MEDIA**:

**SPECIFIC FIRE HAZARDS:** 

Foam, Carbon Dioxide, Dry Chemical

Fire will form hazardous combustion gases of Carbon

dioxide(CO<sub>2</sub>), Carbon Monoxide(CO), and Nitrogen Oxides(NOx)

Product contains silicone, which is known to produce

formaldehyde and benzene when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as

well as a potential cancer hazard

**FIREFIGHTER EQUIPMENT:** Do not breathe in fumes. Wear respirator and all protective

coverings.

#### 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECATIONS, PROTECTIVE EQUIPMENT AND

EMERGENCY: ENVIRONMENTAL PRECAUTIONS: CLEAN UP: Keep unnecessary personnel out of the way. Eliminate all ignition sources. Safety glasses and gloves are suggested to prevent eye

and skin contact. Provide sufficient ventilation.

Prevent product from entering drains.

Absorb spilled material with suitable absorbent (e.g. rag, dry sand,

clay absorbent) and disposed of, in accordance with appropriate

laws and regulations.

#### 7. HANDLING AND STORAGE

**HANDLING:** Wear protective equipment; Use in a well-ventilated area; Avoid

contact with skin and eyes. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use explosion-proof

electrical/ventilating/light/.../equipment.

STORAGE: Keep container tightly closed. Store in a cool, dry place. Keep

away from oxidizing material.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **EXPOSURE LIMITS:**

Hazardous Ingredient CAS# Limit/Set by

Methanol; decomposition product 67-56-1 200 ppm 8hr TWA \*PEL/ OSHA

GHS CA5092 printed: 01/08/16 page 3 of 7

#### SAFETY DATA SHEET

Phenyltrimethoxysilane 2996-92-1 50ppm TWA

\*PEL/OSHA = Permissible Exposure Limit/ Occupational Safety and Health Administration

**ENGINEERING CONTROLS:** Install a closed system or local exhaust as possible so that

workers should not be exposed directly. Also install safety shower

and eye bath

PERSONAL PROTECTIVE

**EQUIPMENT:** 

RESPIRATORY PROTECTION: Vapor respirator. Follow local and national regulations.

HAND PROTECTION Protective gloves

EYE PROTECTION Wear safety glasses or goggles. Face shield if situation requires

SKIN AND BODY PROTECTION Protective clothing if situation requires

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

**ODOR:** Characteristic ester odor

ODOR THRESHOLD:Not AvailablepH:Not AvailableMELTING POINT:Not Available

**BOILING POINT RANGE:** Not Applicable, will decompose before it will boil

FLASH POINT: >75°F
EVAPORATION RATE: Not Available
FLAMMABILITY(solid/gas): Not Available

**EXPLOSION LIMITS:** 

UPPERNot AvailableLOWERNot AvailableVAPOR PRESSURE:Not Available

**VAPOR DENSITY:** All vapors are denser than air

**RELATIVE DENSITY:** 1.04 g/mL

**SOLUBILITY:** Not soluble in water

PARTITION COEFFICIENT: N-

OCTANOL/WATER: Not Available AUTO-IGNITION TEMPERATURE: Not Available

**DECOMPOSITION** 

 TEMPERATURE:
 >150°C

 VISCOSITY:
 50-100cP

#### 10. STABILITY AND REACTIVITY

**REACTIVITY:** Product is designed to react with a silanol-containing base in the

presence of moisture and cure. Will react with the moisture in the

air and harden if left uncapped.

CHEMICAL STABILITY: Stable in the absence of contamination or moisture

HAZARDOUS REACTIONS: Upon contact with water, the product will release methanol, which

have some health ramifications associated with it. SEE

TOXICOLOGICAL INFORMATION.

**CONDITIONS TO AVOID:** Avoid contact with water and strong acid. Keep away from

sources of heat as well as sources of ignition

GHS CA5092 printed: 01/08/16 page 4 of 7

#### SAFETY DATA SHEET

HAZARDOUS DECOMPOSITION

**PRODUCTS:** 

INCOMPATIBILITY:

Hazardous combustion gases of Carbon dioxide(CO<sub>2</sub>), Carbon

Monoxide(CO), and Nitrogen Oxides(NOx)

Product contains silicone, which is known to produce

formaldehyde and benzene when temperatures reach in excess of 150°C. Formaldehyde is a known skin, eye, and throat irritant as well as a potential cancer hazard. Benzene is a known carcinogen. Water, acids, alkalis, iron, may react violently with electrophiles

such as ferric chloride

#### 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY:** Calculated from known values for mixture:

Oral - LD<sub>50</sub>(Rat):>2000mg/kg

SKIN CORROSION/IRRITATION:

EYE DAMAGE/IRRITATION:

RESPIRATORY OR SKIN

SENSITATION:

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Not Available

**GERM CELL MUTAGENICITY:** Not Available **CARCINOGENICITY:** Not Available REPRODUCTIVE TOXICITY: Not Available STOST- SINGLE EXPOSURE: Not Available

STOST- REPEATED EXPOSURE: Category 2 hazard – for Methanol; decomposition product (<1%):

May cause conjunctivitis, dizziness, sleeplessness, and

gastrointestinal and optical disturbances.

Category 2 hazard – for phenyltrimethoxysilane: May cause damage to organs (bladder) through prolonged or repeated

exposure.

Not Available **ASPIRATION HAZARD:** 

#### 12. ECOLOGICAL INFORMATION

**ECOTOXICITY:** Do not allow to enter soil, waterways or waste water canal. It is

not allowed to be released into biological sewage treatment

plants. Ecological data is not available.

Not Available PERSISTENCE/DEGRADABILITY: **BIOACCUMULATIVE POTENTIAL: MOBILITY IN SOIL:** 

Not Available Not Available

#### 13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

#### 14. TRANSPORT INFORMATION

UN/NA Number: UN1993.

GHS CA5092 printed: 01/08/16 page 5 of 7

**DOT SHIPPING NAME:** "FLAMMABLE LIQUID N.O.S. – Silicone Mixture Contains Methanol"

**DOT HAZARD CLASS:** Flammable Liquid.

IMDG – P.S.N.: FLAMMABLE LIQUID N.O.S. (Methanol)

IMDG - CLASS:Class 3IMDG - PACKING GROUP:PGIIIIMDG - Marine Pollutant:No

IATA - P.S.N.: FLAMMABLE LIQUID N.O.S. (Methanol)

IATA - CLASS: Class 3
IATA - PACKING GROUP: PGIII

This product and its ingredients are NOT considered dangerous goods according to the *UN Model Regulations*, ADR, RID, and the ADN.

#### 15. REGULATORY INFORMATION

#### **US REGULATIONS**

**US SARA REPORTING REQUIREMENTS:** The components of this product are subject to the reporting requirements of Section 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act, and are listed as follows:

Hazardous Ingredient	<i>SARA 302</i>	SARA 304	SARA 313
	(40 CFR 355,	(40 CFR Table	(40 CFR 372.65)
	Appendix A)	<i>302.4)</i>	
Phenyltrimethoxysilane	No	No	No
Dimethyldineodecanoatetin	No	No	No

*U.S. SARA THRESHOLD PLANNING QUANTITY:* There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs(4,540 kg) therefore applies, per 40 CFR 370.20

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

**SARA 311/312(40 CFR 370) HAZARDS:** Acute: Yes, Chronic: Yes, Fire: Yes, Pressure: No **CALIFORNIA**, **(PROPOSITION 65)**: Neither this product nor its ingredients are listed

**TSCA INVENTORY STATUS:** These materials or all of their contents are listed on the Toxic Substances Control Act (TSCA).

**CANADIAN DSL/NDSL INVENTORY:** The components of this product are on the DSL or NDSL Inventories.

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES(AICS) STATUS:** The components of this product are listed on the AICS except:

None

#### 16. OTHER INFORMATION

Because the product is a mixture, the majority of the data used was transferred from the safety data sheets of the product's hazardous ingredients, whose manufacturer identity we wish to remain anonymous for competitive reasons.

Section 8 Exposure Limits attained from www.osha.gov and www.aiha.org .

We believe the above information is correct as of the date of this MSDS. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's

GHS CA5092 printed: 01/08/16 page 6 of 7

obligation to determine the conditions for the safe use of the product. No warranty, expressed or implied, is hereby made.

Date Created/Revised: 12/07/15 Made By: Daniel Shaw

GHS CA5092 printed: 01/08/16 page 7 of 7