Revision Date: 03-09-21

SCULPT NOUVEAU

Safety Data Sheet





1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:	MAHOGANY PATINA
Chemical Nature:	Patina Solution
Trade Name:	Traditional Patina - MAHOGANY PATINA
Product Use:	Oxidizing solution for non-ferrous metals
Distributor's Name:	Sculpt Nouveau
Distributor's Address:	1155 Industrial Ave. Escondido, CA 92029
Emergency Phone:	CHEMTREC 800-424-9300 U.S. and Canada; 1-703-527-3887 International
Business Phone:	800-728-5787

2. HAZARDS IDENTIFICATION

Hazard Identification:	This product is classified as a hazardous substance and as dangerous good according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia) DANGER! TOXIC IF SWALLOWED. MAY CAUSE SEVERE SKIN AND SERIOUS EYE IRRITATION. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. Hazard Statements (H): H301 - Toxic if swallowed. H314 - causes severe skin irritation and eye damage. H373 - May cause damage to organs through prolonged or repeated exposure. H410 Toxic to acquatic life with long lasting effects. Precautionary Statements (P): P220 - Keep/store away from combustible materials. P273 - Avoid release into environment. P280 - Wear protective gloves and clothing and eye/face protection. P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. P501 - Dispose of contents to an approved waste disposal plant.				
Effects of Exposure:	Eyes: Skin: Ingestion: Inhalation:	Severe or permanent eye damage. Burns upon direct contact. Severe burns of mouth, throat, stomach. Severe irritation or burns in respiratory tract and mucous membranes, Possible lung damage.			
Symptoms of Overexposure:	Eyes: Skin: Ingestion: Inhalation:	n: Redness, burning, itching, rach, blistering of skin. Nausea, vomiting, severe abdominal pain.			
Acute Health Effects:	May be harmful if inhaled. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.				
Chronic Health Effects:	May damage the nervous system, kidney and/or liver.				
Target Organs:	Eyes, skin, nervous system, kidneys, liver, respiratory system, spleen, blood forming organs, bones.				

3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	WEIGHT%	EXPOSURE LIMITS IN AIR (mg/m ³) ppm						
			AC	GIH	OS	НА	NO	HSC	
			TWA	STEL	TLV	STEL	TWA	STEL	
Water	7732-18-5	60 - 100%	None	None	None	None	None	None	
Tellurium	13494-80-9	1- 10%	.1	NA	.1	NA	NF	NF	
Hydrochloric Acid	7647-01-0	1- 10%	2	NA	2	NA	NF	NF	
Sodium Thiosulfate	10102-17-7	1-10%	NA	NA	NA	NA	NA	NA	
Proprietary - Non Hazardous			NA	NA	NA	NA	NA	NA	

Safety Data Sheet

Pg 2 of 5 Revision Date: 03-09-21

4. FIRST AID MEASURES

First Aid:	Ingestion:	DO NOT INDUCE VOMITING. Contact nearest Poison Control Center for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
	Eyes:	If product gets in eyes, flush eyes thoroughly with large amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.
	Skin:	Remove contaminated clothing and wash affected areas with soap and water. If discomfort or a skin reaction occurs, contact a physician. Do not wear contaminated clothing until clean.
	Inhalation:	Remove victim to fresh air at once. Seek immediate medical attention if breathing is diffucult.
Medical Conditions Aggravated by Exposure:		ermatitis, other skin conditions, and disorders of the eyes or respiratory system or impaired kidney be more susceptible to the effects of this substance.

5. FIREFIGHTING MEASURES

Fire and Explosion Hazard :	Non flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensify fire. Oxidizer.
Extinguishing Methods :	Use fire extinguishing media appropriate for surrounding materials.
Firefighting Procedures :	As with any fire, firefighters should wear appropriate protective equipment including a NIOSH approved or equivalent self contained breathing apparatus and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Fire should be fought from a safe distance. Keep containers cool after fire is out. Prevent runoff from fire control or dilution from entering sewers, drains or natural waterway.

6. ACCIDENTAL RELEASE MEASURES

Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate personal protective equipment (PPE). Use safety glasses and face shield, gloves and other protective clothing to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use an inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of the area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment. Recover as much free liquid as possible and collect in acid resistant container. Use absorbent to pick up residue. Avoid discharging liquid into a sewer or surface waters.
---------	---

7. HANDLING & STORAGE INFORMATION

Work and Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Immediately clean up and decontaminate any spills or residues.	
Storage and Handling:	Use and store in a cool, dry, well ventilated location, away from heat and direct sunlight. Store in acid resistant containers. Keep containers covered when not in use. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see section 10). Protect containers from physical damage.	
Special Precautions:	Empty containers may retain hazardous product residues. Do not reuse empty containers for other purposes.	

Safety Data Sheet

Pg 3 of 5 Revision Date: 03-09-21

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Ventilation and Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate equipment is available (eye wash station, sink, etc.).	
Respiratory Protection:	In instances where vapors of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CR 1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Province, EC member States, or Australia.	
Eye Protection:	Safety glasses with side shields must be used when handling this product. A face shield is also recommended.	
Hand Protection:	Wear protective, chemical-resistant gloves, (e.g., neoprene) when handling this product.	
Body Protection:	A chemical resistant apron and protective clothing are recommended when handling or using this product.	

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance:	Translucent brown liquid
Odor:	Slight odor
Odor Threshhold:	N/A
рН:	3.1
Melting and Freezing Point:	N/A
Boiling Point/Range:	>100°C (>212°F)
Flashpoint:	Will not flash
Flammability Limits:	Not flammable
Vapor Pressure:	N/A
Vapor Density:	< 1.0 (air = 1.0)
Relative Density:	1.055
Solubility:	Complete (water)
Evaporation Rate:	<1.0 (ethyl ether = 1.0)

10. STABILITY & REACTIVITY

Stability:	Stable at normal temperatures	
Hazardous Decomposition:	Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide.	
Hazardous Polymerization:	Will not occur	
Conditions to Avoid:	Excessive heat	
Incompatible Substances:	Water-reactive substances, strong reducing agents, chlorinated cleaners, combustible organic materials, most metals.	

11. TOXICOLOGICAL INFORMATION

Routes of Entry:	Inhalation: Yes	Absorption: Yes	Ingestion: Yes			
Toxicity Data:	NA					
Acute Toxicity:	<u>Tellurium</u> : Acute oral toxicity (LD ₅₀): 83 mg/kg (Rat). <u>Hydrochloric Acid</u> : Acute oral toxicity (LD ₅₀): 238-277 mg/kg (Rat), Dermal (LD ₅₀): 5010 mg/kg (Rabbit).					
Chronic Toxicity:	Patina Solution: May cause	Patina Solution: May cause damage to the following organs: blood, kidneys, liver, spleen, central nervous system.				
Suspected Carcinogen:	There are no suspected carcinogens in this patina solution.					
Reproductive Toxicity:	Hydrochloric Acid: Gerbil - Experiments have shown reproductive toxicity effecs on laboratory animals.					
Mutagenicity:	Hydrochloric Acid: Mutagenic effects have occurred in experimental animals					
Embryotoxicity:	Hydrochloric Acid: Developmental effects have occurred in experimental animals					
Teratogenicity:	Hydrochloric Acid: Teratogenicity effects have occurred in experimental animals					
Irritancy of Product:	Slightly hazardous in case of skin contact and causes severe eye damage.					
Biological Exposure Indices:	NE NE					
Physician Recommendations:	Treat symptomatically					

Safety Data Sheet

Pg 4 of 5 Revision Date: 03-09-21

12. ECOLOGICAL INFORMATION

Environmental Stability	No data available
Effects on Plants & Animals:	No data available
Effects on Aquatic Life:	Hydrochloric Acid: LC ₅₀ (Freshwater fish 96h) = 282 mg/L, Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife. This material is expected to have hight mobility in soil. It absorbs weakly to most soil types. Sodium Thiosulfate: LC50 Gambusia A [*] nis (Mosquito ÿsh) = 24,000 mg/l 96h

13. DISPOSAL CONSIDERATIONS

Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.
Special Considerations:	U.S EPA Hazardous Waste - Characteristic - Corrosive (D002)

14. TRANSPORTATION INFORMATION

UN3264 CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (Sodium Thiosulfate), 8, III

15. REGULATORY INFORMATION

SARA Reporting Requirements:	This product contains Hydrochloric Acid, a substance subject to SARA Title III, section 313 reporting requirements.
SARA Threshold Planning Quantity	NA
TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
Federal and State Regulations:	Telllurium is found on the following state criteria lists: Massachusetts Right-to-Know list, Pennsylvania Right-to-Know list, New Jersey Right-to-Know list, Rhode Island Right-to-Know list, and California Prop. 65.
Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toxic Effects).
CERCLA Reportable Quantity:	<u>N/F</u>
Other Federal Requirements:	NA NA
Other Requirments:	The primary components of this product are listed in Annex 1 of EU Directive 67/548/EEC. Hydrochloric Acid: Corrosive (C), Toxic (T). Risk Phrases (R): R35 - Causes severe burns.

SCULPT NOUVEAU Mahogany Patina

Safety Data Sheet

Pg 5 of 5 Revision Date: 03-09-21

16. OTHER INFORMATION

Other Information:	DANGER! Components of this solution are dangerous and toxic. May be harmful if swallowed or inhaled.
Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Sculpt Nouveau's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
Prepared For:	Sculpt Nouveau 1155 Industrial Ave. Escondido, CA 92029 USA Tel: 760 432 8242 Fax: 760-741-1074 www.sculpnouveau.com