SAFETY DATA SHEET

Brush Gold Solution / Pen Gold Solution

Section 1. Identification	
GHS product identifier	: 24K Brush Gold, 24K Pen Gold,18K Brush Gold, 14K Brush Gold
Product code	Not available.
Chemical name	: Mixture of potassium aurocyanide, cobalt complex, weak organic acid buffers,
	inorganic salts and thickeners: Potassium Metallic Cyanide Mixture
Other means of identification Product type	: Liquid.
	f the substance or mixture and uses advised against
Electroplating solution	
Supplier/Manufacturer : Go	old Plating Services, Inc.
	378 North Main #112
	Layton, Utah 84041

Current SDS preparation date: Original SDS preparation date:	January 15, 2022 May 16, 2014
Emergency telephone numbers	: Inside US #: (800) 633-8253 (P.E.R.S.) Outside US #: (00) 1 (801) 629-0667
	Layton, Utah 84041 United States of America Non-Emergency Phone #: (801) 546-6200 Outside US#: (00) 1 (801) 546-6200 www.GoldPlating.com

Section 2. Hazards identification

Classification of the	: ACUTE TOXICITY (oral) - Category 4
substance or mixture	ACUTE TOXICITY (dermal) - Category 4
	ACUTE TOXICITY (inhalation) - Category 4
	RESPIRATORY SENSITIZATION - Category 1
	SKIN SENSITIZATION - Category 1
	CARCINOGENICITY - Category 2
	AQUATIC HAZARD (ACUTE) - Category 2
	AQUATIC HAZARD (LONG-TERM) - Category 2

2

: Danger

GHS label elements

		×
•	•	•

Hazard pictograms Signal word

Hazard statements

: Harmful if swallowed, in contact with skin or if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

Toxic to aquatic life with long lasting effects.

Precautionary statements

General

: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Section 2. Hazards identification (cont.)

Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear respiratory protection. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Avoid breathing vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
Response	: Collect spillage. IF exposed or concerned: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER or physician. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or physician if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical attention.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards not classified	: None known

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Chemical name	: Mixture of potassium aurocyanide, cobalt complex, weak organic acid buffers, inorganic salts and thickeners.
Other means of	: Potassium Metallic Cyanide Mixture

identification

CAS number/other identifiers	
CAS number	: Not applicable.
EC number	: Mixture.
Product code	: Not available.

Ingredient name	%	CAS number
potassium dicyanoaurate	1 - 5	13967-50-5
[[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']cobaltate(2-)	1 - 5	14931-83-0
Citric Acid	0.1 - 1	77-92-9
hydrogen [N,N-bis(carboxymethyl)glycinato(3-)-N,O,O',O'']nickelate(1-)	0.1 - 1	34831-03-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

<u>Description</u> Measures:	<u>of first aid</u>	
vicasuics.	Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
	Inhalation	 Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

Section 4. First aid measures (cont.)

	waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.
Skin contact	: Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. If necessary, call a poison center or physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/ef Potential acute health effect	
Eye contact	: No known significant effects or critical hazards.
Inhalation	 Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	: Harmful in contact with skin. May cause an allergic skin reaction.
Over-exposure signs/syn	
Ingestion Eye contact	: Harmful if swallowed. : No known significant effects or critical hazards.
Inhalation	: Adverse symptoms may include the following: wheezing and breathing difficulties asthma
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No known significant effects or critical hazards.
Indication of immediate med	ical attention and special treatment needed, if necessary
Notes to physician	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
See toxicological information (Sect	ion 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	Carbon dioxide (CO ₂).
Specific hazards arising from the chemical	This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	 Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides hydrogen cyanide
Special protective actions for fire-fighters.	: No special measures are required.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	tive equipment and emergency procedures
For non-emergency Personnel	: Keep unnecessary and unprotected personnel from entering. No action shall be taken involving any personal risk or without suitable training. Do not walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
Methods and materials for co	
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Occupational exposure limits

Control parameters

Ingredient name		Exposure limits
Potassium dicyanoaurate		ACGIH TLV (United States, 3/2012). Absorbed through skin. C: 5 mg/m ³
Hydrogen [N,N-bis(carboxymethyl)glycinato(3-)-N,O,O',O"]nickelate(1-)	ACGIH TLV (United States, 3/2012). TWA: 0.1 mg/m ³ , (as Ni) 8 hours. Form: Inhalable fraction
Appropriate controls		on. Use process enclosures, local exhaust ontrols to keep worker exposure to airborne ended statutory limits.
Environmental exposure controls		ork process equipment should be checked to ensure nts of environmental protection legislation.
Individual protection measu	<u>ires</u>	
Hygiene measures	before eating, smoking and usin Appropriate techniques should clothing. Contaminated work clo Wash contaminated clothing be	ce thoroughly after handling chemical products, ng the lavatory and at the end of the working period. be used to remove potentially contaminated othing should not be allowed out of the workplace. efore reusing. Ensure that eyewash stations and workstation location. IF ON SKIN (or hair): Wash euse.
Eye/face protection	assessment indicates this is nece gases or dusts. If contact is possi	an approved standard should be used when a risk essary to avoid exposure to liquid splashes, mists, ible, the following protection should be worn, a higher degree of protection: safety glasses with

Section 8. Exposure controls/personal protection (cont.)

Hand, Skin protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid. [Liquid or gelled mixture]
Color	: Purple.
Odor	: Slight Odor.
Odor threshold	: Not available.
рН	: 6 to 6.5
Melting point	: -1.1°C (30°F)
Boiling point	: Not available.
Flash point	: Does not burn
Burning time	: Not applicable.
Burning rate	: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not applicable.
Lower and upper explosive	: Not applicable.
(flammable) limits	
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.1
Solubility	: Easily soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Partition coefficient:	: Not available.
noctanol/water	
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Not available.

Section 10. Stability and reactivity Reactivity : No specific test data related to reactivity available for this product or its ingredients. **Chemical stability** : The product is stable. **Possibility of hazardous** : Under normal conditions of storage and use, hazardous reactions will not occur. reactions **Conditions to avoid** : No specific data. **Incompatible materials** : Reactive or incompatible with the following materials: strong acids, acid fumes or steam. **Hazardous decomposition** : Under normal conditions of storage and use, hazardous decomposition products products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Product/ingredient name	Result	Species	Dose	Exposure
Potassium dicyanoaurate	LD50 Oral	Rat	29 mg/kg	-
Citric Acid	LD50 Oral	Rat	3000 mg/kg	-
Irritation/Corrosion				
Product/ingredient name	Result	Species	Exposure	Observation
Citric Acid	Eyes – severe irritant	Rabbit	24 hours 750 µg	-
	Skin – mild irritant	Rabbit	24 hours 500 µg	-
	Skin – moderate irritant	Rabbit	0.5 ml	-

Sensitization	
Skin :	There is no data available.
Respiratory :	There is no data available.
Carcinogenicity	
	There is no data available.
Specific target org	an toxicity (single exposure)
	There is no data available.
Specific target org	an toxicity (repeated exposure)
	There is no data available.
Aspiration hazard	
	There is no data available.
Information on the routes of exposure	ikely : Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute hea	Ith effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	 Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	: Harmful in contact with skin. May cause an allergic skin reaction.
Ingestion	: Harmful if swallowed.
Symptoms related t	o the physical, chemical and toxicological characteristics

Section 11. Toxicological information (cont.)

	-
Eye contact	: No known significant effects or critical hazards.
Inhalation	: Adverse symptoms may include the following: wheezing and breathing difficulties asthma
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No known significant effects or critical hazards.
Delayed and immediate effect	cts and also chronic effects from short and long term
<u>exposure</u>	
<u>Short term exposure</u> Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Long term exposure	5
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health eff	ects
General	 Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	 Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	830 mg/kg
Inhalation (vapors)	14.29 mg/L

Section 12. Ecological Information

Toxicity

Product/ingredient name	Result	Species	Exposure
Citric Acid	Acute LC50 160000 μg/l Marine water	Crustaceans - Carcinus maenas - Adult	48 hours

Persistence/degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Citric Acid	-1.8	-	low

Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or

Section 13. Disposal Considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible.
Disposal of this product, solutions and any by-products should comply with the
requirements of environmental protection and waste disposal legislation and any
regional local authority requirements. Dispose of surplus and non-recyclable
products via a licensed waste disposal contractor. Waste should not be disposed
of untreated to the sewer unless fully compliant with the requirements of all
authorities with jurisdiction. Waste packaging should be recycled. Incineration or
landfill should only be considered when recycling is not feasible. This material and
its container must be disposed of in a safe way. Care should be taken when
handling empty containers that have not been cleaned or rinsed out. Empty
containers or liners may retain some product residues. Avoid dispersal of spilled
material and runoff and contact with soil, waterways, drains and sewers.

critical hazards.

	US DOT	IATA	IMDG	TDG
UN number	Not regulated for transport			
UN proper shipping name	N/A	N/A	N/A	N/A
Transport hazard class	N/A	N/A	N/A	N/A
Packing group	N/A	N/A	N/A	N/A
Environmental hazards	N/A	N/A	N/A	N/A
Additional information	N/A	N/A	N/A	N/A

Special precautions for user :

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Safety, health and environmental regulations specific for the product.

: No known specific national and/or regional regulations applicable to this product. (including its ingredients).

Section 16. Other information

History

Date of issue	15/11/2015
Version	1
Revised Sections	Not applicable
Prepared by	Gold Plating Services

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.