Printing date 01/29/2014


Reviewed on 01/29/2014

| 11 | dentification |
|---|--|
| · P | Product identifier |
| · 7 | Trade name: Concrete Cleaner Jamson Labs Power Kleen |
| $\cdot A$ | The second secon |
| • M P 1 C | Details of the supplier of the safety data sheet Aanufacturer/Supplier: Power Kleen Corporation 01 South Bayview Blvd. DLDSMAR, FL 34677 JSA |
| | nformation department: Product Safety Department Emergency telephone number: ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585 |
| <u>2 E</u> | Hazard(s) identification |
| · C | Classification of the substance or mixture |
| < | GHS05 Corrosion |
| S | kin Corr. 1B H314 Causes severe skin burns and eye damage. |
| < | GHS07 |
| <i>S</i> | TOT SE 3 H335 May cause respiratory irritation. |
| $\cdot G$ | abel elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). lazard pictograms |
| < | GHS05 GHS07 |
| · S | ignal word Danger |
| d - H C M I J K R L I I I I C C I I | Hazard-determining components of labeling: Visodium metasilicate Hazard statements Causes severe skin burns and eye damage. May cause respiratory irritation. Precautionary statements f medical advice is needed, have product container or label at hand. Keep out of reach of children. Bead label before use. Do not breathe dust/fume/gas/mist/vapours/spray. F ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. F IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. mmediately call a POISON CENTER or doctor/physician. 'tore locked up. |
| | (Contd. on page 2) |

Printing date 01/29/2014

Reviewed on 01/29/2014

Trade name: Concrete Cleaner



· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

| Dungerous components. | | | |
|-----------------------|-----------------------|--------|--|
| 6834-92-0 | disodium metasilicate | 25-50% | |
| 497-19-8 | sodium carbonate | 25-50% | |
| | | | |

4 First-aid measures

| Description of first aid measures | |
|--|-----------------|
| General information: | |
| Take affected persons out into the fresh air. | |
| Immediately remove any clothing soiled by the product. | |
| After inhalation: | |
| Supply fresh air; consult doctor in case of complaints. | |
| In case of unconsciousness place patient stably in side position for transportation. | |
| After skin contact: Immediately rinse with water. | |
| After eye contact: | |
| Remove contact lenses if able to do so. | |
| Rinse opened eye for several minutes under running water. Then consult a doctor. | |
| After swallowing: | |
| A person vomiting while lying on their back should be turned onto their side. | |
| Do not induce vomiting; immediately call for medical help. | |
| Drink copious amounts of water and provide fresh air. Immediately call a doctor. | |
| Information for doctor: | |
| Most important symptoms and effects, both acute and delayed | |
| Coughing | |
| Nausea | |
| Cramp | |
| Gastric or intestinal disorders | |
| | (Contd. on page |

Printing date 01/29/2014

Reviewed on 01/29/2014

Trade name: Concrete Cleaner

• Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Avoid formation of dust.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- Handling:
- **Precautions for safe handling** Thorough dedusting.
- Prevent formation of dust.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- *Information about storage in one common storage facility:* Store away from foodstuffs.
- Do not store together with acids.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

(Contd. of page 2)

USA

Printing date 01/29/2014

Reviewed on 01/29/2014

Trade name: Concrete Cleaner

| • Additional information: The lists th | at were valid during the creation were used as basis. | (Contd. of page 3) |
|--|---|--------------------------|
| · Exposure controls | | |
| · Personal protective equipment: | | |
| • General protective and hygienic me | pasures: | |
| Keep away from foodstuffs, beverage | | |
| Immediately remove all soiled and c | | |
| Wash hands before breaks and at the | | |
| Avoid contact with the eyes and skin | | |
| · Breathing equipment: | ·· | |
| | lution use respiratory filter device. In case of intensive | or longer exposure use |
| respiratory protective device that is | | er tenger enpesare use |
| • Protection of hands: | | |
| Trotection of numus. | | |
| w m | | |
| Protective gloves | | |
| | | |
| | | |
| | neable and resistant to the product/ the substance/ the p | |
| | onsideration of the penetration times, rates of diffusion a | and the degradation |
| • Material of gloves | | |
| Neoprene gloves | | |
| PVC gloves | | |
| Nitrile rubber, NBR | | |
| Butyl rubber, BR | | |
| | does not only depend on the material, but also on furthe | |
| varies from manufacturer to manufa | ecturer. As the product is a preparation of several subst | ances, the resistance of |
| | ated in advance and has therefore to be checked prior to | o the application. |
| • Penetration time of glove material | | |
| The exact break through time has | to be found out by the manufacturer of the protective | e gloves and has to be |
| observed. | | |
| \cdot Not suitable are gloves made of the | following materials: | |
| Leather gloves | | |
| Strong gloves | | |
| • Eye protection: | | |
| Safety glasses | | |
| \sim | | |
| | | |
| Tightly sealed goggles | | |
| | | |
| · Body protection: Alkaline resistant | protective clothing | |
| | | |
| | | |
| 9 Physical and chemical proper | rties | |
| Information on basis abusis of and | - h i l | |
| • Information on basic physical and a | cnemicui properiies | |
| · General Information | | |
| · Appearance: Form: | Doudan | |
| | Powder White | |
| Color: | | |
| · Odor: | PINE Not determined | |
| • Odour threshold: | Not determined. | |
| • <i>pH-value at 20 °C (68 °F):</i> | 12.9 | |
| | | |

(Contd. on page 5) USA

Printing date 01/29/2014

Reviewed on 01/29/2014

Trade name: Concrete Cleaner

| | (Contd. c | of page |
|--------------------------------------|---|---------|
| · Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| · Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not determined. | |
| Ignition temperature: | | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not applicable. | |
| Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapour density | Not applicable. | |
| Evaporation rate | Not applicable. | |
| Solubility in / Miscibility with | | |
| Water: | Soluble. | |
| Partition coefficient (n-octanol/wat | er): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| Solvent content: | | |
| Organic solvents: | 0.0 % | |
| Solids content: | 99.2 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with acids.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:
- Sodium Oxides
- Carbon dioxide

(Contd. on page 6)

US/

Printing date 01/29/2014

Reviewed on 01/29/2014

Trade name: Concrete Cleaner

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

6834-92-0 disodium metasilicate

Oral LD50 1280 mg/kg (rat)

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 01/29/2014

Reviewed on 01/29/2014

(Contd. of page 6)

Trade name: Concrete Cleaner

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number | |
|--------------------------------------|----------------------------------|
| DOT, IMDG, IATA | UN3253 |
| UN proper shipping name | |
| DOT | Disodium trioxosilicate, mixture |
| IMDG, IATA | DISODIUM TRIOXOSILICATE, mixture |
| Transport hazard class(es) | |
| DOT | |
| | |
| | |
| CORROSIVE | |
| Class | 8 Corrosive substances. |
| Label | 8 Corrosive substances. 8 |
| Class | 8 Corrosive substances. |
| Label | 8 |
| Packing group | |
| DOT, IMDG, IATA | III |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Corrosive substances |
| Danger code (Kemler): | 80 |
| EMS Number: | F-A,S-B |
| Segregation groups | Alkalis |
| Transport in bulk according to Annex | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| | |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 8)

USA

Printing date 01/29/2014

Reviewed on 01/29/2014

Trade name: Concrete Cleaner

| (Contd. | of | page | 7 |
|---------|----|------|---|

| • | TSCA | (Toxic | Substances | Control A | Act): |
|---|-------------|--------|------------|-----------|-------|

• Section 313 (Specific toxic chemical listings):

6834-92-0 disodium metasilicate

None of the ingredients is listed.

497-19-8 sodium carbonate

7647-14-5 sodium chloride 533-96-0 Sodium sesquicarbonate

8002-09-3 Pine Oil

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: disodium metasilicate
Hazard statements Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Do not breathe dust/fume/gas/mist/vapours/spray.

(Contd. on page 9)

USA

Printing date 01/29/2014

Reviewed on 01/29/2014

Trade name: Concrete Cleaner

(Contd. of page 8)

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Environment protection department.

· Date of preparation / last revision 01/29/2014

Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation

 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 LC50: Lethal concentration, 50 percent
 USA
 USA