Page 1/8

### Safety Data Sheet acc. to OSHA HCS

Printing date 03/07/2016

Reviewed on 01/26/2015

#### 1 Identification

 $= \int_{-\infty}^{\infty} dx$ 

- Product identifier
- Trade name: Klangmaster Grandioso
- Article number: 11788
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

TELEPHONE: 954-341-8646

- · information department: Product safety department
- · Emergency telephone number: SAME AS COMPANY NUMBER

## 2 Hazard(s) identification

- Label elemente
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Warning
- Hazard statements

Causes serious eye irritation.

Precautionary statemente

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

- Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 0Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.

(Contd. on page 2)

Page 2/8

## Safety Data Sheet acc. to OSHA HCS

Printing date 03/07/2016

Reviewed on 01/26/2015

Trade name: Klangmaster Grandioso

vPvB; Not applicable.

(Contd. of page 1)

# 3 Composition/information on ingradients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Components:

127087-87-0 Poly(oxy-1,2-ethanediyl),alpha-(4\_nonylphenyl)-omega-hydoxy-, branched

Prop.%

# 4 First-aid measures

· Description of first aid measures

After inhalation: Supply fresh air, consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

· Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

. Extinguishing media

 Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

· Protective equipment: No special measures required.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions:

Do not allow product to reach sewage system or any water course,

Inform respective authorities in case of seepage into water course or sewage system.

Ditute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Page 3/8

#### Safety Data Sheet acc. to OSHA HCS

Printing date 03/07/2016

Reviewed on 01/26/2015

Trade name: Klangmaster Grandioso

See Section 13 for disposal information.

(Contd. of page 2)

#### 7 Handling and storage

- · Hagdling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility. Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems; No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional Information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the sultable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

(Contd. on page 4)

Page 4/8

#### **Safety Data Sheet** acc. to OSHA HCS

Frinting date 03/07/2016

Reviewed on 01/26/2015

Trade name: Klangmaster Grandioso

(Contd. of page 3)

Physical and chemical proper	
Information on basic physical and d	Chemical properties
General Information	
Appearance:	In water
Form:	Violet
Color:	Pleasant
Odor: Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	7
Change in condition	Undetermined.
Melting point/Melting range:	100 °C (212 °F)
Boiling point/Boiling range:	- A Company of the Co
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
Density at 20 °C (68 °F):	1.007·g/cm² (8.403 lbs/gāl)
Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	•
Water:	Fully miscible.
Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	<del> </del>
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other Information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant Information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

  Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

Page 5/8

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/07/2016

Reviewed on 01/26/2015

Trade name: Klangmaster Grandioso

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No Irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological Information:
- Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

us-

(Contd. on page 6)

Page 6/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/07/2016

Reviewed on 01/26/2015

Trade name: Klangmaster Grandioso

(Contd. of page 5)

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

T	
Transport information	
UN-Number DOT, ADN, IATA IMDG	not regulated UN3082
UN proper shipping name DOT, ADN, IATA IMDG	not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Poly(oxy-1.2-ethanediyl),alpha- (4_nonylphenyl)-omega-hydoxy-, branched), MARINE POLLUTANT
Transport hazard class(es)	
· DOT, ADN, IATA · Class	not regulated
· IMDG	
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group DOT, IATA IMDG	not regulated
Environmental hazards:	Product contains environmentally hazardou substances: Poly(oxy-1.2-ethanediyl),alpha (4_nonylphenyl)-omega-hydoxy-, branched
Marine pollutant:	No Symbol (fish and free)
· Special precautions for user · EMS Number:	Not applicable. F-A,S-F A
Stowage Category	(Contd. on page

Page 7/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/07/2016

Reviewed on 01/26/2015

Trade name: Klangmaster Grandioso

(Contd. of page 6)

· Transport in bulk according to Annex il of

MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

- IMDG

· Limited quantities (LQ)

5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

not regulated

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sarz
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Proposition 65
- Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the Ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



(Contd. on page 8)

Page 8/8

(Contd. of page 7)

#### Safety Data Sheet acc. to OSHA HCS

Printing date 03/07/2016

Reviewed on 01/26/2015

#### Trade name: Klangmaster Grandioso

Signal word Warning

Hazard statements

Causes serious eye initation.

Precautionary statements

Wear eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing:

If eye irritation persists: Get medical advice/attention.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department Issuing SDS: Environment protection department.
- · Contact: Environmental Department
- Date of preparation / last revision 03/07/2016 / -
- Abbreviations and aeronyme:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFFA: National Fire Protection Association (USA)

HMIB: Hazardous Materials Identification System (USA)

PBT: Persistent, Bloaccumulative and Toxic

vPvB; very Persistent and very Bloaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A