SAFETY DATA SHEET

1. Identification

Product identifier EX-74 Resin

Other means of identification

SDS number 23500R

Product code 12025, 23500, 23500C.

Recommended use High Gloss Coating

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Environmental Technology, Inc.

Address 300 S. Bay Depot Road

Fields Landing CA 95537

Telephone Telephone number 707-443-9323

E-mail mail@eti-usa.com
Contact person Technical Director

Emergency phone number CHEMTREC 800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Precautionary statement

Prevention Avoid breathing mist or vapor. Wear protective gloves/eye protection. Contaminated work clothing

must not be allowed out of the workplace. Wash thoroughly after handling.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Specific

treatment (see this label). Take off contaminated clothing and wash it before reuse.

Store away from incompatible materials

Store away from incompatible materials.

Storage Dispose of waste and residues in accordance with local authority requirements.

Disposal None known.

Hazard(s) not otherwise

classified (HNOC) Not applicable.

Supplemental information

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Epoxy Resin	Proprietary	60-99

EX-74 Resin SDS US

C2 and C14 Alkyl Glycidyl **Proprietary** Ethers

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

1-40

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist. Get medical attention if any

discomfort continues.

Skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water for several minutes. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and

wash before reuse.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having

convulsions. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Contact may produce eye irritation with associated redness, swelling, tears and pain. Contact causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.

Indication of immediate medical attention and special

treatment needed

Exposure may aggravate pre-existing skin disorders. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move container from fire area if it can be done without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills in original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Avoid discharge into storm drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Keep out of reach of children. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place. Read and follow manufacturer's recommendations.

EX-74 Resin SDS US

919406 Version #: 02 Revision date: 21-March-2016 Issue date: 17-April-2014

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated. Use personal protective equipment as required. Keep working

clothes separately.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Skin protection

Other Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in

consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection No specific recommendation made, but respiratory protection may still be required under

exceptional circumstances when excessive air contamination exists.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid.
Form Liquid.
Color Clear.
Odor Slight.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling 352.4 °F (178 °C)

range

Flash point

329.0 °F (165.0 °C) Setaflash Seta Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure < 1

Vapor density Not available.

Relative density 1.15

Solubility(ies)

Solubility (water) Slightly soluble

EX-74 Resin SDS US

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

Viscosity 3500 cP (170.6 °F (77 °C))

Other information

9.60 lb/gal Density 0 % (VOC) Percent volatile

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Avoid high temperatures. Heating this resin above 300°F in

the presence of air may cause slow oxidative decomposition.

When product is mixed with Part B and left in a large mass a vigorous exothermic reaction may

occur, and may result in charring of the reactants.

Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases. Incompatible materials

Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids.

This can cause violent reactions.

Hazardous decomposition

products

None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Eye contact Causes eye irritation.

Ingestion Under normal conditions of intended use, this material does not pose a risk to health. May be

harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Contact may produce eye irritation with associated redness, swelling, tears and pain. Causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain.

Rash. Dermatitis.

Information on toxicological effects

Not expected to be a hazard under normal conditions of intended use. May be harmful if Acute toxicity

swallowed.

Causes skin irritation. Skin corrosion/irritation Serious eve damage/eve Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

May cause sensitization by skin contact. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Resins of this type, liquid resins based on BisPhenolA/Epichlorohydrin (Epoxy Resin), have proved

to be inactive when tested by in vivo mutagenicity assays.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Not classified.

EX-74 Resin SDS US 919406 Version #: 02 Revision date: 21-March-2016 Issue date: 17-April-2014

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the high viscosity the product is not an aspiration hazard. **Chronic effects** Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity

Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the

environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility in soil

No data available.

Other adverse effects

None known.

13. Disposal considerations

Disposal instructions

Hazardous waste code

Dispose of in accordance with federal, provincial and local regulations. Do not discharge into

drains, water courses or onto the ground.

Local disposal regulations

Dispose in accordance with all applicable regulations. Not regulated.

Not applicable.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Dispose in accordance with applicable federal, state, and local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

EX-74 Resin SDS US 919406 Version #: 02 Revision date: 21-March-2016 Issue date: 17-April-2014

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer. Oxirane, 2-(-(phenoxymethyl)- (CAS 122-60-1) <0.1%.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7) <0.1%.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Oxirane, 2-(-(phenoxymethyl)- (CAS 122-60-1) Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 17-April-2014
Revision date 21-March-2016

Version # 02

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0

EX-74 Resin SDS US

6/7

919406 Version #: 02 Revision date: 21-March-2016 Issue date: 17-April-2014

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

EX-74 Resin SDS US