SAFETY DATA SHEET

1. Identification

Product identifier EX-88 - Resin

Other means of identification

SDS number 01188

Product code 01188, 01288, 01287, 01179, 01183, 01488, 01189, 01188R, 120

Recommended use High Gloss Coating

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Environmental Technology, Inc.

Address 300 S. Bay Depot Road

Fields Landing CA 95537

Telephone Telephone number 707-443-9323

E-mail mail@eti-usa.com
Contact person Technical Director

Emergency phone number CHEMTREC 800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1
Germ cell mutagenicity Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Suspected of causing genetic defects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective

clothing/eye protection.

Response If exposed or concerned: Get medical advice/attention. Specific treatment (see this label). If skin

irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

EX-88 - Resin SDS US

920320 Version #: 02 Revision date: 22-March-2016 Issue date: 06-May-2014

Chemical name	CAS number	%	
Epoxy Resin	Proprietary	>50	
Phenyl Ether Alcohol Compound	Proprietary	<20	
Cyclohexanedimethanol Compound	Proprietary	<15	

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Get medical attention if any

discomfort continues.

Skin contact Remove contaminated clothing. Wash skin thoroughly with soap and water for several minutes. If

skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and

wash before reuse.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Eye contact

Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Never give anything by mouth to a victim who is unconscious or is having

convulsions. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Contact may produce eye irritation with associated redness, swelling, tears and pain. Contact causes skin irritation. May cause sensitization by skin contact. Symptoms include redness, itching and pain. Rash. Dermatitis.

Indication of immediate medical attention and special treatment needed

Exposure may aggravate pre-existing skin disorders. Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods General fire hazards Move container from fire area if it can be done without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Avoid contact with skin and eyes. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained.

Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Never return spills in original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Avoid discharge into storm drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Keep out of reach of children. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place. Read and follow manufacturer's recommendations.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated. Use personal protective equipment as required. Keep working

clothes separately.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Chemical resistant gloves.

Skin protection

Other

Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection

No specific recommendation made, but respiratory protection may still be required under

exceptional circumstances when excessive air contamination exists.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Appearance

Liquid.

Physical state

Liquid.

Form

Viscous liquid.

Color

Clear.

Odor

Minimal. Not distinct.

Odor threshold

Not available.

nH

Not available.

рн

riot available.

Melting point/freezing point

Not available.

Initial boiling point and boiling

Flash point

> 350 °F (> 176.67 °C)

range

> 200.0 °F (> 93.3 °C)

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

> 1

Relative density

Not available.

EX-88 - Resin SDS U

920320 Version #: 02 Revision date: 22-March-2016 Issue date: 06-May-2014

Solubility(ies)

Solubility (water) Slightly solube (0.1-1%).

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

VOC (Weight %) 0 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials. Avoid high temperatures. Heating this resin above 300°F in

the presence of air may cause slow oxidative decomposition.

Incompatible materials Strong oxidizing agents. Reacts violently with strong acids. Reacts violently with strong bases.

Avoid contact with water and liquids. Do not allow molten product to contact water or other liquids.

This can cause violent reactions.

Hazardous decomposition

products

None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an

allergic skin reaction. Skin irritation. May cause redness and pain. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Components	Species	Test Results
Epoxy Resin (CAS Proprietary)		
Acute		
D 1		

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Due to the high viscosity the product is not an aspiration hazard.

12. Ecological information

Ecotoxicity Expected to be toxic to aquatic organisms. May cause long-term adverse effects in the

environment.

Components		Species	Test Results
Epoxy Resin			
Fish	LC50	Salmo gairdneri	1.5 mg/l, 96 hours
Aquatic			
Crustacea	EC50	Daphnia magna	2.7 mg/l, 48 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil No data available.

Other adverse effects None known.

13. Disposal considerations

Disposal instructionsDispose of in accordance with federal, provincial and local regulations. Do not discharge into

drains, water courses or onto the ground.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Dispose in accordance with applicable federal, state, and local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer. Oxirane, 2-(-(phenoxymethyl)- (CAS 122-60-1) <0.1%.

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7) <0.1%.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Oxirane, 2-(-(phenoxymethyl)- (CAS 122-60-1) Phenol, 4,4'-(1-methylethylidene)bis (CAS 80-05-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 06-May-2014
Revision date 22-March-2016

Version # 02

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.