



# SAFETY DATA SHEET OMG® LINE

## SECTIONS 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE

Product Name: OMG - Black Brownie

Company Code: DC-175

Other Means of Identification: Suspension of purified insoluble colorants in a nontoxic liquid matrix. Recommended Use of Mixture: Liquid colorant intended for use in permanent cosmetics by a trained

professional.

Company/Supplier Details: Li Pigments

27 Honeck St, Englewood, NJ 07631, USA

Phone: 1-201-871-3777 www.LiPigments.com

Emergency Phone Number: CHEMTREC

US & Canada: 1-(800)-535-5053 International: 1-(353)-323-3500

www.chemtrec.com

## **SECTIONS 2: HAZARD IDENTIFICATION**

Classification of Mixture: Not a hazardous substance or mixture GHS Label Elements: Not a hazardous substance or mixture

Other Hazards Not Otherwise Classified (HNOC) or

Covered by GHS: None

Note: When information for the mixture is not available data is made available for the individual components. Data given for components is 100% concentration of that component.

©COPYRIGHT 2021 LI PIGMENTS.

LAST UPDATED: 2024-06-14

1





# **SECTIONS 3: COMPOSITION**

INGREDIENT	PERCENT %	EINECS No.	CAS No.	GHS HAZARD
Water	Q.S.	215-185-5	7732-18-5	Not Classified
Ethyl Alcohol; Ethanol	< 30	200-578-6	64-17-5	H225
Glycerin; Glycerol	< 40	200-289-5	56-81-5	Not Classified
Colorants*	< 20	-	-	Not Classified

\*Colorants may be any of the following insoluble coloring agents:

INGREDIENT		C.I. NUMBER	EINECS No.	CAS No.	GHS HAZARD
	Iron Oxide Black	77499	235-442-5	12227-89-3	None
	Iron Oxide Red	77491	215-168-2	1309-37-1	None

## **SECTIONS 4: FIRST-AID MEASURES**

Description of Necessary First Aid Measures

After Inhalation: Move person into the fresh air. If not breathing, give

artificial respiration. Consult a physician.

Description of Necessary First Aid Measures

Skin Contact: Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If there is any

Wash off with soap and plenty of water. If there is any irritation, consult a physician

Description of Necessary First Aid Measures

Eve Contact:

Rinse opened eyes thoroughly for several minutes under

running water. Consult a physician.

Description of Necessary First Aid Measures

After Ingestion:

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a

See SECTION 2.2 and SECTION 11 for more information.

physician.

Most Important Symptoms/Effects, Acute and Delayed:

None determined.

Indication of Immediate Medical Attention and Special

Treatment Needed, If Necessary:

No known special indications. When seeking medical attention concerning the product, bring this SDS to the physician. No further relevant information available

#### **SECTIONS 5: FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical, or

carbon dioxide.

Inappropriate Extinguishing Media: No further relevant information.

Specific Hazard Arising from the Mixture: Carbon oxides.

Specific Protective Actions for Fire-Fighters: Wear a self-contained respiratory protection device.

## **SECTIONS 6: ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment,

and Emergency Procedures: Ensure adequate ventilation. Avoid breathing vapors. Wear

appropriate personal protective equipment. See SECTION

2 for a list of relevant precautionary phrases. See SECTION 8 for personal protective equipment.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains/sewers/surface or groundwater.

Methods and Materials for Containment and Cleaning Up:

Contain spillage. Ensure adequate ventilation. Absorb large spills with liquid-binding material (sand, diatomite, universal binder, sawdust) and place in an appropriate container. Place the container for disposal according to local

regulations. Clean the area before returning. see

SECTION 13 for disposal considerations





## **SECTIONS 7: HANDLING AND STORAGE**

Precautions for Safe Handling: Eating, drinking, and smoking in the work area is prohibited.

Wash hands after use. Remove contaminated clothing and protective equipment before entering the eating area. Avoid contact with skin or eyes. Avoid inhalation of vapor or mist. See SECTION 2 for the full list of GHS precautionary

statements.

Precautions for Safe Storage, Including Any Incompatibilities:

Store in the original container. Keep the container tightly closed in a well-ventilated place. Containers once opened must be carefully resealed and kept upright to prevent leakage. Do not fill the container with anything. Do not pour material back into the container after dispensing. No recommended storage temperature for the mixture but avoid excesses in temperature and store at room temperature when feasible.

## SECTIONS 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters: Contains no components with occupational control

parameters.

Exposure Controls:

Appropriate Engineering Controls: Handle with good manufacturing practices. Wash hands

before the break and at the end of the workday.

Personal Protective Equipment

Eye/Face Protection:

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH

(US) or EN 166 (EU).

Personal Protective Equipment

Skin Protection:

Handle with gloves. Suitable gloves include latex, nitrile, butyl rubber, neoprene, norfoil, and viton, depending on the extent of contact. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with the product. Dispose of contaminated gloves after use following any applicable laws and good laboratory practices.

Wash and dry hands.

Personal Protective Equipment

Body Protection:

Wear impervious clothing. The type of protective equipment

must be selected according to the concentration and amount of the dangerous substance at the workplace.

Personal Protective Equipment

Respiratory Protection:

When risk-assessment shows air-purifying respirators are appropriate use a full-face respirator with a multipurpose combination (US) or type ABEK (EN14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government

standards such as NIOSH (US) or CEN (EU).

Control of Environmental Exposure: Prevent further leakage or spillage if safe and feasible to do

so. Do not let product enter the drains. Discharge into the

environment should be avoided.

# **SECTIONS 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Colored Liquid
Odor: Characteristic

Odor threshold: No data available

Melting Point/ Freezing Point:
No data available
No data available
Initial Boiling Point/ Boiling Range:
No data available





Flash Point: > 60 °C

Evaporation Rate: No data available Flammability (solid, gas): No data available

Upper/Lower Flammability or Explosive Limits: No data available

Vapor Pressure:
Vapor Pressure:
Vapor Density:
No data available

Partial Coefficient, n-0ctanol/water:

Auto-ignition Temperature:

Decomposition Temperature:

No data available

No data available

Viscosity: No data available

Explosive Properties: No data available Oxidizing Properties: No data available

# **SECTIONS 10: STABILITY AND REACTIVITY**

Reactivity: No data available

Chemical Stability: Stable under normal storage conditions

Possibility of Hazardous Reactions: No data available

Conditions to Avoid: Extreme temperatures, flames, sparks
Incompatible Materials: Strong oxidizing agents, chlorates, nitrates

Hazardous Decomposition Products: No data is available. In the event of fire see SECTION 5.

## **SECTIONS 11: TOXICOLOGY INFORMATION**

**ACUTE TOXICITY** 

MIXTURE: No data available

**COMPONENTS:** Ethyl Alcohol; Ethanol CAS 64-17-5

LD50 Oral - Rat - 10,470 mg/kg

Pigment White 6; Titanium Dioxide CAS 13463-67-7

LD50 Oral – Rat - > 10,000 mg/kg LD50 Dermal – Rabbit - > 10,000 mg/kg

Polyvinylpyrrolidone; 1-Ethyl-2-pyrrolidinone homopolymer

LD50 Oral - Rat - 100,000 mg/kg

Glycerin; Glycerol CAS 56-81-5

LD50 Oral - Rat - 12,600 mg/kg

LD50 Dermal - Rabbit - > 10,000 mg/kg

#### SKIN CORROSION/IRRITATION

MIXTURE: No data available

**COMPONENTS:** Ethyl Alcohol; Ethanol CAS 64-17-5

Skin – Rabbit – No skin irritation

Pigment White 6; Titanium Dioxide CAS 13463-67-7

Skin – Human – Mild skin irritation – 3 h

Polyvinylpyrrolidone; 1-Ethyl-2-pyrrolidinone homopolymer

Skin – Rabbit – No skin irritation Glycerin; Glycerol CAS 56-81-5 Skin – Rabbit – Mild skin irritant – 24 h

**SERIOUS EYE DAMAGE/EYE IRRITATION** 

MIXTURE: No data available

Ethyl Alcohol; Ethanol CAS 64-17-5 Eye – Rabbit – Eye irritation – 24 h

Pigment White 6; Titanium Dioxide CAS 13463-67-7

Eyes – Rabbit – No eye irritation

Polyvinylpyrrolidone; 1-Ethyl-2-pyrrolidinonehomopolymer

Eyes - Rabbit - No eye irritation





Glycerin; Glycerol

Eyes - Rabbit - No eye irritation (OECD Test Guideline

405)

RESPIRATORY/SKIN SENSITIZATION

MIXTURE: No data available COMPONENTS: Polyvinylpyrrolidone

Will not occur

**GERM CELL MUTAGENICITY** 

MIXTURE: No data available

**COMPONENTS:** No data available

**CARCINOGENICITY** 

RTECS – Titanium dioxide - Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration: Tumors, Shown in Rat (inhalation). Neoplastic by RTECS criteria. Lymphomas including Hodgkin's disease, Tumors at site of application,

Shown in Rat (intramuscular).

CLP-Regulation - Titanium dioxide - Carc.2; H351

(Inhalation); GHS08, Wng

IARC – No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH – No component of this product present at levels greater than or equal to 0.1% is identifies as a known carcinogen by the American Conference of Governmental

Industrial Hygienists (ACGIH).

NTP EU – No component of this product present at levels greater than or equal to 0.1% is identifies as a known carcinogen by the US National Toxicology Program (NTP). OSHA - No component of this product present at levels greater than or equal to 0.1% is identifies as a known carcinogen by the US Occupational Safety and Health

Administration (OSHA).

EU - No component of this product present at levels greater than or equal to 0.1% is identifies as a known carcinogen by

5

the European Union (EU).

REPRODUCTIVE TOXICITY

MIXTURE: No data available

**COMPONENTS:** No data available

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

MIXTURE: No data available

**COMPONENTS:** No data available

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

MIXTURE: No data available

COMPONENTS: No data available

**ASPIRATION HAZARD** 

**MIXTURE:** No data available

**COMPONENTS:** No data available

**ADDITIONAL INFORMATION:** No data available

#### **SECTIONS 12: ECOLOGICAL INFORMATION**

TOXICITY: No data available

PERSISTENCE AND DEGRADABILITY: No data available

BIOACCUMULATION: No data available MOBILITY ON SOIL: No data available

RESULTS of PBT and vPvB ASSESSMENT: No data available

OTHER ADVERSE EFFECTS: No data available

©COPYRIGHT 2021 LI PIGMENTS. LAST UPDATED: 2024-06-14





## **SECTIONS 13: DISPOSAL CONSIDERATIONS**

WASTE TREATMENT METHOD – PRODUCT: Dispose of product according to local regulations. In most areas this product can be disposed of with normal waste.

WASTE TREATMENT METHOD –

CONTAMINATED PACKAGING: Dispose of as unused product

## **SECTIONS 14: TRANSPORT INFORMATION**

DOT (US): Not a dangerous good

IMDG (Maritime dangerous goods): Not a dangerous good

IATA (International air): Not a dangerous good

ICAO-TI: Not a dangerous good

GEIPOT (Brazil): Not a dangerous good TDG (Canada): Not a dangerous good

RID, ADR, ADNR (Europe): Not a dangerous good

GGVS and GGVE: Not a dangerous good

# **SECTIONS 15: REGULATORY INFORMATION**

SARA 302 COMPONENTS: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 COMPONENTS: The following components are subject to reporting levels

established by SARA Title III, Section 313: Ethyl Alcohol;

6

Ethanol; CAS 64-17-5

SARA 311/312 HAZARDS: There are no hazards that require reporting under SARA Title

III Sections 311 and 312.

## Massachusetts Right to Know Components:

Substance	CAS Number
Ethyl Alcohol; Ethanol	CAS 64-17-5
Glycerin; Glycerol	CAS 56-81-5
Carbon Black; Pigment Black 7;	CAS 1333-86-4/ 7440-44-0
D&C Black No. 2	6/10/1000/00/1/7/1/0/1/1/0

## Pennsylvania Right to Know Components:

Substance	CAS Number
Capataneo	C/ (C ) (dillipo)
Ethyl Alcohol; Ethanol	CAS 64-17-5
Glycerin; Glycerol	CAS 56-81-5
Water	CAS 7732-18-5
Carbon Black; Pigment Black 7;	CAS 1333-86-4/ 7440-44-0
D&C Black No. 2	CAS 1333-60-4/ 1440-44-0
Polyvinylpyrrolidone;	CAS 9003-39-8
1-Ethyl-2-pyrrolidinone homopolymer	CAS 9003-39-6

## New Jersey Right to Know Components:

	Substance	CAS Number
3319	Glycerin;1,2,3-propanetriol; Glycerol	CAS 56-81-5
0342	Carbon Black; Pigment Black 7; D&C Black No. 2	CAS 1333-86-4/ 7440-44-0
0844	Ethyl Alcohol; Ethanol	CAS 64-17-5

#### California Proposition 65 Warning Components:





Substance	CAS Number
Pigment White 6; Titanium Dioxide	CAS 13463-67-7

©COPYRIGHT 2021 LI PIGMENTS. LAST UPDATED: 2024-06-14

7





## **SECTIONS 16: OTHER INFORMATION**

COPYRIGHT: © Copyright 2021 Li Pigments, all rights reserved. Reproductions of these materials can be made as desired for internal use only, but under no circumstances should be altered or sold.

ATTENTION: This information provided in this document is based on our research in the permanent cosmetic industry and is believed to be accurate but may not be all inclusive.

Information provided by Li Pigments is for educational purposes and is not intended as a substitute for professional training or medical advice.

Li Pigments & affiliates shall not be held responsible for any illness or injury that may occur while using these products, nor be held liable for any damages resulting from handling or use of products.

INFORMATION PREPARED BY LI PIGMENTS QUALITY ASSURANCE DEPARTMENT Revision Date: 2024-06-14

©COPYRIGHT 2021 LI PIGMENTS.

LAST UPDATED: 2024-06-14