



SAFETY DATA SHEET

SOFT FX

SECTIONS 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE

Product Name: STANDARD: Soft FX

Company Code: AQ-Standard; TH-1002

Other Means of Identification: Thinner

Recommended Use of Mixture: Clear Liquid intended for use in permanent cosmetics by a trained professional.

Supplier Details

Li Pigments
27 Honeck St
Englewood, NJ 07631
<http://LiPigments.com>

Emergency Phone Number

Chemtrec
US & Canada: 1-(800)-535-5053
International: 1-(353)-323-3500

SECTION 2: HAZARD IDENTIFICATION

Classification of Mixture

Not a hazardous substance or mixture

GHS Label Elements

Not a hazardous substance or mixture

Other Hazards Not Otherwise Classified (HNOC) or Covered by GHS

None

Note: When information for the mixture is not available data is made available for the individual components. Data given for components is for 100% concentration of that component.

SECTION 3: COMPOSITION

Ingredient	Percent	Einecs No.	Cas No.
Water	15-45	215-185-5	7732-18-5
Glycerin	15-45	200-289-5	56-81-5
Isopropyl Alcohol	<30	200-661-7	67-63-0

SECTION 4: FIRST-AID MEASURES

Description of Necessary First Aid Measures

After Inhalation – Move person into fresh air. If not breathing give artificial respiration. Consult a physician.

After Skin Contact – Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If there is any irritation, consult a physician.

After Eye Contact – Rinse opened eye thoroughly for several minutes under running water. Consult a physician.

After Ingestion – Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most Important Symptoms/Effects, Acute and Delayed

None determined. See SECTION 2.2 and SECTION 11 for more information.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

No known special indications. When seeking medical attention in relation to the product, bring this SDS to the physician. No further relevant information available.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Inappropriate Extinguishing Media

No further relevant information.

Specific Hazard Arising from the Mixture

Carbon oxides, silicon oxides.

Specific Protective Actions for Fire-Fighters

Wear self-contained respiratory protection device.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Ensure adequate ventilation. Avoid breathing vapours. Beware of vapour accumulation to form explosive concentrations. Remove all sources of ignition. Wear appropriate personal protective equipment. See SECTION 2 for list of relevant precautionary phrases. See SECTION 8 for personal protective equipment.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains/sewers/surface or ground water.

Methods and Materials for Containment and Cleaning Up

Contain spillage. Ensure adequate ventilation. Absorb large spills with liquid-binding material (sand, diatomite, universal binder, sawdust) and place in an appropriate container. Place container for disposal according to local regulations. Clean area before returning. see SECTION 13 for disposal considerations

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Eating, drinking and smoking in work area is prohibited. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating area. Avoid contact with skin or eyes. Avoid inhalation of vapour or mist. See SECTION 2 for full list of GHS precautionary statements.

Precautions for Safe Storage, Including Any Incompatibilities

Store in original container. Keep container tightly closed in well-ventilated place. Containers once opened must be carefully resealed and kept upright to prevent leakage. Do not fill container with anything. Do not pour material back into container after dispensing. No recommended storage temperature for the mixture but avoid excesses in temperature and store at room temperature when feasible.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Contains no components with occupational control parameters.

Component	CAS Number	Value	Control Parameters	Basis
2-Propanol (AKA Isopropyl Alcohol; Isopropanol)	67-63-0	TWA	200.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nervous System impairment		
		Upper Respiratory Tract irritation		
		Eye irritation		
		Substance for which there is a Biological Exposure Index (see BEI section)		
		Not classifiable as a human carcinogen		
		TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)

		STEL	400 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	400.000000 ppm 980.000000 mg/m3*	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	400.000000 ppm 980.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	500.000000 ppm 1,225.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
*The value in mg/m3 is approximate				

Component	CAS Number	Parameters	Value	Biological Speciment	Basis
2-Propanol (AKA Isopropyl Alcohol; Isopropanol)	67-63-0	Acetone	40.0000 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)

Exposure Controls

Appropriate Engineering Controls

Handle in accordance with good manufacturing practices. Wash hands before break and at the end of workday.

Personal Protective Equipment

Eye/Face Protection – Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin Protection – Handle with gloves. Suitable gloves include latex, nitrile, butyl rubber, neoprene, norfoil, and vitron, depending on extent of contact. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with the product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection – Wear impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the workplace.

Respiratory Protection – When risk-assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of Environmental Exposure - Prevent further leakage or spillage if safe and feasible to do so. Do not let product enter the drains. Discharge into the environment should be avoided.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Liquid
Odour: No data available
Odour threshold: No data available
pH: No data available
Melting Point/ Freezing Point: No data available
Initial Boiling Point/ Boiling Range: No data available
Flash Point: No data available
Evaporation Rate: No data available
Flammability (solid, gas): No data available
Upper/Lower Flammability or Explosive Limits: No data available
Vapour Pressure: No data available
Vapour Density: No data available
Relative Density: No data available
Water Solubility: No data available
Partial Coefficient, n-Octanol/water: No data available
Auto-ignition Temperature: No data available
Decomposition Temperature: No data available
Viscosity: No data available
Explosive Properties: No data available
Oxidizing Properties: No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

No data available

Chemical Stability

Stable under normal storage conditions

Possibility of Hazardous Reactions

No data available

Conditions to Avoid

Extreme temperatures, flames, sparks

Incompatible Materials

Strong oxidizing agents, strong acids, strong bases.

Hazardous Decomposition Products

No data available. In the event of fire see SECTION 5.

SECTION 11: TOXICOLOGY INFORMATION

ACUTE TOXICITY

MIXTURE : No data available

COMPONENTS

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

LD50 Oral – Rat – 5,045 mg/kg Remarks: Behavioral: Altered sleep time (including change in righting reflex). Behavioral: Somnolence (general depressed activity).

LD50 Inhalation – Rat – 8 h – 16000 ppm LD50 Dermal – Rabbit – 12,800 mg/kg

Glycerol AKA Glycerin CAS 56-81-5
LD50 Oral – Rat – 12,600 mg/kg
LD50 Dermal – Rabbit - > 10,000 mg/kg

SKIN CORROSION/IRRITATION

MIXTURE: No data available

COMPONENTS:

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0
Skin – Rabbit – Mild skin irritant
Glycerol AKA Glycerin CAS 56-81-5
Skin – Rabbit – Mild skin irritant – 24 h

SERIOUS EYE DAMAGE/EYE IRRITATION

MIXTURE: No data available

COMPONENTS:

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0
Eye – Rabbit – Eye irritation – 24 h
Glycerol
Eyes – Rabbit – No eye irritation (OECD Test Guideline 405)

RESPIRATORY/SKIN SENSITIZATION

MIXTURE: No data available

COMPONENTS:

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0
No data available
Glycerol
No data available

GERM CELL MUTAGENICITY

MIXTURE: No data available

COMPONENTS:

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0
No data available
Glycerol
No data available

CARCINOGENICITY

IARC – 2-Propanol is listed as not classifiable as to its carcinogenicity in humans (Group 3).

ACGIH – No component of this product present at levels greater than or equal to 0.1% is identified as a known carcinogen by the American Conference of Governmental Industrial Hygienists (ACGIH).

NTP EU – No component of this product present at levels greater than or equal to 0.1% is identified as a known carcinogen by the US National Toxicology Program (NTP).

OSHA - No component of this product present at levels greater than or equal to 0.1% is identified as a known carcinogen by the US Occupational Safety and Health Administration (OSHA).

EU - No component of this product present at levels greater than or equal to 0.1% is identified as a known carcinogen by the European Union (EU).

REPRODUCTIVE TOXICITY

MIXTURE: No data available

COMPONENTS:

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

No data available

Glycerol

No data available

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE

MIXTURE: No data available

COMPONENTS:

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

No data available

Glycerol

No data available

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE

MIXTURE: No data available

COMPONENTS:

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

No data available

Glycerol

No data available

ASPIRATION HAZARD

MIXTURE: No data available

COMPONENTS:

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

No data available

Glycerol

No data available

ADDITIONAL INFORMATION

No data available

SECTION 12: ECOLOGICAL INFORMATION

TOXICITY

No data available for mixture

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

Fish – LC50 – Pimephales promelas – 9,640.00 mg/l – 96 h

Water flea – EC50 – Daphnia magna – 5,102.00 mg/l – 24 h

Immobilization EC50 – D. magna – 6,851 mg/l – 24 h

Algae – Desmodesmus subspicatus - > 2,000.00 mg/l – 72 h

PERSISTENCE AND DEGRADABILITY

No data available for mixture

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

No data available

Glycerol

No data available

BIOACCUMULATION

No data available for mixture

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

No bioaccumulation is expected (log Pow <=4).

Glycerol

No data available

MOBILITY ON SOIL

No data available for mixture

Isopropanol AKA Isopropyl Alcohol CAS 67-63-0

No data available

Glycerol

No data available

RESULTS of PBT and vPvB ASSESSMENT

This product does not contain any substance classified as PBT or vPvB.

OTHER ADVERSE EFFECTS

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHOD

Product – Dispose of product according to local regulations. In most areas this product can be disposed of with normal waste. Excess liquid and combustibles may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging – Dispose of as unused product

SECTION 14: TRANSPORT INFORMATION

DOT (US) – Not a dangerous good

IMDG (Maritime dangerous goods) – Not a dangerous good

IATA (International air) – Not a dangerous good

ICAO-TI – Not a dangerous good

GEIPOT (Brazil) – Not a dangerous good

TDG (Canada) – Not a dangerous good

RID, ADR, ADN (Europe) – Not a dangerous good

GGVS and GGVE – Not a dangerous good

SECTION 15: REGULATORY INFORMATION

SARA 302 COMPONENTS

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 COMPONENTS

The following components are subject to reporting levels established by SARA Title III, Section 313:

2-Propanol CAS 67-63-0

SARA 311/312 HAZARDS

There are no hazards that require reporting under SARA Title III Sections 311 and 312.

Massachusetts Right to Know Components

2-Propanol

CAS 67-63-0

Glycerol

CAS 56-81-5

Pennsylvania Right to Know Components

2-Propanol

CAS 67-63-0

Glycerol

CAS 56-81-5

Water

CAS 7732-18-5

New Jersey Right to Know Component

NJ Substance

Number Component

Other Names

CAS Number

3319

Glycerin

1,2,3-propanetriol; Glycerol

56-81-5

California Prop. 65 Components

Under normal use and storage conditions product does not contain any chemical know to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: OTHER INFORMATION

Copyright 2015 Li Pigments. License granted to make unlimited paper copies for internal use only. The above information is believed to be accurate but may not be all inclusive. Use only as a guide. The information in this document is based on our current knowledge. When information for the mixture is not available data is supplied for the individual components. Data given for components is for 100% concentration of that component. This information is applicable to the product under appropriate use conditions. This is not a guarantee of the properties of the product. Li Pigments and its affiliates shall not be held responsible or liable for any damages resulting from handling or from contact with the above product.

Preparation Information

Li Pigments

QC Department

Creation Date: FEB - 2015

Last Revision: 06/21/2017