
FIRENZE 1962

ARTELINEA S.p.A. – Via dell'Industria 1, loc. S. Barbara, 52022 Cavriglia (AR) – WWW.ARTELINEA.IT

IMPORTANT INFORMATION: HOW TO INSTALL MIRRORS



We will not accept any claims for defective sides or corners in mirrors that have already been installed! Before removing the mirror from its packaging, make sure that the surface on which it will be placed is soft enough. Lay the mirror with extreme caution. The slightest contact of the corners of the mirror with a hard surface inevitably leads to glass chipping.




BEFORE INSTALLING CHECK THE FOLLOWING

Check the mirror for damage BEFORE installing (also under the edge protections and any stickers)!

Is something damaged? DO NOT INSTALL THE MIRROR!

Immediately take some photos (including packaging and any labels) and contact your dealer. Always indicate the serial number shown above.

Hang the mirror <u>only on the supplied device</u> and never on the external frame! Make sure, by moving the mirror sideways, that it is locked in the bracket.



FIRENZE 1962

the sensors photocell.

ARTELINEA S.p.A. – Via dell'Industria 1, loc. S. Barbara, 52022 Cavriglia (AR) – WWW.ARTELINEA.IT

THIS MIRROR HAS A SENSOR SWITCH

Skip if "NO". If "YES" read the following:

SENSOR SWITCH? MIN 15 CM / 5.9 INCHES!

A Do

ſ

There must be a free space of <u>at least 15 cm between</u> <u>the IR photocell</u> of the sensor switch <u>and the next</u> <u>obstacle</u>, otherwise the sensor will be blocked. This means that in these 15 cm there must be no protruding sockets, shelves, walls (...) that prevent free access to

The <u>sensor</u> switch <u>needs to be connected to a per-</u> <u>manent power supply</u>. Simultaneous use with a wall switch or wall dimmer can affect its functioning or cause damage.

If the above needs are not met, the sensor can be excluded from the circuit or the photocell can be repositioned.

Please see our instructions for further information:








BYPASS THE SENSOR SWITCH







FIRENZE 1962

ARTELINEA S.p.A. – Via dell'Industria 1, loc. S. Barbara, 52022 Cavriglia (AR) – WWW.ARTELINEA.IT

THIS MIRROR HAS A DIMMER / SLG Skip if "NO". If "YES" read the following:		No Yes	
SUPERLIGHT - SLG	The dimmer switch is located on the front of the mirror and is represented by a luminous symbol with a diameter of 18 mm.	DIMMER/SLG DEMO https://www.artelinea.it/files/dimmerslg2021.mp4	
A short touch turns the mirror on or off, a long touch (when the mirror is already on) varies the light intensity.			
The Superlight option consists of two separate dimmers, one of which controls the cold light and the other the warm light.			


This product contains a light source of energy efficiency class " E ". [LED BAND]	No	Yes
This product contains a light source of energy efficiency class " G ". [LED DIFFUSION]	No	Yes
Commission Delegated Regulation (EU) 2019/2015 of 11 March 2019 supplementing Regulation (EU) 2017/1369 of the European Parliament and of the Council with regard to energy labelling of light sources and repealing Commission Delegated Regulation (EU) No 874/2012 (Text with EEA relevance.) C/2019/1805		/2015 eli/reg_del/2019/2015/oj

FIRENZE 1962

ARTELINEA S.p.A. – Via dell'Industria 1, loc. S. Barbara, 52022 Cavriglia (AR) – WWW.ARTELINEA.IT

NOTES ON WALL MOUNTING

Hang the mirror <u>only on the supplied device</u> and never on the external frame! Make sure, by moving the mirror sideways, that it is locked in the bracket.



MAINTENANCE AND REMOVAL OF ADHESIVE

- Never use aggressive cleaning agents!
- Never use abrasive products!

• Clean the mirror with a soft cloth and white alcohol. The mirror should always be rubbed with a dry cloth after each cleaning or in case of high humidity to avoid dripping residues on the edges, which can damage the coating in the long run.

• Remove stubborn residue with a cleaning blade.

