



Roca

Liverpool



Liverpool

The soft texture and cool tones offered in this porcelain cement-look series, create a contemporary environment in any space through a variety of formats and finishes.



Liverpool Blanco 24"x48" R UP

Glazed & Polished Porcelain

  24"x48" R - 24"x24" R - 12"x24"R



Liverpool Cinza 24"x24" R



Liverpool Blanco 12"x24" R UP & 24"x48" R UP

Liverpool

Glazed & Polished Porcelain

8.5-10* | | **P** **M** | | **24"x48" R** 60x120 cm | **24"x24" R** 60x60 cm | **12"x24" R** 30x60 cm



Blanco



24"x48" R UP
19607017



24"x48" R PO
19608012



24"x24" R UP
19607019




24"x24" R PO
19608014



12"x24" R UP
19607021



12"x24" R PO
19607015




Cinza



24"x48" R UP
19609011



24"x48" R PO
19609002



24"x24" R UP
19609006




24"x24" R PO
19609008



12"x24" R UP
19609004



12"x24" R PO
19609010



Gris




24"x48" R UP
19608018



24"x48" R PO
19607011



24"x24" R UP
19608020




24"x24" R PO
19607013



12"x24" R UP
19608022



12"x24" R PO
19608016



Grafito



24"x48" R UP
19606016



24"x48" R PO
19606010



24"x24" R UP
19606018



24"x24" R PO
19606012



12"x24" R UP
19606020



12"x24" R PO
19606014

Liverpool

Glazed & Polished Porcelain

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM	
		Polished	Unpolished
Water Absorption	C373	<=0.5%	<=0.5%*
Break Strength	C648	Min 335	Min 335
Scratch Hardness	MOH's Scale	3	5
Chemical Resistance	C650	Unaffected	Unaffected
Frost Resistance	C1026	Resistant	Resistant
Group	See FAQ's	3	4
Deep Abrasion - Unglazed Tiles	C1243	Pass	Pass
PEI Glazed Tiles	C1027	3	-
Minimum Bond Strength (PSI)	C482	165	165
Dynamic Coefficient of Friction (DCOF)	A137.1	<=0.40	>=0.42
Shade and Texture Rating	CTDA "V"	V3	V3
Facial Dimensions	C499	Pass	Pass
Range of Thickness	C499	Pass	Pass
Warpage	C485	Pass	Pass
Wedging	C502	Pass	Pass

Packaging Info

Size	SF per carton	PC per carton
12"x24"	18.94	10
24"x24"	19.05	5
24"x48"	15.28	2