



RECOMMENDATIONS FOR USE - ROCKART MOSAICS

Roca

Guidelines for use of Rockart Mosaics by Roca

Please follow guidelines below to determine appropriate use of the Rockart Marble Mosaics by Roca USA.

RECOMMENDED TRAFFIC

R: Residential: Suitable for residential use. Not recommended for commercial areas.

M/L: Medium/Light Commercial: Suitable for light commercial and residential use.

H: Heavy Commercial: Suitable for most commercial and/or high traffic areas.

N/A: Not recommended for floor use.

STONE CHARACTERISTICS

Group I: Clean stones with no geological imperfections or fissures. Filling or patching is not necessary for these stones.

Group II: Geological imperfections may be evident.

If holes or imperfections are found, they may be filled with epoxy or resin.

Group III: These stones may structural flaws such as holes, voids, or lines of separation. Repairing these stones is considered standard practice.

Group IV: These stones contain larger natural imperfections and require more refinishing over time, yet the same care is required as stones from Group III.

Stone Characteristics serve as a guide to classify thicker stones (Group I & II) from more delicate stones (Group III & IV). Stones defined as Groups III & IV may require care before, during and after installation.

COLOR VARIATION

CV1: Low: Background color is relatively even.

CV2: Medium: Background color contains small variations.

CV3: High: Background color contains distinct variations.

CV4: Random. Varies in color and veining. Laying out the mosaics to blend the different color/veining prior to installation is strongly recommended.

ADDITIONAL CONSIDERATIONS:

- ★ If stone mosaic is sealed and maintained properly, product is recommended for use in interior wet areas. If mosaic is not properly maintained, the stone look could be altered. Please contact your sealer for more information about products that are recommended to protect the stone from moisture exposure.
- ★ Stone mosaic may contain fossils, dry seams, glass veins or pits that are filled at the factory or during installation. These are innate physical characteristics of natural stone. These natural cavities can sometimes lose their fillings and should be refilled as part of regular maintenance.
- ★ Sealing this product is recommended. (Note: Some limestone and tumbled stone needs to be sealed prior to grouting.)
- ★ Since the natural stones may have pores on the surface and through the body, the grout may go into the stone body. It is highly recommended to use a similar color of the grout to that of the stone.

***Polished surfaces are not recommended for floor areas where slip resistance is a concern.



























CONDITIONS OF PURCHASE



























Natural stone products naturally lack consistency and are subject to variation in appearance such as color, shade, finish, etc.; as well as technical characteristics such as hardness, strength, slip resistance, etc.

Please note natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations.

Check local building codes prior to specification or installation to verify that product technical characteristics comply with project requirements.

No warranties, express or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Roca USA Inc.

| ITEM | PHOTOS | FINISH | SIZE | THICKNESS | RECOMMENDED GROUT JOINT | TYPE OF STONE | RECOMMENDED TRAFFIC | STONE CHARACTERISTICS | COLOR VARIATION | INTERIOR/EXTERIOR USE | FLOOR/WALL USE | STONE ORIGIN | ADDITIONAL CONSIDERATIONS |
|-------------|---|----------|---------|-----------|-------------------------|---------------------------------|---------------------|-----------------------|-----------------|-----------------------|----------------|--------------|---|
| USTMHERR001 |  | Polished | 12"x12" | 9/32 | 3/32 | CARRARA | M/L | GROUP I | CV2 | Both | F&W | ITALY |  |
| USTMBSWE002 |  | Polished | 12"x12" | 9/32 | 3/32 | ORIENTAL WHITE | M/L | GROUP I | CV2 | Both | F&W | CHINA |  |
| USTMBSWI003 |  | Polished | 12"x12" | 9/32 | 3/32 | ORIENTAL WHITE / MONGOLIA BLACK | M/L | GROUP I | CV2 | Both | F&W | CHINA |  |
| USTMCBW1003 |  | Polished | 12"x12" | 9/32 | 3/32 | ORIENTAL WHITE | M/L | GROUP I | CV2 | Both | F&W | CHINA |  |
| USTMMFLO004 |  | Polished | 10"x12" | 9/32 | 3/32 | CARRARA / ARISTON | R | GROUP II | CV2 | Both | F&W | ITALY |  |
| USTMSPKE005 |  | Polished | 10"x12" | 9/32 | 3/32 | CARRARA | M/L | GROUP I | CV2 | Both | F&W | ITALY |  |
| USTMROMB006 |  | Polished | 12"x12" | 9/32 | 1/8 | CARRARA | R | GROUP I | CV2 | Both | F&W | ITALY |  |
| USTMRMBS007 |  | Polished | 12"x12" | 9/32 | 3/32 | CARRARA | M/L | GROUP II | CV2 | Both | F&W | ITALY |  |
| USTMCREY008 |  | Polished | 12"x12" | 5/16 | 3/32 | VOLAKAS / SHELL | R | GROUP II | CV2 | Interior | W | ITALY |  |
| USTMNETB009 |  | Polished | 12"x12" | 9/32 | 3/32 | VOLAKAS / MONGOLIA BLACK | R | GROUP I | CV2 | Both | F&W | GREECE CHINA |  |
| USTMNETG010 |  | Polished | 12"x12" | 9/32 | 3/32 | VOLAKAS / CARRARA | R | GROUP I | CV2 | Both | F&W | ITALY GREECE |  |
| USTMCHEV011 |  | Polished | 11"x12" | 9/32 | 3/32 | TASSOS / CARRARA | M/L | GROUP I | CV2 | Both | F&W | ITALY GREECE |  |
| USTMBWHX012 |  | Polished | 9"x12" | 9/32 | 3/32 | ARISTON / MONGOLIA BLACK | R | GROUP II | CV2 | Interior | F&W | GREECE CHINA |  |

| ITEM | PHOTOS | FINISH | SIZE | THICKNESS | RECOMMENDED GROUT JOINT | TYPE OF STONE | RECOMMENDED TRAFFIC | STONE CHARACTERISTICS | COLOR VARIATION | INTERIOR/EXTERIOR USE | FLOOR/WALL USE | STONE ORIGIN | ADDITIONAL CONSIDERATIONS |
|--------------|---|-------------------------------|---------|-----------|-------------------------|---------------------------------|---------------------|-----------------------|-----------------|-----------------------|----------------|-----------------|---|
| FWMGST1001 |  | 28.6% Polished 71.4% Matte | 12"x12" | 1/4 | 1/8 | CARRARA MARBLE / RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA |  |
| FWMGST2005 |  | 28.6% Polished 71.4% Matte | 12"x12" | 1/4 | 1/8 | GRAY MARBLE / RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA |  |
| FWMGST1002 |  | 23% Polished 77% Matte | 12"x12" | 1/4 | 1/8 | CARRARA MARBLE / RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA |  |
| FWMGST2009 |  | 23% Polished 77% Matte | 12"x12" | 1/4 | 1/8 | GRAY MARBLE / RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA |  |
| FWMRGLD001 |  | Matte | 12"x12" | 1/4 | 1/8 | RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA |  |
| FWMRGLD002 |  | Matte | 12"x12" | 1/4 | 1/8 | RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA |  |
| FWMRGLES01 |  | Matte | 12"x12" | 1/4 | 1/8 | RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA |  |
| FWMRGLES02 |  | Matte | 12"x12" | 1/4 | 1/8 | RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA |  |
| USTMCWME011 |  | Polished | 12"x14" | 1/4 | 3/32 | CARRARA WHITE | M/L | GROUP I | CV2 | Both | W | ITALY |  |
| USTMNMME012 |  | Polished | 12"x14" | 1/4 | 3/32 | NERO MARQUINA | M/L | GROUP I | CV2 | Both | W | CHINA |  |
| USTMTAARE013 |  | Polished | 10"x12" | 1/4 | 3/32 | THASSOS | M/L | GROUP I | CV2 | Both | W | ITALY |  |
| USTMNMARE014 |  | Polished | 10"x12" | 1/4 | 3/32 | NERO MARQUINA | M/L | GROUP I | CV2 | Both | W | CHINA |  |
| USTMOVWM01 |  | Polished | 10"x12" | 1/4 | 3/32 | NERO MARQUINA / STAINLESS STEEL | R | GROUP I | CV2 | Interior | F&W | GREECE CHINA |  |

* Mosaics with metal finish are not recommended for fireplace or steam shower installation

| ITEM | PHOTOS | FINISH | SIZE | THICKNESS | RECOMMENDED GROUT JOINT | TYPE OF STONE | RECOMMENDED TRAFFIC | STONE CHARACTERISTICS | COLOR VARIATION | INTERIOR/EXTERIOR USE | FLOOR/WALL USE | STONE ORIGIN | ADDITIONAL CONSIDERATIONS |
|------------|--------|----------|---------|-----------|-------------------------|---------------------------------|---------------------|-----------------------|-----------------|-----------------------|----------------|-----------------|---------------------------|
| USTMTRWM04 | | Polished | 12"x14" | 1/4" | 3/32" | THASSOS / STAINLESS STEEL | R | GROUP I | CV2 | Interior | F&W | CHINA | |
| USTMTRWM05 | | Polished | 12"x14" | 1/4" | 3/32" | NERO MARQUINA / STAINLESS STEEL | R | GROUP I | CV2 | Interior | F&W | CHINA | |
| USTMCHWM06 | | Polished | 9"x9" | 1/4" | 3/32" | THASSOS / STAINLESS STEEL | R | GROUP I | CV2 | Interior | F&W | GREECE | |
| USTMCHWM07 | | Polished | 9"x9" | 1/4" | 3/32" | NERO MARQUINA / STAINLESS STEEL | R | GROUP I | CV2 | Interior | F&W | CHINA | |
| USTHXWM08 | | Polished | 11"x12" | 1/4" | 3/32" | THASSOS / STAINLESS STEEL | M/L | GROUP I | CV2 | Both | F&W | GREECE CHINA | |
| USTOCWM09 | | Polished | 12"x13" | 1/4" | 3/32" | THASSOS / STAINLESS STEEL | R | GROUP I | CV2 | Interior | F&W | GREECE | |
| USTOCWM10 | | Polished | 12"x13" | 1/4" | 3/32" | NERO MARQUINA / STAINLESS STEEL | R | GROUP I | CV2 | Interior | F&W | CHINA | |
| FWMRGLPR01 | | Matte | 12"x12" | 1/4" | 1/8" | RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA | |
| FWMRGLHX01 | | Matte | 12"x12" | 1/4" | 1/8" | RECYCLED GLASS | R | GROUP I | CV2 | Both | F&W | CHINA | |
| USTMHEX011 | | Polished | 12"x12" | 7mm | 2-5mm | CARRARA | M/L | GROUP I | CV2 | Both | F&W | ITALY | |
| USTMSQ022 | | Polished | 12"x12" | 7mm | 2-5mm | CARRARA | M/L | GROUP I | CV2 | Both | F&W | ITALY | |
| USTMPN011 | | Polished | 12"x12" | 7mm | 2-5mm | CARRARA | M/L | GROUP I | CV2 | Both | F&W | ITALY | |
| USTMHEX022 | | Polished | 12"x12" | 7mm | 2-5mm | CARRARA | M/L | GROUP I | CV2 | Both | F&W | ITALY | |
| USTMLNT003 | | Polished | 12"x12" | 7mm | 2-5mm | CARRARA | M/L | GROUP I | CV2 | Both | F&W | ITALY | |

** Mosaics with metal finish are not recommended for fireplace or steam shower installation

For more information visit www.rocatileusa.com/collections/rockart-stone-mosaics/