



103001-T

## Vega 20W

20W LED Flicker Free Track Spot Light


The Vega utilises a new flicker-free driver and anti-glare lens design to help create a healthier lighting environment. With a variety of optical options available, the Vega offers a greater choice and control. Friction based track arm design reduces loose track connections.



103001BW-T  
Black, 3000K  
103001BN-T  
Black, 4000K

103001WW-T  
White, 3000K  
103001WN-T  
White, 4000K

Category	Ceiling Light
Colour / Finish	Black or white
Material	Aluminium
Power	20W
Light Output	1700, 1770 lumens
Colour Temp.	3000K, 4000K
Voltage	200-240V AC
Dimensions (mm)	DIA60 x L185
Dimmable	Yes
Beam Angle	36°
CRI	>80
IP Rating	IP20
Warranty	3 Year Residential



103001-S



## Vega 20W

20W LED Flicker Free Surface Mounted Spot Light


The Vega utilises a new flicker-free driver and anti-glare lens design to help create a healthier lighting environment. With a variety of optical options available, the Vega offers a greater choice and control. Friction based track arm design reduces loose track connections.



103002BW-S  
Black, 3000K  
103002BN-S  
Black, 4000K

103002WW-S  
White, 3000K  
103002WN-S  
White, 4000K

Category	Ceiling Light
Colour / Finish	Black or white
Material	Aluminium
Power	20W
Light Output	1700 lumens
Colour Temp.	3000K
Voltage	200-240V AC
Dimensions (mm)	DIA60 x L185
Dimmable	Yes
Beam Angle	36°
CRI	>80
IP Rating	IP20
Warranty	3 Year Residential





103002-R

## Vega 20W

20W LED Flicker Free Recessed Spot Light

The Vega utilises a new flicker-free driver and anti-glare lens design to help create a healthier lighting environment. With a variety of optical options available, the Vega offers a greater choice and control. Friction based track arm design reduces loose track connections.



103001BW-R  
Black, 3000K  
103001BN-R  
Black, 4000K

103001WW-R  
White, 3000K  
103001WN-R  
White, 4000K

Category	Ceiling Light
Colour / Finish	Black or white
Material	Aluminium
Power	20W
Light Output	1700, 1770 lumens
Colour Temp.	3000K, 4000K
Voltage	200-240V AC
Dimensions (mm)	DIA60 x L185
Cutout (mm)	DIA68
Dimmable	Yes
Beam Angle	36°
CRI	>80
IP Rating	IP20
Warranty	3 Year Residential

