

104315WW

Mavi

9W LED Downlight – Warm White



DESCRIPTION


A hybrid of elegance and flexibility. The Mavi is a surface mounted downlight with an upper and lower body that can be moved and angled in a very dynamic and fluid way.

SPECIFICATIONS

Category	Downlight
Fitting Colour	White
Voltage	120-240V AC
Power	9W
Lumens	643
Colour Temp. (°K)	3000
CRI	>90
Width / Diameter	181mm
Height	63mm
Cutout	NA
CBUS Ready	Yes
Dimmable	No
Beam Angle	38°
IP Rating	IP20
Warranty	3 years



DIMENSIONS



Telephone 1300 LIGHTS

Email sales@lumilighting.com.au

www.lumilighting.com.au

104315WN

Mavi

9W LED Downlight – Natural White



DESCRIPTION


A hybrid of elegance and flexibility. The Mavi is a surface mounted downlight with an upper and lower body that can be moved and angled in a very dynamic and fluid way.

SPECIFICATIONS

Category	Downlight
Fitting Colour	White
Voltage	120-240V AC
Power	9W
Lumens	643
Colour Temp. (°K)	4000
CRI	>90
Width / Diameter	181mm
Height	63mm
Cutout	NA
CBUS Ready	Yes
Dimmable	No
Beam Angle	38°
IP Rating	IP20
Warranty	3 years



DIMENSIONS



Telephone 1300 LIGHTS

Email sales@lumilighting.com.au

www.lumilighting.com.au

104315BW

Mavi

9W LED Downlight – Warm White



DESCRIPTION


A hybrid of elegance and flexibility. The Mavi is a surface mounted downlight with an upper and lower body that can be moved and angled in a very dynamic and fluid way.

SPECIFICATIONS

Category	Downlight
Fitting Colour	Black
Voltage	120-240V AC
Power	9W
Lumens	643
Colour Temp. (°K)	3000
CRI	>90
Width / Diameter	181mm
Height	63mm
Cutout	NA
CBUS Ready	Yes
Dimmable	No
Beam Angle	38°
IP Rating	IP20
Warranty	3 years



DIMENSIONS



Telephone 1300 LIGHTS

Email sales@lumilighting.com.au

www.lumilighting.com.au

104315BN

Mavi

9W LED Downlight – Natural White



DESCRIPTION


A hybrid of elegance and flexibility. The Mavi is a surface mounted downlight with an upper and lower body that can be moved and angled in a very dynamic and fluid way.

SPECIFICATIONS

Category	Downlight
Fitting Colour	Black
Voltage	120-240V AC
Power	9W
Lumens	643
Colour Temp. (°K)	4000
CRI	>90
Width / Diameter	181mm
Height	63mm
Cutout	NA
CBUS Ready	Yes
Dimmable	No
Beam Angle	38°
IP Rating	IP20
Warranty	3 years



DIMENSIONS



Telephone 1300 LIGHTS

Email sales@lumilighting.com.au

www.lumilighting.com.au