

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : 3-Aminobenzotrifluoride

Product Number : FC10-06 Brand : Fluoryx Labs

CAS-No. : 98-16-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Fluoryx Labs

3650 Research Way, #22 Carson City, NV 89706

USA

Telephone : +1 (510) 329-9149 Fax : +1 (510) 686-8799

1.4 Emergency telephone number

Emergency Phone # (CHEMTREC): +1-800-255-3924 (USA)

+01-813-248-0585 (International)

### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 2), H330 Acute

toxicity, Dermal (Category 4), H312

Specific target organ toxicity - repeated exposure (Category 2),

H373 Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H227 Combustible liquid.

H302 + H312 Harmful if swallowed or in contact with skin

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

FC10-06 Page 1 of 8

P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Avoid release to the environment. P273 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P284 Wear respiratory protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER or doctor/ physician. Specific treatment is urgent (see supplemental first aid instructions on P320 this label). P330 Rinse mouth. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1Substances

P501

Synonyms : 3-(Trifluoromethyl)aniline

 $\alpha,\alpha,\alpha$ -Trifluoro-m-toluidine

Formula :  $C_7H_6F_3N$  Molecular weight : 161.12 g/mol CAS-No. : 98-16-8 EC-No. : 202-643-4

## **Hazardous components**

Component	Classification	Concentration
3-Aminobenzotrifluoride		
	Flam. Liq. 4; Acute Tox. 4; Acute Tox. 2; Acute Tox. 4; STOT RE 2; Aquatic Acute 2; Aquatic Chronic 2; H227, H302 + H312, H330, H373, H411	≤ 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

FC10-06 Page 2 of 8

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **5. FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

## Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx), Hydrogen fluoride

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

## **6. ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

FC10-06 Page 3 of 8

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

## Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Colour: light brown

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

FC10-06 Page 4 of 8

Melting point/freezing Melting point/range: 5 - 6 °C (41 - 43 °F) - lit.

187 °C (369 °F) - lit.

point

boiling range

Initial boiling point and

g) Flash point 87 °C (189 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, gas) No data available i)

Upper/lower flammability or explosive limits No data available

No data available k) Vapour pressure Vapour density No data available

1.30 g/cm3 at 25 °C (77 °F) m) Relative density

n) Water solubility No data available No data available o) Partition coefficient: n-

octanol/water p) Auto-ignition

No data available

q) Decomposition temperature

temperature

No data available

Viscosity No data available r) s) Explosive properties No data available Oxidizing properties No data available

#### 9.2 Other safety information

No data available

## 10. STABILITY AND REACTIVITY

#### Reactivity 10.1

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### Conditions to avoid 10.4

Heat, flames and sparks.

#### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - 480 mg/kg

LD50 Dermal - Rabbit - 1,330 mg/kg

Remarks: Behavioral: Somnolence (general depressed activity). Lungs, Thorax, or Respiration: Dyspnea. Prolonged skin contact may cause skin irritation and/or dermatitis.

FC10-06 Page 5 of 8

### Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

## **Aspiration hazard**

No data available

### **Additional Information**

RTECS: XU9180000

Cough, Shortness of breath, Headache, Nausea, Vomiting, May cause cyanosis., prolonged or repeated exposure can cause:, Dizziness

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 2.7 mg/l - 48 h other aquatic

invertebrates

## 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

FC10-06 Page 6 of 8

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2948 Class: 6.1 Packing group: II

Proper shipping name: 3-Trifluoromethylaniline

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2948 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: 3-TRIFLUOROMETHYLANILINE

IATA

UN number: 2948 Class: 6.1 Packing group: II

Proper shipping name: 3-Trifluoromethylaniline

## 15. REGULATORY INFORMATION

### **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III. Section 302: CAS-No. **Revision Date** 

 $\alpha.\alpha.\alpha$ -Trifluoro-m-toluidine 98-16-8 2007-07-01

### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard. Acute Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
$\alpha, \alpha, \alpha$ -Trifluoro-m-toluidine	98-16-8	2007-07-01

# Pennsylvania Right To Know Components

	CAS-No.	Revision Date
$\alpha,\alpha,\alpha$ -Trifluoro-m-toluidine	98-16-8	2007-07-01

# **New Jersey Right To Know Components**

	CAS-No.	Revision Date
$\alpha,\alpha,\alpha$ -Trifluoro-m-toluidine	98-16-8	2007-07-01

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

Full text of H-Statements referred to under sections 2 and 3.

FC10-06 Page 7 of 8 Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Flam. Liq. Flammable liquids
H227 Combustible liquid.
H302 Harmful if swallowed.

H302 + H312 Harmful if swallowed or in contact with skin

H312 Harmful in contact with skin.

H330 Fatal if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

## **HMIS Rating**

Health hazard: 2
Chronic Health Hazard:
Flammability: 2
Physical Hazard 0

# **NFPA Rating**

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0

# **Further information**

Copyright 2016 Fluoryx Labs. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Fluoryx Labs and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

FC10-06 Page 8 of 8