

1 Identification

- **Product identifier**
- **Trade name:** CROSS POWER 4T SAE 10W/60
- **Application of the substance / the mixture**
Engine oil
Only for proper handling.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BUCHER_AG_LANGENTHAL
MOTOREX-Schmiertechnik
Bern-Zürich-Strasse_31__
CH-4901_Langenthal__
Telefon_+41_(0)62_919_75_75

Lube-Tech
Lubrication Technologies, Inc.
900 Mendelssohn Avenue North
US-55427 Golden Valley, Minnesota
Phone: 001 763 417 1357
- **Information department:** msds@motorex.com
- **Emergency telephone number:**
Toxicological Information Centre
CH-8028 Zurich
info@toxi.ch
T. +41 (0)44 251 51 51
USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Repr. 2

H361 Suspected of damaging fertility or the unborn child.



GHS07

Skin Sens. 1

H317 May cause an allergic skin reaction.

Aquatic Acute 3

H402 Harmful to aquatic life.

Aquatic Chronic 3

H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07



GHS08

Safety Data Sheet


acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 4T SAE 10W/60

(Contd. of page 1)


- **Signal word** Warning
- **Hazard-determining components of labeling:**
Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts
- **Hazard statements**
H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves.
P273 Avoid release to the environment.
P272 Contaminated work clothing must not be allowed out of the workplace.
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P302+P352 IF ON SKIN: Wash with plenty of water.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**

 - Health = 0
 - Fire = 1
 - Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

CAS: 112-41-4	dodec-1-ene Flam. Liq. 4, H227	50-70%
CAS: 64742-54-7 Reg.nr.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic  Asp. Tox. 1, H304	5-10%

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 4T SAE 10W/60

(Contd. of page 2)

CAS: 8042-47-5 Reg.nr.: 01-2119487078-27	Mineralöl ☠ Asp. Tox. 1, H304	1-2.5%
CAS: 84605-29-8 Reg.nr.: 01-2119493626-26	Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts ☠ Eye Dam. 1, H318; ☠ Aquatic Chronic 2, H411; ☠ Skin Irrit. 2, H315; Aquatic Acute 2, H401	1-2.5%
CAS: 70024-69-0 Reg.nr.: 01-2119492616-28	Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts ☠ Skin Sens. 1, H317	0.25-1%
CAS: 121158-58-5 Reg.nr.: 01-2119513207-49	p-Dodecylphenol ☠ Repr. 2, H361; ☠ Aquatic Acute 1, H400; ☠ Aquatic Chronic 1, H410; ☠ Skin Irrit. 2, H315; ☠ Eye Irrit. 2A, H319	0.1-0.25%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
Remove residues with soap and water.
Remove contaminated clothing immediately.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water.
Consult a physician if irritation develops.
- **After swallowing:**
Do not induce vomiting. Do not take in resorption stimulating agents.
Consult a physician who will decide on need and method of emptying the stomach.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
In case of fire carbon, sulphur and phosphorus oxides can be formed.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 4T SAE 10W/60

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Do not heat above flash point.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store containers closed and protect against rain, dust, heat and other atmospheric influences.
Keep receptacle tightly sealed.
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 4T SAE 10W/60

(Contd. of page 4)

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Fluid
Color:	Dark yellow
Odor:	Characteristic
Odor threshold:	Not determined.

- **pH-value:** Not determined.

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

- **Flash point:** > 200 °C (> 392 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 255 °C (491 °F) (DIN 51794)

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

- **Vapor pressure:** < 0.1 hPa (20 °C)

- **Density at 20 °C (68 °F):** 0.863 g/cm³ (7.202 lbs/gal) (ASTM D 4052)

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 4T SAE 10W/60

(Contd. of page 5)

· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	168.3 mm ² /s @ 40 °C (DIN 51562-1)
VOC content:	0.0 g/l / 0.00 lb/gl
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- on the skin:** No irritant effect.
- on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 4T SAE 10W/60

(Contd. of page 6)

- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR,ADN, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT, ADR,ADN, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · Transport hazard class(es) · DOT, ADR,ADN, ADN, IMDG, IATA · Class | Void |
| <ul style="list-style-type: none"> · Packing group · DOT, ADR,ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: | No |
| <ul style="list-style-type: none"> · Special precautions for user | Not applicable. |
| <ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. |
| <ul style="list-style-type: none"> · UN "Model Regulation": | Void |

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 4T SAE 10W/60

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):
--

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):
--

122-39-4 diphenylamine

· TSCA (Toxic Substances Control Act):

112-41-4	dodec-1-ene
26401-35-4	DTDA
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic
8042-47-5	Mineralöl
84605-29-8	Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts
70024-69-0	Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts
36878-20-3	Reaction products of Benzeneamine, N-phenyl- with nonene (branched)
91273-04-0	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine
597-82-0	O,O,O-Triphenylthiophosphat
122-39-4	diphenylamine
106-20-7	bis(2-ethylhexyl)amine
288-88-0	1,2,4-triazole

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:
--

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
--

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)
--

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

122-39-4 diphenylamine	A4
--------------------------	----

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National chemical directories
--

Components listed or exempted from listing:

EINECS/ELINCS/NLP (EU)

TSCA (USA)

DSL/NDSL (CDN)

ENCS/METI (J)

AICS (Aus)

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 4T SAE 10W/60

(Contd. of page 8)

IECSC (CN)
ECL/KECI (KOR)
HSNO (NZ)
PICCS (RP)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Abteilung Produktsicherheit

· **Date of preparation / last revision** 03/22/2016 / -

· **Abbreviations and acronyms:**

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Repr. 2: Reproductive toxicity, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2

Aquatic Acute 3: Hazardous to the aquatic environment - AcuteHazard, Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

US