

Printing date 03/22/2016

Reviewed on 03/22/2016

1 Identification

- · Product identifier
- · Trade name: FORMULA 2T
- Application of the substance / the mixture Engine oil Only for proper handling.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:

BUCHER_AG_LANGENTHAL MOTOREX-Schmiertechnik Bern-Zürich-Strasse_31__ CH-4901_Langenthal__ Telefon_+41_(0)62_919_75_75

Lube-Tech Lubrication Technologies, Inc. 900 Mendelssohn Avenue North US-55427 Golden Valley, Minnesota Phone: 001 763 417 1357

· Information department: <u>msds@motorex.com</u>

• Emergency telephone number: Toxicological Information Centre CH-8028 Zurich <u>info@toxi.ch</u> T. +41 (0)44 251 51 51 USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

Safety Data Sheet acc. to OSHA HCS

2 Hazard(s) identification

- *Classification of the substance or mixture* The product is not classified according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: FORMULA 2T

vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

| Dangerous components: | | |
|---|---|----------|
| CAS: 64742-47-8 | Hydrocarbons, C11-C14, n-alkanes, isoalkanes, | 10-25% |
| | cycloalkanes, <2% aromatics | |
| | 🚸 Asp. Tox. 1, H304; Flam. Liq. 4, H227 | |
| CAS: 64742-54-7 | Distillates (petroleum), hydrotreated heavy | 2.5-7.5% |
| Reg.nr.: 01-2119484627-25 | paraffinic | |
| | 🕹 Asp. Tox. 1, H304 | |

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Remove residues with soap and water. Remove contaminated clothing immediately.
- After eye contact: Rinse opened eye for several minutes under running water. Consult a physician if irritation develops.

• After swallowing: Do not induce vomitting. Do not take in resorption stimulating agents. Consult a physician who will decide on need and method of emptying the stomach.

- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. • Special hazards arising from the substance or mixture
- In case of fire carbon, sulphur and nitrogen oxides can be formed.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: FORMULA 2T

(Contd. of page 2)

Reference to other sections

No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Vapours of this product are heavier than air and will collect in low areas such as pits, storage tanks, and other confined areas. No special measures required.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:

• **Requirements to be met by storerooms and receptacles:** Containers of product should be stored and opened in well ventilated areas away from ignition sources.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store containers closed and protect against rain, dust, heat and other atmospheric influences.
- · Storage class: 10
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

(Contd. of page 3)

Trade name: FORMULA 2T

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

| Information on basic physical and chemical properties | | |
|---|---|--|
| · General Information | | |
| · Appearance: Form: | Fluid | |
| Color: | Green | |
| · Odor: | Characteristic | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| • | | |
| · Change in condition | l la determine d | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| · Flash point: | 120 °C (248 °F) | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Ignition temperature: | > 260 °C (> 500 °F) (DIN 51794) | |
| · Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapor pressure at 20 °C (68 °F): | 1 hPa (1 mm Hg) | |
| · Density at 20 °C (68 °F): | 0.861 g/cm³ (7.185 lbs/gal) (ASTM D 4052) | |
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| · Partition coefficient (n-octanol/wate | r): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | 58.5 mm²/s @40 °C (DIN 51562-1) | |
| VOC content: | 25.0 % | |
| | 215.3 g/l / 1.80 lb/gl | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 5)

Printing date 03/22/2016

Reviewed on 03/22/2016

(Contd. of page 4)

3 2B

Trade name: FORMULA 2T

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Other easily oxidised non-ferrous metals.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1330-20-7 xylene

100-41-4 ethylbenzene

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

LIS

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: FORMULA 2T

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

| · UN-Number · DOT, ADR,ADN, ADN, IMDG, IATA | Void |
|---|--------------------------|
| · UN proper shipping name · DOT, ADR,ADN, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR,ADN, ADN, IMDG, IATA · Class | Void |
| · Packing group · DOT, ADR,ADN, IMDG, IATA | Void |
| Environmental hazards: Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| Transport in bulk according to Annex I MARPOL73/78 and the IBC Code | ll of Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

| None of the | e ingredients is listed. | |
|--------------|--|--|
| · Section 31 | 3 (Specific toxic chemical listings): | |
| 1330-20-7 | xylene | |
| 100-41-4 | ethylbenzene | |
| · TSCA (Tox | ic Substances Control Act): | |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic | |
| 9003-29-6 | Polybuten (Isobutylen-/Buten-Copolymer) | |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic | |
| 64742-55-8 | Distillates (petroleum), hydrotreated light paraffinic | |
| 1330-20-7 | xylene | |
| 100-41-4 | ethylbenzene | |
| 34590-94-8 | (2-methoxymethylethoxy)propanol | |

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: FORMULA 2T

| | (Contd. of page 6) |
|--|--------------------|
| · Proposition 65 | |
| · Chemicals known to cause cancer: | |
| 100-41-4 ethylbenzene | |
| · Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |
| · Carcinogenic categories | |
| · EPA (Environmental Protection Agency) | |
| 1330-20-7 xylene | 1 |
| 100-41-4 ethylbenzene | D |
| TLV (Threshold Limit Value established by ACGIH) | |
| 1330-20-7 xylene | A4 |
| 100-41-4 ethylbenzene | A3 |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |
| National chemical directories Components listed or exempted from listing: EINECS/ELINCS/NLP (EU) TSCA (USA) DSL/NDSL (CDN) ENCS/METI (J) AICS (Aus) IECSC (CN) ECL/KECI (KOR) HSNO (NZ) PICCS (RP) | |
| · Chemical safety assessment: A Chemical Safety Assessment has not bee | en carried out. |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Produktsicherheit
- · Date of preparation / last revision 03/22/2016 / -
- · Abbreviations and acronyms:

Flam. Liq. 4: Flammable liquids, Hazard Category 4 Asp. Tox. 1: Aspiration hazard, Hazard Category 1