

## 1 Identification

- **Product identifier**
- **Trade name:** RACING BRAKE FLUID
- **Application of the substance / the mixture**  
Brake fluid  
Only for proper handling.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BUCHER\_AG\_LANGENTHAL  
MOTOREX-Schmiertechnik  
Bern-Zürich-Strasse\_31\_\_  
CH-4901\_Langenthal\_\_  
Telefon\_+41\_(0)62\_919\_75\_75  
  
Lube-Tech  
Lubrication Technologies, Inc.  
900 Mendelssohn Avenue North  
US-55427 Golden Valley, Minnesota  
Phone: 001 763 417 1357
- **Information department:** [msds@motorex.com](mailto:msds@motorex.com)
- **Emergency telephone number:**  
Toxicological Information Centre  
CH-8028 Zurich  
[info@toxi.ch](mailto:info@toxi.ch)  
T. +41 (0)44 251 51 51  
USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.  
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07



GHS08

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/12/2016

Reviewed on 04/12/2016

**Trade name: RACING BRAKE FLUID**

(Contd. of page 1)

- **Signal word** Warning

- **Hazard-determining components of labeling:**

2,2'-oxybisethanol

2-(2-methoxyethoxy)ethanol

- **Hazard statements**

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear eye protection / face protection.

P264 Wash thoroughly after handling.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = \*2

Fire = 1

Reactivity = 0

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 143-22-6 Reg.nr.: 01-2119531322-53	2-[2-(2-butoxyethoxy)ethoxy]ethanol Eye Dam. 1, H318	10-25%
CAS: 111-46-6 Reg.nr.: 01-2119457857-21	2,2'-oxybisethanol STOT RE 2, H373; Acute Tox. 4, H302	5-10%
CAS: 111-77-3 Reg.nr.: 01-2119475100-52	2-(2-methoxyethoxy)ethanol Repr. 2, H361; Flam. Liq. 4, H227	1-2.5%

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/12/2016

Reviewed on 04/12/2016

**Trade name: RACING BRAKE FLUID**

(Contd. of page 2)

CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	1-2.5%
Reg.nr.: 01-2119475104-44	Eye Irrit. 2, H319	

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Remove residues with soap and water.  
Remove contaminated clothing immediately.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Do not induce vomiting. Do not take in resorption stimulating agents.  
Consult a physician who will decide on need and method of emptying the stomach.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/12/2016

Reviewed on 04/12/2016

**Trade name: RACING BRAKE FLUID**

See Section 13 for disposal information.

(Contd. of page 3)

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
 Ensure good ventilation/exhaustion at the workplace.  
 Open and handle receptacle with care.  
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
 Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
 Store in cool, dry well ventilated area away from sources of ignition and heat.  
 This product is hygroscopic.  
 Keep receptacle tightly sealed.
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
 The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
 At this time, the other constituents have no known exposure limits.

<b>111-46-6 2,2'-oxybisethanol</b>	
WEEL	Long-term value: 10 mg/m <sup>3</sup>
<b>112-34-5 2-(2-butoxyethoxy)ethanol</b>	
TLV	Long-term value: 67.5* mg/m <sup>3</sup> , 10* ppm *Inhalable fraction and vapor

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing.  
 Wash hands before breaks and at the end of work.  
 Store protective clothing separately.  
 Avoid contact with the eyes.  
 Avoid contact with the eyes and skin.
- **Breathing equipment:**  
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/12/2016

Reviewed on 04/12/2016

**Trade name: RACING BRAKE FLUID**

(Contd. of page 4)

**· Protection of hands:**


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**


safety goggles

## 9 Physical and chemical properties

**· Information on basic physical and chemical properties**
**· General Information**
**· Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Amber colored
<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	Not determined.

**· pH-value at 20 °C (68 °F):** 7.5 (DIN 51369)

**· Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	>300 °C (>572 °F) (DIN EN ISO 3405)
<b>Setting temperature / range:</b>	<-50 °C

**· Flash point:** >140 °C (>284 °F)

**· Flammability (solid, gaseous):** Not applicable.

**· Ignition temperature:** 203 °C (397 °F) (DIN 51794)  
203 °C (DIN 51794)

**· Decomposition temperature:** Not determined.

**· Auto igniting:** Product is not selfigniting.

**· Danger of explosion:** Product does not present an explosion hazard.

**· Explosion limits:**

**Lower:** Not determined.

(Contd. on page 6)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/12/2016

Reviewed on 04/12/2016

Trade name: RACING BRAKE FLUID

(Contd. of page 5)

<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	1.08 g/cm <sup>3</sup> (9.013 lbs/gal) (ASTM D 4052)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic at 20 °C (68 °F):</b>	22 mm <sup>2</sup> /s (DIN 51562-1)
<b>VOC content:</b>	12.9 %
	139.3 g/l / 1.16 lb/gl
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.
- **Additional information:** The product is stable but hygroscopic

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The sweet taste can seduce children to drink large quantities; hence keep out of reach of children.  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 7)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/12/2016

Reviewed on 04/12/2016

**Trade name: RACING BRAKE FLUID**

(Contd. of page 6)

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** Biodegradability (OECD 302 B): >70 %
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water*  
*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

### 14 Transport information

- |                                                                                                                                                               |                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, ADR,ADN, ADN, IMDG, IATA</b></li> </ul>                                          | Void            |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT, ADR,ADN, ADN, IMDG, IATA</b></li> </ul>                            | Void            |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT, ADR,ADN, ADN, IMDG, IATA</b></li> <li>· <b>Class</b></li> </ul> | Void            |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, ADR,ADN, IMDG, IATA</b></li> </ul>                                           | Void            |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>                                         | No              |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> </ul>                                                                       | Not applicable. |

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/12/2016

Reviewed on 04/12/2016

**Trade name: RACING BRAKE FLUID**

(Contd. of page 7)

- |                                                                                   |                 |
|-----------------------------------------------------------------------------------|-----------------|
| <b>· Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Not applicable. |
| <b>· UN "Model Regulation":</b>                                                   | Void            |

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol
----------	-------------------------------------

111-77-3	2-(2-methoxyethoxy)ethanol
----------	----------------------------

112-34-5	2-(2-butoxyethoxy)ethanol
----------	---------------------------

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Abteilung Produktsicherheit

- **Date of preparation / last revision** 04/12/2016 / -

- **Abbreviations and acronyms:**

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 4: Acute toxicity – Category 4

(Contd. on page 9)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 04/12/2016

Reviewed on 04/12/2016

**Trade name: RACING BRAKE FLUID**

(Contd. of page 8)

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*  
*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*  
*Repr. 2: Reproductive toxicity – Category 2*  
*STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2*

US