

## 1 Identification

- **Product identifier**
- **Trade name:** TOP SPEED 4T SAE 15W/50
- **Application of the substance / the mixture**  
Engine oil  
Only for proper handling.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BUCHER\_AG\_LANGENTHAL  
MOTOREX-Schmiertechnik  
Bern-Zürich-Strasse\_31\_\_  
CH-4901\_Langenthal\_\_  
Telefon\_+41\_(0)62\_919\_75\_75  
  
Lube-Tech  
Lubrication Technologies, Inc.  
900 Mendelssohn Avenue North  
US-55427 Golden Valley, Minnesota  
Phone: 001 763 417 1357
- **Information department:** msds@motorex.com
- **Emergency telephone number:**  
Toxicological Information Centre  
CH-8028 Zurich  
info@toxi.ch  
T. +41 (0)44 251 51 51  
USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington, VA 22209)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/15/2016

Reviewed on 04/15/2016

Trade name: TOP SPEED 4T SAE 15W/50

(Contd. of page 1)

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

|                           |  |      |
|---------------------------|--|------|
| CAS: 64742-54-7           | Distillates (petroleum), hydrotreated heavy paraffinic | 1-3% |
| Reg.nr.: 01-2119484627-25 | Asp. Tox. 1, H304                                      |      |

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Remove residues with soap and water.  
Remove contaminated clothing immediately.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:**  
Consult a physician who will decide on need and method of emptying the stomach.  
Do not induce vomiting. Do not take in resorption stimulating agents.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
In case of fire carbon, sulphur and nitrogen oxides can be formed.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

US

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/15/2016

Reviewed on 04/15/2016

**Trade name: TOP SPEED 4T SAE 15W/50**

(Contd. of page 2)

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap.  
No special measures required.
- **Information about protection against explosions and fires:**  
Do not heat above flash point.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Store containers closed and protect against rain, dust, heat and other atmospheric influences.
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

US

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/15/2016

Reviewed on 04/15/2016

Trade name: TOP SPEED 4T SAE 15W/50

(Contd. of page 3)

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

|                 |                 |
|-----------------|-----------------|
| Form:           | Fluid           |
| Color:          | Green           |
| Odor:           | Characteristic  |
| Odor threshold: | Not determined. |

· **pH-value:** Not determined.

· **Change in condition**

|                              |               |
|------------------------------|---------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |

· **Flash point:** >200 °C (>392 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** > 260 °C (> 500 °F) (DIN 51794)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

|        |                 |
|--------|-----------------|
| Lower: | Not determined. |
| Upper: | Not determined. |

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 0.863 g/cm<sup>3</sup> (7.202 lbs/gal) (ASTM D 4052)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

|              |  |
|--------------|--|
| Dynamic:     | Not determined.                              |
| Kinematic:   | 138 mm <sup>2</sup> /s @ 40 °C (DIN 51562-1) |
| VOC content: | 0.1 g/l / 0.00 lb/gl                         |

· **Other information** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

· **Conditions to avoid** No further relevant information available.

· **Incompatible materials:** No further relevant information available.

(Contd. on page 5)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/15/2016

Reviewed on 04/15/2016

**Trade name: TOP SPEED 4T SAE 15W/50**

(Contd. of page 4)

· **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** No irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

|           |              |    |
|-----------|--------------|----|
| 1330-20-7 | xylene       | 3  |
| 100-41-4  | ethylbenzene | 2B |

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/15/2016

Reviewed on 04/15/2016

Trade name: TOP SPEED 4T SAE 15W/50

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

|  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT, ADR,ADN, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT, ADR,ADN, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, ADR,ADN, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>   | Void            |
| · <b>Packing group</b>   |                 |
| · <b>DOT, ADR,ADN, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | Void            |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

|           |               |
|-----------|---------------|
| 122-39-4  | diphenylamine |
| 1330-20-7 | xylene        |
| 100-41-4  | ethylbenzene  |

- **TSCA (Toxic Substances Control Act):**

|            |   |
|------------|---|
| 72623-87-1 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based                  |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic                                |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic                                |
| 36878-20-3 | Reaction products of Benzeneamine, N-phenyl- with nonene (branched)                   |
| 84605-29-8 | Phosphorodithioic acid, mixed O,O-bis (1,3-diethylbutyl and iso-Pr)esters, zinc salts |
| 122-39-4   | diphenylamine   |
| 1330-20-7  | xylene  |
| 100-41-4   | ethylbenzene  |
| 34590-94-8 | (2-methoxymethylethoxy)propanol   |

(Contd. on page 7)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 04/15/2016

Reviewed on 04/15/2016

**Trade name: TOP SPEED 4T SAE 15W/50**

(Contd. of page 6)

· **Proposition 65**

· **Chemicals known to cause cancer:**

|          |              |
|----------|--------------|
| 100-41-4 | ethylbenzene |
|----------|--------------|

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

|           |        |   |
|-----------|--------|---|
| 1330-20-7 | xylene | I |
|-----------|--------|---|

|          |              |   |
|----------|--------------|---|
| 100-41-4 | ethylbenzene | D |
|----------|--------------|---|

· **TLV (Threshold Limit Value established by ACGIH)**

|          |               |    |
|----------|---------------|----|
| 122-39-4 | diphenylamine | A4 |
|----------|---------------|----|

|           |        |    |
|-----------|--------|----|
| 1330-20-7 | xylene | A4 |
|-----------|--------|----|

|          |              |    |
|----------|--------------|----|
| 100-41-4 | ethylbenzene | A3 |
|----------|--------------|----|

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National chemical directories** Components listed or exempted from listing:

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Abteilung Produktsicherheit

· **Date of preparation / last revision** 04/15/2016 / -

· **Abbreviations and acronyms:**

Asp. Tox. 1: Aspiration hazard – Category 1

US