



# GENERAL TOOLING

Recommended Start Up Tooling:  
**CABINETS & DRILL  
BLOCK**



**CNC FACTORY**

**DeLuca Tool**




**BL16001**

**Cabinet Tool & Drill Block Package**

**\$1,875- SAVE OVER \$235**

CNC Part#:	Qty:	Price (each):	Tooling Specs:	Tooling Details:
TN11101 C5422-K	5	\$82.50	Deluche 3/8" ICE Compression bit	Main bit used for cutting cabinets up to 7/8" thickness. Great top and bottom finish. Good for dado's 3/8"+. Keep at least 3 spares. 3/8" shank size. This Deluche bit is guaranteed for life*
TN47801 D5422-K	2	\$61.50	Deluche 3/8" ICE Down Cut bit	Used for dados up to 7/8" deep. Used commonly to dado or blind dado 5/8" or 3/4" cabinet sides, decks and 1/2" slide in backs. Good top finish. Recommended stock: 1 spare. 3/8" shank size. This Deluche bit is guaranteed for life*
TN65201 C5352-K	3	\$64.50	Deluche 1/4" ICE Compression bit	Used for smaller dados up to 5/8" deep. Used with drawer box dados and 1/4" slide in backs. Good top finish. Recommended stock: 2 spares. 1/4" shank size. This Deluche bit is guaranteed for life*
TN42501 D5352-K	3	\$39.80	Deluche 1/4" ICE Down Cut bit	Used for smaller dados in material up to 5/8" thickness. Used with drawer box dados and slide in backs. Good top finish. Recommended stock: 2 spares. 1/4" shank size. This Deluche bit is guaranteed for life*
TN20401 C5645-K	2	114.20	Deluche 1/2" ICE Compression Bit	Used for cutting material up to 1-5/8" thickness. Good top and bottom finish. Recommended stock: 1 spare. 1/2" shank size. This Deluche bit is guaranteed for life*
TN10501	8	\$26.10	Deluche 5mm 3 Flute brad-point drill bit 70mm, Right	Drilling shelf holes and alignment holes for hardware installation. A must have for most cabinet shops. Recommended stock: 1 spare. 10mm shank size. If using a drill block, order a total of 6 right and 5 left rotation. This Deluche bit is guaranteed for life alignment
TN10601	6	\$26.10	Deluche 5mm, 4 Flute brad-point drill bit 70mm, Left	Drilling shelf holes and alignment holes for hardware installation. A must have for most cabinet shops. Recommended stock: 1 spare. 10mm shank size. If using a drill block, order a total of 6 right and 5 left rotation. This Deluche bit is guaranteed for life alignment
TN66101	2	\$29.50	Deluche 8mm, 4 Flute brad-point drill bit 57mm, Right	Drilling shelf holes and alignment holes for hardware installation. A must have for most cabinet shops. Recommended stock: 1 spare. 10mm shank size. If using a drill block, order a total of 6 right and 5 left rotation. This Deluche bit is guaranteed for life alignment
TN66201	2	\$29.50	Deluche 8mm, 4 Flute brad-point drill bit 57mm, Left	Drilling shelf holes and alignment holes for hardware installation. A must have for most cabinet shops. Recommended stock: 1 spare. 10mm shank size. If using a drill block, order a total of 6 right and 5 left rotation. This Deluche bit is guaranteed for life alignment



## BL16001

## Cabinet Tool & Drill Block Package

**\$1,875- SAVE OVER \$235**

CNC Part#:

Qty:

Price (each):

Tooling Specs:

Tooling Details:

TN26851	1	\$ 159.00	1.5" Deluche 3-Head Fly Cutter	Spoil board cutter also known as fly-cutter or pocketing. A perfect size that's allows tool measuring without offsets. You must have a spoil board cutter if you're going to use vacuum to insure level cutting. 1/2" shank size.
TN38801	4	\$23.50	1/4" ER32 Collet	Collet is used in supplied tool holder for 1/4" shank size bits. Popular size and proactive to keep extra around for extra tooling requiring 1/4" shank size.
TN39001	2	\$23.50	3/8" ER32 Collet	Collet is used in supplied tool holder for 3/8" shank size bits.
TN38901	5	\$24.50	1/2" ER32 Collet	Collet is used in supplied tool holder for 1/2" shank size bits. Popular size and good idea to keep extra around for extra tooling requiring 1/2" shank size.
TN39101	2	\$24.50	3/4" ER32 Collet	Collet is used in supplied tool holder for 3/4" shank size bits.
TN38001	1	\$23.93	ER32 10mm Collet	Collet is used in supplied tool holder for 10mm shank size bits.
TN65441	1	\$59.00	ISO 32Cleaning Rod	Tool cleaning rod for ISO32 a perfect maintenance and cleaning of your CNC router or machining centers tapered tooling. Increased life machines, cutting tools and holders.

\*\* 5mm Brad Point can be changed to 1/4" right brad point, TN33401 & TN33501, at no charge.

