




V2 Traxxas Sweeper

ASSEMBLY INSTRUCTIONS

FOR BANDIT, RUSTLER, AND SLASH



To Our Valued Customer:

Thank you for your purchase from Five Star Hobbies. We are a small business with a goal to make high quality items that our customer can enjoy. We also want to thank all of you, the customer, for believing in us and spending your hard earned money on our products.

We are constantly looking for ways to improve our products and customer support. ALL constructive criticism is always welcome. Also, if you have an issues with your product or maybe you just have a question, there are many places to go get help. If you are on Facebook, you can check out our group page. It is called Five Star Hobbies Breakout and Street Sweeper Group. We also have our own Facebook page called Five Star Hobbies. You can message us through Facebook, but we do not monitor Facebook messages as closely as we would like because of our busy schedule. If you need Immediate assistance or have questions, pleas call the store at 531-867-3301. We have helpful staff at the store that will be happy to help. If they do not have the answer, they will find it for you and call you back. Here is our contact information:

Five Star Hobbies
10935 Emmet St.
Omaha, NE 68164

Phone: 531-867-3301
Email: sales@fivestarthobbies.com
www.fivestarthobbies.com

Sincerely,
Jared Baker
Jared Baker
Owner



To complete your V2 AE Sweeper build in "SLIDER" form, you will need the following items:

Part Number	Description Of Product	Quantity
KIT61003	V2 Traxxas Sweeper Kit	1
	Traxxas Slash	1

Popular items to change on your "SLIDER" are these items:

Part Number	Description Of Product	Quantity
5460X	Traxxas GTR Shocks	1
6070-00	Proline Body Mount Kit	1
3288	Custom Works Adjustable Toe Rear Arms	1

To complete your V2 AE Sweeper build, you will need the following items:

Description Of product	Quantity
Front Wheels	2
Front Tires	2
Rear wheels	2
Rear Tires	2
Servo	1
Transmitter	1
Receiver	1
Electronic Speed Controller	1
Motor	1
Pinion Gear	1
Spur Gear	1
Body and Paint	1
Front Body Posts	2
Rear Body Posts	2
Shock Oil Of Choice	1

We also have many optional parts available at our website. www.fivestarthobbies.com Here are some links:

[Five Star hobbies](#)
[BREAKOUT OPTIONAL UPGRADES](#)

Bag 1		
Part Number	Description	Quantity
61178	Traxxas V2 Chassis Side Rails	2
61181	3mm Carbon Fiber Traxxas Transmission Riser Plate	1
3x10mm FH	Chassis to Side Rails	10
3mm Lock Nuts	Chassis to Side Rails	10

Place the 4mm transmission riser plate onto the chassis. Align the transmission assembly and fasten with the stock Traxxas hardware. Once tight, Install the two side rails with (5) 3x10mm FH and lock nuts on each side of the chassis.

***The side rails have two holes that are closer together, this will go toward the rear of the chassis. They also have a slight curve. Make sure your holes align.**






Bag 2		
Part Number	Description	Quantity
2715	Traxxas Servo mount	1
50005	Servo Plate	1
61179	Printed Upper Bumper Mount	1
25mm Standoff	Chassis to Servo Plate	2
25mm Modified Standoff	Steering Bellcrank	2
2mm Spacers	Servo Plate	4
3x10mm FH	Chassis to Standoff	4
3x10mm BH	Servo Plate to Standoffs	4
4x25mm FH	Upper Bumper Mount to Bulkhead	2

Remove the bushings out of the Traxxas steering bellcrank. Insert the (2) 25mm modified standoffs inside the barrell of the bellcrank. Replace the bushings back into the steering bellcrank around the standoff. Replace the shims onto the top of the 25mm modified standoffs. Align the steering bellcrank to the center holes of the servo plate. Insert a 2mm shim between the bellcrank and the servo plate and tighten with a 3x10mm BH screw.

Install the servo mounts and servo onto the servo plate. Attach the turnbuckle linking the servo to the bellcrank.

Position the servo plate over the bulkhead and install the printed upper bumper mount with the provided (2) 4x25mm FH screws. Attach (2) 25mm standoffs at the rear of the servo plate with a 2mm spacer and 3x10mm BH from the top.

Flip the front end assembly over and place the two remaining shims onto the lower section of your steering bellcrank.



Bag 3		
Part Number	Description	Quantity
61003	Front Bumper	1
61004	Front Mid Bumper	1
61180	V2 Traxxas Printed Bumper Mount (Lower)	1
3x10mm BH	Mid Bumper Mount	4
3x16mm BH	Upper Bumper Mount To Lower	2
3x25mm BH	Mid Bumper Mount	2
3mm Lock Nut	Bumper Mount and mid bumper mount	4
3mm washer	Mid Bumper to Lower bumper Mount.	2
4x12mm BH	Printed Bumper Mount to Bulkhead	4

Install the printed lower bumper mount onto the bulkhead with (4) 4x12mm BH screws into the bulkhead and (2) 3x16mm BH through the upper bumper mount.

Position the mid bumper to the rear of the bumper mount and insert (2) 3x10mm BH screws in the rear and (2) 3x25mm BH screws in the front. Use the provided 3mm washers and 3mm lock nuts to secure the 3x25mm BH holding the front of the mid bumper.

Finally attach the bumper to the mid bumper with (2) 3x10mm BH and (2) 3mm lock nuts.



V2 Traxxas Sweeper Pick List

<u>Part #</u>	<u>Description</u>	<u>Quantity</u>
2715	Servo Mount	1
50005	Servo Plate	1
61003	Front Bumper	1
61004	Mid Bumper	1
61177	V2 Traxxas Sweeper Chassis	1
61178	V2 Traxxas Sweeper Chassis Rail	2
61179	V2 Traxxas Sweeper Printed Bumer Mount (Upper)	1
61180	V2 Traxxas Printed Bumper Mount (Lower)	1
61181	V2 Traxxas CF Transmission Riser	1
	3x10 BH	8
	3x14 BH	2
	3x25 BH	2
	4x10 BH	4
	3x10 FH	14
	4x25 FH	2
	3mm Locknut	14
	3mm Washer	2
	2mm Spacers	4
	25mm Standoff	2
	25mm Modified Standoff	2