UIAN MATERIAL SAFETY DATA SHEET

PRODUCT NAME

UIAN 925WR & 925WR/CL EMULSIONS (UN#1760 BASED ON DIAZO)

SECTION I						
Manufacturer's Name ULANO CORPORATION	Emergency Telephone Number CHEMTREC: (800)424-9300 or (703)527-3887					
Address (Number, Street,)		Telephone Number for Information				
110 THIRD AVENUE		(718)237-4700 Fax#: (718)802-1119				
(City, State, ZIP Code) BROOKLYN, NY. 11217	7	Date Prepared <i>May 23, 200</i>	7			
Signature of Preparer (optional)		May 23, 200				
	SECTION I	I - Ingredien	ts/Identity I	nformation		
(Specific Chemical Identity; Com	nmon Name(s))					
Ingredients	C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type	
WATER	7732-18-5	NOT ESTAB	NOT ESTAB	~35%		
POLYVINYL ACETATE	9003-20-7	NOT ESTAB	NOT ESTAB	>35%	NON HAZARDOUS	
POLYVINYL ALCOHOL	9002-89-5	NOT ESTAB	NOT ESTAB	<10%	NON HAZARDOUS	
TSRN 80100215-5000P	TRADE SECRET	NOT ESTAB	NOT ESTAB		SLIGHT IRRITANT	
	CONTAIN SARA TITLE III, S		ORTABLE MA	IERIAL		
	BASED ON PRODUCT COMPORTS ARE NOT MANUFACTURED W			55-1 OP CLASS-11 OZ		
ULANO I RODUC					ONE DEI LETING CHEMICAES.	
Dell'es Delet	SECTION III			aracteristics		
Boiling Point 212+°F			fic Gravity (H ₂ 0=´ -1.08	1)		
Vapor Pressure (mm Hg.)			ng Point			
N.A.		N.A.				
Vapor Density (AIR=1)			pration Rate (H ₂	0=1)		
N.A.			PROX. 1 🕺 🗍			
Solubility in Water						
DILUTABLE						
Appearance and Odor PURPLE OR WHITE VIS	COUS LIQUID					
	SECTION IV - I	FIRE AND EX		HAZARD DAT	Α	
Flash Point (Method Used)	Flammable Limit	S	LEL		UEL	
N.A.	N.A.	N.A.		N.A		
Extinguishing Media	•	•				
NON-FLAMMABLE						
Special Fire Fighting Procedures TREAT SURROUNDING						
Unusual Fire and Explosion Haz						
NONE KNOWN						
SECTION V - Reactivity Data						
		Unstable		Stab	le	
Stability					X	
Conditions to Avoid AFTER SENSITIZING, EXPOSURE TO LIGHT WILL CAUSE THICKENING						
Incompatibility (Material to Avoid	4)					
NONE KNOWN						
Hazardous Decomposition or By NONE KNOWN	products					
		May Occur		Will	Not Occur	
Hazardous Polymerization					X	
Conditions to Avoid	Į			<u> </u>		
NONE KNOWN						
HMIS H	ealth [1] Flamm	nability [0]	Reactivity [0] Pers	onal Protection [A]	

	SECTION VI	- Health Hazard Data	
	Inhalation?	Skin?	Ingestion?
Route(s) of Entry	NO	NO	NO
Health Hazards (<i>Acute and Chronic</i>) NONE KNOWN		•	•
	NTP?	IARC Monographs?	OSHA Regulated?
Carcinogenicity:	NO	NO	NO
Signs and Symptoms of Exposure NONE KNOWN			
Medical Condition Generally Aggravate	ed by Exposure		
Emergency and First Aid Procedures <u>EYES:</u> FLUSH WITH LARGE	QUANTITIES OF WATER FOR	R AT LEAST 15 MINUTES. CO	NTACT A PHYSICIAN.
		tions for Safe Handling a	and Use
Steps to be taken in case Material is R SMALL SPILLS MAY BE WAS	SHED DOWN DRAIN. LARGE	SPILLS SHOULD BE ABSORI	BED ONTO SUITABLE MEDIA.
Waste Disposal Method DISPOSE OF MEDIA IN ACCO	ORDANCE WITH STATE AND	LOCAL REGULATIONS.	
Precautions to be Taken in Handling a NONE KNOWN	nd Storing		
Other Precautions NONE KNOWN			
	SECTION V	III - Control Measures	
Respiratory Protection (Specify Type) NONE			
Local Exhaust	Mechanical (General)	<u>Ventilation</u> Special	Other
	X		
Protective Gloves		Eye Protection	
NONE		NONE	
Other Protective Clothing or Equipmer APRON TO AVOID STAINING			
Work / Hygienic Practices			
NONE			

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF ULANO CORP. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

UIAN MATERIAL SAFETY DATA SHEET

PRODUCT NAME

ULANO® DIAZO SENSITIZER SYRUP UN1760

		SE				
Manufacturer's Name	anufacturer's Name Emergency Telephone Number					
Address (Number, Street,)	O CORPORATION CHEMTREC: (800)424-9300 or (703)527-3887 (Number, Street,) Telephone Number for Information					
110 THIRD AVENUE		(718)237	-4700 Fax# :(718)802-1119		
(City, State, ZIP Code) BROOKLYN, NY. 11217		Date Prepar May 23, 2				
Signature of Preparer (optional)		may 23, 2	.007			
		<u></u>				
(Specific Chamical Identity: Common N		CTION II - Ingredi	ents/Identit	y Information		
(Specific Chemical Identity; Common Na	ame(s))					
Ingredients	C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type	
PHOSPHORIC ACID UN1805	7664-38-2	1mg/m ³	1mg/m ³	51%	CORROSIVE	
THE ABOVE CHEMICAL IS REPO				•••		
P-DIAZO DIPHENYLAMINE SULFATE PARAFORMALDEHYDE	4477-28-5 30525-89-4	NOT SET NOT SET	NOT SET NOT SET	<mark>>40%</mark> ∼5%	NON HAZARDOUS IRRITANT	
	00020 00 4	NOTOLI	NOTOLI			
VOC CONTENT = < 0.1% (BASED						
ULANO PRODUCTS ARE					DZONE DEPLETING CHEMICALS.	
Boiling Point	SEC	TION III - Physical			<u> </u>	
SLOW DECOMPOSITION AT 2	244°F		pecific Gravity (H ₂ . 5	0=1)		
Vapor Pressure (mm Hg.)		Ν	lelting Point			
N.A. Vapor Density (AIR=1)			.A.			
N.A.			vaporation Rate($\Pi_2^{(0=1)}$		
Solubility in Water						
SOLUBLE Appearance and Odor						
DARK BROWN SYRUP						
	SECTIO	ON IV - FIRE AND	EXPLOSIO	N HAZARD DA	ТА	
Flash Point (Method Used)		nmable Limits	LEL	1	UEL	
N.A. Extinguishing Media	N.A.	N	.A.	N.	Α.	
NON-FLAMMABLE						
Special Fire Fighting Procedures						
CORROSIVE; WEAR PROTEC Unusual Fire and Explosion Hazards	TIVE CLOTH	HING				
NONE KNOWN						
		SECTION V	- Reactivity	Data		
		Unstable	j		able	
Stability					X	
Conditions to Avoid EXPOSURE TO LIGHT WILL C	AUSE DEC					
			20 01101			
Incompatibility (Material to Avoid)						
MOST METALS AND STRONG Hazardous Decomposition or Byproduct		5				
NONE KNOWN	5					
		May Occur		W	/ill Not Occur	
Hazardous Polymerization Conditions to Avoid					X	
HEAT AND LIGHT						
HMIS Health [2]	Flammability [0]	Reactivit	y[1] Pe	ersonal Protection [C]	

SECTION VI - Health Hazard Data					
	Inhalation?	Skin?	Ingestion?		
Route(s) of Entry		X	X		
Health Hazards (Acute and Chronic)					
MAY CAUSE IRRITATION TO	SKIN.				
	NTP?	IABC Managrapha?	OSHA Regulated?		
Carcinogenicity:	NIP? NO	IARC Monographs?	NO		
Signs and Symptoms of Exposure		NO			
IRRITATION OR BURNING SE	NSATION ON SKIN OR EYES				
Medical Condition Generally Aggravated	by Exposure				
Emergency and First Aid Procedures <u>SKIN:</u> WASH EXPOSED ARE/ LEAST 15 MINUTES. <u>INGEST</u> CALL A PHYSICIAN IMMEDIA	<u>TON:</u> RINSE MOUTH WITH V				
	SECTION VII - Precau	tions for Safe Handling	and Use		
Steps to be taken in case Material is Re					
CONTAIN SPILL. WEAR PRO		WITH LARGE QUANTITIES	OF WATER.		
ABSORB WITH NEUTRALIZIN	G MEDIA.				
Waste Disposal Method					
		NTS, DISPUSE OF ABSORB	ED MATERIAL IN ACCORDANCE		
WITH STATE AND LOCAL REG	JULATIONS.				
Precautions to be Taken in Handling and	1 Storing				
AVOID EXPOSURE TO LIGHT		WITH METALS AND STRONG	CAUSTICS USE WITH		
ADEQUATE VENTILATION. DO					
Other Precautions NONE KNOWN					
SECTION VIII - Control Measures					
Respiratory Protection (Specify Type) NONE					
		Ventilation			
Local Exhaust	Mechanical (General)	Special	Other		
	X				
Protective Gloves Eye Protection					
RUBBER GLOVES NIOSH APPROVED GOGGLES WITH SIDE SHIELDS					
Other Protective Clothing or Equipment					
SYNTHETIC APRON Work / Hygienic Practices					
USE PROTECTIVE EQUIPMEN	IT AND HANDLE WITH CARE				

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF ULANO CORP. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

UIANO MATERIAL SAFETY DATA SHEET

PRODUCT NAME ULANO® COLOR ADDITIVE FOR 925WR/CL

		<u> </u>				
Manufacturer's Name		Emergency Telephone Number				
ULANO CORPORATI Address (Number, Street,)	UN		REC: (800)424. Number for Inform	-9300 or (703)527	-3887	
110 THIRD AVENUE		•	7-4700 Fax# :(
(City, State, ZIP Code)	047	Date Prepa	ared			
BROOKLYN, NY. 11 Signature of Preparer (optio		May 23,	2007			
		ECTION II - Ingred	ients/Identit	y Information		
(Specific Chemical Identity;	Common Name(s))					
Ingredients	C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type	
C.I. PIGMENT VIOLET 2			NOT SET	50%	NON HAZARDOUS	
PROPYLENE GLYCOL	000057-5	5-6 NOT SET	NOT SET	12%	NON HAZARDOUS	
WATER						
VOC CONTENT = < 0.1% ULANO PROD			THEY CONTAIN C	CLASS-I OR CLASS-II	OZONE DEPLETING CHEMICALS.	
		CTION III - Physica				
Boiling Point			Specific Gravity (H ₂			
212+°F			APPROX. 1			
Vapor Pressure (mm Hg.) N.A.			Melting Point			
Vapor Density (AIR=1) N.A.		Evaporation Rate (H ₂ 0=1) APPROX. 1				
Solubility in Water DISPERSIBLE						
Appearance and Odor ODORLESS PURPLE	VISCOUS LIQUID					
	SECT	ION IV - FIRE AND	EXPLOSIO	N HAZARD DA	TA	
Flash Point (Method Used)	Fla	ammable Limits	LEL		UEL	
N.A.	N.A.	1	N.A.	N	I.A.	
Extinguishing Media						
Special Fire Fighting Proced TREAT SURROUNDI	NG FIRE					
Unusual Fire and Explosion	Hazards					
		SECTION V	- Reactivity	Data		
Stability		Unstable		S	table	
Stability Conditions to Avoid					X	
EXPOSURE TO HIGH	I HEAT					
Incompatibility (Material to A NONE KNOWN	,					
Hazardous Decomposition of EMITS TOXIC FUMES						
Hazardous Polymerization	٦	May Occur		V	Vill Not Occur	
Conditions to Avoid				Į	X	
NONE KNOWN HMIS	Health [1]	Flammability [0]	Reactivit		ersonal Protection [A]	

SECTION VI - Health Hazard Data						
Route(s) of Entry	Inhalation?	Skin?	Ingestion?			
Health Hazards (Acute and Chronic)	NO	YES	YES			
ACUTE: MAY CAUSE EYE O	R SKIN IRRITATION.					
		BEEN REPORTED TO CAUSE CEN				
DEPRESSION WHEN ADMINI		EEN REPORTED TO BE AN IN				
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?			
Signs and Symptoms of Exposure		NO	NO			
REDNESS OF SKIN OR BURN	JING OF EYES.					
Medical Condition Generally Aggravate CAN CAUSE BIRTH DEFECT						
CAN CAUSE BIRTI DELECT	S IN HOMANS.					
Emergency and First Aid Procedures						
		CALL A PHYSICIAN. <u>SKIN:</u> W				
		ON DEVELOPS. INGESTION:	IF PERSON IS CONSCIOUS,			
GIVE WATER OR MILK TO DI	LUTE STOMACH CONTENTS.	CONSULT A PHYSICIAN.				
		ions for Safe Handling an	d Use			
Steps to be taken in case Material is R		NT. CONTAIN SPILL, VENTILA				
ABSORB SPILL ONTO APPR						
Waste Disposal Method						
DISPOSE OF MEDIA IN ACCO	DRDANCE WITH STATE AND L	OCAL REGULATIONS				
Precautions to be Taken in Handling ar	nd Storing					
NONE KNOWN	0					
Other Precautions WASH HANDS AFTER USING						
	WASH HANDS AT TER USING MATERIAL					
SECTION VIII - Control Measures						
Respiratory Protection (Specify Type)						
	L CARTRIDGE RESPIRATOR	WHEN TLV IS EXCEEDED.				
Ventilation						
Local Exhaust	Mechanical (General)	Special	Other			
X	<u> </u>					
Protective Gloves Eye Protection CHEMICAL RESISTANT GLOVES NIOSH APPROVED SAFETY GLASSES						
Other Protective Clothing or Equipment						
PROTECTIVE APRON						
Work / Hygienic Practices						
WASH HANDS AFTER USING MATERIAL						

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF ULANO CORP. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

PAGE-2 (925 WR/CL COLOR ADDITIVE)