Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier	
Product Name	• Pro-Tac
Product Description	White liquid.
1.2 Relevant identified u	uses of the substance or mixture and uses advised against
Relevant identified use(s)	Adhesive
1.3 Details of the suppli	er of the safety data sheet
Manufacturer for	 Lawson Screen & Digital Products 5110 Penrose St. St. Louis, MO 63115 United States www.lawsonsp.com info@golawson.com
Telephone (General) • (314) 382-9300

1.4 Emergency telephone number

Chemtrec

- 1-800-424-9300 Within USA and Canada
- +1 703-527-3887 Outside USA and Canada (collect calls accepted)

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

2.1 Classification of the substance or mixture

CLP

Specific Target Organ Toxicity Repeated Exposure 2 - H373

2.2 Label Elements

CLP

WARNING



Hazard statements • H373 - May cause damage to organs - Kidney/Nephrotoxin through prolonged or repeated exposure via Inhalation
Precautionary
statements

Prevention •	P260 - Do not breathe dust, fume, gas, mist, vapours and/or spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response •	 P301+P312 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 - Get medical advice/attention if you feel unwell.

Storage/Disposal	• P501 - Dispose of content and/or container in accordance with local, regional, national,
	and/or international regulations.

2.3 Other Hazards

CLP

• No data available

UN GHS

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2.1 Classification of the substance or mixture

- **UN GHS**
- Specific Target Organ Toxicity Repeated Exposure 2

2.2 Label elements

UN GHS

WARNING



Hazard statements •	May be harmful if swallowed May cause damage to organs - Kidney/Nephrotoxin through prolonged or repeated exposure via Inhalation
Precautionary statements	
Prevention •	Do not breathe dust, fume, gas, mist, vapours and/or spray. Wear protective gloves/protective clothing/eye protection/face protection.
Response •	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
Storage/Disposal •	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3 Other hazards UN GHS •	No data available

United States (US) According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012• Specific Target Organ Toxicity Repeated Exposure 22.2 Label elementsOSHA HCS 2012

WARNING



	•
Hazard statements •	May be harmful if swallowed May cause damage to organs - Kidney/Nephrotoxin through prolonged or repeated exposure via Inhalation
Precautionary statements	
Prevention •	Do not breathe dust, fume, gas, mist, vapours and/or spray. Wear protective gloves/protective clothing/eye protection/face protection.
	Pro-TacSafety Data Sheet Page 2 of 10

Response •	 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell.
Storage/Disposal •	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
2.3 Other hazards	
OSHA HCS 2012	No data available

2.4 Other information



See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Poly(oxy-1,2-ethanediyl), .alpha (nonylphenyl)omegahydroxy-, branched	CAS: 68412-54-4	1% TO 5%		UN GHS: EU CLP: OSHA HCS 2012:	NDA
1,2-Propanediol	CAS:57-55-6 EC Number:200- 338-0 EINECS:200- 338-0	1% TO 5%	Ingestion/Oral-Rat LD50 • 20 g/kg Skin-Rabbit LD50 • 20800 mg/kg	UN GHS: Skin Irrit. 3; Eye Irrit. 2A EU CLP: OSHA HCS 2012:	NDA

European Chemicals Agency – Candidate List of Substances of Very High Concern for Authorization

• Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-, branched, CAS #68412-54-4; (4-Nonylphenol, branched and linear, ethoxylated); listed 2013/06/20; 1-5%.

Key to abbreviations

= See Section 16 for full text of R and S phrases.

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call 911 or emergency medical service.
- Skin

Eye

- IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion
 If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Rinse mouth. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Antidotes • No data available.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media	 SMALL FIRES: Dry chemical, CO2, water spray or regular foam. LARGE FIRE: Water spray, fog or regular foam.
Unsuitable Extinguishing Media	No data available
Firefighting Procedures	 Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep unauthorized personnel away. Ventilate closed spaces before entering. LARGE FIRES: Use extinguishing agent suitable for type of surrounding fire.
5.2 Special hazards	arising from the substance or mixture
Unusual Fire and Explosion Hazards	 Some of these materials may burn, but most do not ignite readily.
Hazardous Combustion Products	 Products of combustion include: carbon oxides (COx).

5.3 Advice for firefighters

 Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
 Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
 Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal Precautions Do not touch or walk through spilled material. Ventilate enclosed areas.
 - No emergency procedures are expected to be necessary if material is used under ordinary conditions as recommended. Use normal clean up procedures.

6.2 Environmental precautions

Emergency Procedures

• LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Use appropriate Personal Protective Equipment (PPE) Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

6.4 Reference to other sections

• Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

• Use good safety and industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Storage

 Store away from extreme heat. Do not freeze. Keep container closed when not in use.

· Local exhaust is recommended but not required. Provide adequate

7.3 Specific end use(s)

• Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	Australia	Canada Ontario	Ireland	New Zealand	Norway
1,2-Propanediol (57-55-6)	TWAs	150 ppm TWA (total vapour and particulates); 474 mg/m3 TWA (total vapour and particulates); 10 mg/m3 TWA (particulates only)	10 mg/m3 TWA (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present, aerosol only); 50 ppm TWA (aerosol and vapor); 155 mg/m3 TWA (aerosol and vapor)	150 ppm TWA (total vapour and particulates); 470 mg/m3 TWA (total vapour and particulates); 10 mg/m3 TWA (particulate)	150 ppm TWA (particulates and vapour); 474 mg/m3 TWA (particulates and vapour); 10 mg/m3 TWA (particulates only)	25 ppm TWA; 79 mg/m3 TWA
Exposure Limits/Guidelines (Con't.)						
	Result South Africa					
1,2-Propanediol (57-55-6)			TWAs		ulate and vapour); 470 ur); 10 mg/m3 TWA (pa	

8.2 Exposure controls

Engineering Measures/Controls

Personal Protective Equipment Pictograms



ventilation as necessary.

Respiratory	 In case of insufficient ventilation, wear suitable respiratory equipment.
Eye/Face	 Wear protective eyewear (goggles, face shield, or safety glasses).
Hands	 Wear protective gloves - rubber or neoprene.
Skin/Body	 Wear protective clothing - apron or other impervious body coverings.
General Industrial Hygiene Considerations	 Handle in accordance with good industrial hygiene and safety practice.
Environmental Exposure Controls	No data available

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Physical Form	Liquid	Color	White
Odor	Slight acrylic odor.	Odor Threshold	No data available
General Properties			
Boiling Point	100 C(212 F)	Melting Point/Freezing Point	0 C(32 F)
Decomposition Temperature		рН	4.3
Specific Gravity/Relative Density	= 1.03 Water=1	Water Solubility	Dispersible
Explosive Properties	Not relevant	Oxidizing Properties:	Not relevant

Vapor Pressure		Vapor Density	
Evaporation Rate	< 1 n-Butyl Acetate = 1	Volatiles (Wt.)	38.5 %
Flammability			
Flash Point	> 200 F(> 93.3333 C)	UEL	
LEL		Autoignition	Not relevant
Flammability (solid, gas)	Not relevant		
Environmental			
Half-Life	No data available	Octanol/Water Partition coefficient	No data available
Coefficient of water/oil distribution	No data available	Bioaccumulation Factor	No data available
Bioconcentration Factor	No data available	Biochemical Oxygen Demand BOD/BOD5	No data available
Chemical Oxygen Demand	No data available	Persistence	No data available
Degradation	No data available		

9.2 Other Information

• No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

• Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

• Hazardous polymerization will not occur.

10.4 Conditions to avoid

• Avoid freezing. Excess heat.

10.5 Incompatible materials

• No data available

10.6 Hazardous decomposition products

• No decomposition is expected under normal storage and use conditions. Hazardous decomposition products formed under fire conditions - carbon oxides (COx).

Section 11 - Toxicological Information

11.1 Information on toxicological effects

		Components
1,2-Propanediol (1% TO 5%)	57-55- 6	Acute Toxicity: Ingestion/Oral-Rat LD50 • 20 g/kg; Skin-Rabbit LD50 • 20800 mg/kg; Irritation: Eye-Rabbit • 100 mg • Mild irritation; Skin-Human • 104 mg 3 Day(s)-Intermittent • Moderate irritation

GHS Properties	Classification
Respiratory sensitization	EU/CLP• OSHA HCS 2012• UN GHS•
Serious eye damage/Irritation	EU/CLP• OSHA HCS 2012• UN GHS•
Acute toxicity	EU/CLP• OSHA HCS 2012• UN GHS•

Aspiration Hazard		OSHA HCS 2012• UN GHS•				
		EU/CLP•				
Carcinogenicity		EU/CLP• OSHA HCS 2012•				
- 3 9		UN GHS•				
		EU/CLP•				
Skin corrosion/Irritation		OSHA HCS 2012•				
		UN GHS•				
Skin sensitization						
Shin Sensillaliun		OSHA HCS 2012• UN GHS•				
		EU/CLP•Specific Target Organ Toxicity Repeated Exposure 2				
STOT-RE		OSHA HCS 2012•Specific Target Organ Toxicity Repeated Exposure 2				
		UN GHS•Specific Target Organ Toxicity Repeated Exposure 2				
STOT-SE		OSHA HCS 2012• UN GHS•				
		EU/CLP•				
Toxicity for Reproduction		OSHA HCS 2012•				
		UN GHS•				
		EU/CLP•				
Germ Cell Mutagenicity		OSHA HCS 2012• UN GHS•				
Target Organs	Kidney/Nephro	otoxin				
Route(s) of entry/exposure	 Inhalation 					
Potential Health Effects						
Inhalation						
Acute (Immediate)	 May cause mill 					
Chronic (Delayed)	 Repeated and 	I prolonged exposure may cause irritation.				
Skin						
Acute (Immediate)	 May cause mill 	Id irritation.				
Chronic (Delayed)	 Repeated and 	l prolonged exposure may cause irritation.				
Еуе						
Acute (Immediate)	 May cause irri 	tation.				
Chronic (Delayed)	 Repeated and 	I prolonged exposure may cause irritation.				
Ingestion						
Acute (Immediate)	 No data availa 	able				
Chronic (Delayed)	 No data availa 	able				
Mutagenic Effects	 No known sigr 	nificant effects or critical hazards.				
Carcinogenic Effects	 No known sigr 	nificant effects or critical hazards.				
Reproductive Effects	 No known sign 	nificant effects or critical hazards.				

Section 12 - Ecological Information

12.1 Toxicity

Component	CAS	Data	Comments
1,2-Propanediol (1% TO 5%)	5/-55-6	Crustacea: 48 Hour(s) EC50 Water Flea 1000 mg/L; Fish: 96 Hour(s) LC50 Fish 710 mg/L [Fresh water]	

12.2 Persistence and degradability

• No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in Soil

No data available

12.5 Results of PBT and vPvB assessment

• No data available

12.6 Other adverse effects

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

 Dispose of content in accordance with local, regional, national, and/or international regulations.

Packaging waste

• Dispose of container in accordance with local, regional, national, and/or international regulations.

13.2 Other Information

· Dispose of wastes in an approved waste disposal facility.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
IMO/IMDG	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

14.6 Special precautions for user

None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.8 Other information

• Not relevant.

DOT • Not regulated.

- IMO/IMDG Not regulated.
- IATA/ICAO Not regulated.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Chronic

	State Right To Know					
Component	CAS	NJ	PA			
1,2-Propanediol	57-55-6	Yes	Yes			
Poly(oxy-1,2- ethanediyl), .alpha (nonylphenyl)- .omegahydroxy-, branched	68412-54- 4	No	No			

			Inventory	1		
Component	CAS	Australia AICS	Canada DSL	China	EU EINECS	Japan ENCS
1,2-Propanediol	57-55-6	Yes	Yes	Yes	Yes	Yes

Poly(oxy-1,2- ethanediyl), .alpha 68 (nonylphenyl)- 4 .omegahydroxy-, branched	3412-54-	Yes		Yes		Yes		No		Yes	
		_		Inv	entory (Con't.)					
Component	CA	s	Korea			w Zealand	P	hilippines PIC	cs	TSCA	
,2-Propanediol	57-55-6		Yes		Yes		Yes			Yes	
Poly(oxy-1,2- ethanediyl), .alpha (nonylphenyl)- omegahydroxy-, oranched	68412-5	54-4	Yes		Yes		Yes			Yes	
Australia											
Labor Australia - High V •Poly(oxy-1,2-ethal •1,2-Propanediol Australia - List of •Poly(oxy-1,2-ethal •1,2-Propanediol	nediyl), .al Designat	pha(n ed Haz	onylphenyl)c	omegahydr tances - Cl	assificati	on		68412-54-4 57-55-6 68412-54-4 57-55-6	Not Self (par	Listed Classification required triculates only or total our and particulates)	
Canada											
Labor											
Canada - WHMIS	- Classific	ations	of Substanc	es							
 Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahyd 1,2-Propanediol 			oxy-, brar	iched		68412-54-4 57-55-6	classification criteria Uncontrolled product according to WHMIS				
Canada - WHMIS - Ingredient Disclosure List •Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr •1,2-Propanediol			oxy-, brar	iched		68412-54-4 57-55-6	classification criteria 4 Not Listed 1 %				
Environment								0.000	1 70		
Canada - Council	of Minist	ers of t	he Environm	ent - Water	Quality (Guidelines for	Freshw	ater Aquatic L	ife		
•Poly(oxy-1,2-etha					-			68412-54-4		Listed	
•1,2-Propanediol								57-55-6		000 µg/L (listed under	
									Glyo	cols)	
Europe											
Other											
EU - Endocrine D •Poly(oxy-1,2-ethat •1,2-Propanediol	nediyl), .al	pha(n	onylphenyl)c	omegahydr	oxy-, brar	iched		68412-54-4 57-55-6		up III Chemical Listed	
EU - Export and I	mport Res	strictio	ns (649/2012)) - Chemica	ls Qualify	ing for PIC No	otificati	on	P	and on a	
•Poly(oxy-1,2-etha	nediyl), .al	pha(n	onylphenyl)c	omegahydr	oxy-, brar	iched		68412-54-4	54-4 Banned as a pesticide; 54-4 Severe restriction as an industrial chemical		
•1,2-Propanediol	mnort De	triation	no (640/0040)	Chamie-	la Cubia -	t to Evnert N-	tification	57-55-6	Not	Listed	
•Poly(oxy-1,2-etha					-		anicati(68412-54-4	Severe restriction as an industrial chemical for professional use; Banner 54-4 a pesticide in the group of plant protection products Banned as other pesticide		
1 2-Propagadia								57-55-6		uding biocides Listed	
1,2-Propanediol								57-55-6	INOT	LISTED	

Germany

Environment

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes •Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-, branched

68412-54-4 Not Listed

Pro-Tac Safety Data Sheet

Page **9** of **10**

•1,2-Propanediol	57-55-6	ID Number 280, hazard class 1 - low hazard to waters
Japan		
Environment Inventory - Japan - Industrial Safety and Health Law Substances (ISHL) •Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-, branched •1,2-Propanediol	68412-54-4 57-55-6	Not Listed 2-(8)-321, 2-(8)-323
Other Japan - Chemical Substance Control Law (CSCL) - Examined Existing Chemical Substa •Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-, branched •1.2-Propanediol	nces 68412-54-4 57-55-6	Not Listed Readily biodegradable
Japan - Fire Service Law - Hazardous Materials		, ,
 Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-, branched 1,2-Propanediol 	68412-54-4 57-55-6	Not Listed Group 4 - Flammable liquids III (listed under 3rd Class
Japan - Japanese Pharmacopoeia Listing - Synthetics		petroleums - soluble)
 Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydroxy-, branched 1,2-Propanediol 	68412-54-4 57-55-6	Not Listed

15.2 Chemical Safety Assessment

• No data available

Section 16 - Other Information

Relevant Phrases (code & full text)

(
	 H303 - May be harmful if swallowed H373 - May cause damage to organs - Kidney/Nephrotoxin through prolonged or repeated exposure via Inhalation P260 - Do not breathe dust, fume, gas, mist, vapors and/or spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 - Get medical advice/attention if you feel unwell. P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Classification method for mixtures	Calculation method.
Revision Date	• 04 August 2015
Last Revision Date	• 23 October 2013
Other Information	Approved by manufacturer
Disclaimer/Statement o	f• The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under direct supervision, no representation is made that the information is accurate, reliable, complete, or representative and Buyer may rely thereon only at the Buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and / or situations involving its handling and uses. No warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.