

| Print date Version: | e: 9/20/2017 2 | , LSP RED COAT Revision date: 9/20/2017 Issue date: 9/20/2017 | USA Page 1 / 6 | | |
|---|--|--|--|----------------|--|
| 1. Id | entification of the | e substance/mixture and of the co | ompany/undertaking | | |
| | product identifiers | | #195-782 | | |
| | | substance or mixture | LSP RED COAT | | |
| 1.2. | | l uses of the substance or mixture an | id uses advised against | | |
| | Relevant identified Stencil production fe | l uses or screen and textile printing. Reserved | for industrial and professional use. | | |
| ļ | supplier (manufact | | ibutor) | | |
| F | For Product and Us | e Information: 314-382-9300 Conta | ct: David Landesman | | |
| 1.4. | Emergency teleph Emergency teleph | one number none: CHEMTREC 800-424-9300 | | | |
| 2. Ha | azards identificat | ion | | | |
| CI Th Ey 2.2. Labo Th La Ha Ha Ha Ha Pr Pa Pa Co St | assification accord is mixture is classifi- re Irrit. 2 / H319 el elements he product is classifi- azard pictograms Warnir azard statements 319 recautionary statem 280 305 + P351 + P338 337 + P313 ontains: | Causes serious eye irritation. nents Wear protective gloves and eye/face pi F IN EYES: Rinse cautiously with water easy to do. Continue rinsing. If eye irritation persists: Get medical ad n.a. d information (EU) | rotection. (EC) No. 1272/2008 [CLP]. tion Causes serious eye irrit es or corresponding national laws. P1 rotection. for several minutes. Remove contact le | | |
| | JH208 | May produce an allergic reaction. | | | |
| 2.3. Oth | 2.3. Other hazards | | | | |
| 3. C | 3. Composition / Information on ingredients | | | | |
| 3.2. Mix | tures | | | | |
| - | Product description / chemical characterization | | | | |
| | escription | Mixture of components, as listed below | with nonhazardous constituents | | |
| | Hazardous ingredients | | | | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | | |
| | C No. | REACH No. | | | |
| - | AS No. IDEX No. | Chemical name classification: | | Wt % Remark | |



| int date: rrsion: | 9/20/201 2 | 7 LSP RED COAT Revision date: 9/20/2017 Issue date: 9/20/2017 | USA Page 2 / 6 | | |
|--------------------------|-------------------------------------|--|-------------------|-----------|--|
| 607-648-0 25213-24- | | Acetic acid ethenyl ester polymer, polyme Eye Irrit. 2 H319 | r with ethenol | 10 - 12.5 | |
| 618-605-9 9064-13-5 | - | Skin Sens. 1B H317 | | 0.5 - 1 | |
| | al informat f classificat | ion ion: see section 16 | | | |

First-aid measures 4.

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately.Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

5. **Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media

Foam Water mist Carbon dioxide

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire.Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections



| Print date: | 9/20/2017 | |
|-------------|-----------|--------------------------|
| Version: | 2 | LSP RED COAT |
| | | Revision date: 9/20/2017 |
| | | Issue date: 9/20/2017 |

USA Page 3 / 6

7. Handling and storage

Observe protective provisions (see chapter 7 and 8).

7.1. Precautions for safe handling

Advices on safe handling

Heed the usual precautionary measures of handling chemicals.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. Exposure controls / Personal protection

8.1. Control parameters

Occupational exposure limit values:

n.a.

8.2. Exposure controls

Personal protection equipment Respiratory protection

Hand protection

Chemical resistant protective gloves: DIN EN 374 Recommendation for contact by spatter: Protection Index 2 Permeation time >30 min., e.g. butyl rubber 0,4 mm Recommendation for direct contact: Protection Index 6 Permeation time >480 min., e.g. nitrile rubber 0,4 mm

Eye protection

Wear closed protection glasses. DIN EN 166

Protective clothing

Protective measures

Avoid contact with skin, eyes and clothes. After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

| liquid | | |
|-----------------------|---|---|
| refer to label | | |
| characteristic | | |
| | Method | Remark |
| n.a. | | |
| NB | | |
| n.a. | | |
| n.a. | | |
| NB | | |
| 1.00g/cm ³ | | |
| partially soluble | | |
| | refer to label characteristic n.a. NB n.a. n.a. NB 1.00g/cm ³ | refer to label characteristic Method n.a. NB n.a. NB 1.00g/cm ³ |



| Print date: /ersion: | 9/20/2017 2 | LSP RED COAT Revision date: 9/20/2017 Issue date: 9/20/2017 | USA Page 4 / 6 |
|-------------------------|--|---|---|
| pH at | 20 °C: | 5,5 | 50 |
| Visco | sityat °C: | unknov | 'n |
| | boiling point and nposition tempera | 0 0 | B 0 |
| | nformation: | | |
| 10. Stabi | lity and reactivit | V | |
| 10.1. React | |) | |
| 10.2. Chem i | cal stability when applying the | recommended regulations for storage | ge and handling. Further information on correct storage: refer to |
| 10.3. Possil | oility of hazardous | reactions | |
| Keep | away from strong ac | cids, strong bases and strong oxidizi | ng agents to avoid exothermic reactions. |
| | tions to avoid | | |
| | patible materials | | |
| 10.6. Hazar o | dous decomposition | on products | |
| 11. Toxic | ological informa | tion | |
| | fication for mixtures ta on preparation its | | ding to regulation (EC) 1207/2008 [CLP] |
| 1.1. Inform | nation on toxicolo | gical effects | |
| Acute | toxicity | | |
| oral, | acid ethenyl ester p LD50, Rat: > 5000 r al, LD50, Rabbit: > | | |
| skin o | orrosion/irritation | ; Serious eye damage/eye irritatio | n |
| Toxico | ological data are not | available. | |
| Respi | ratory or skin sens | sitisation | |
| Toxico | ological data are not | available. | |
| CMR | effects (carcinoger | nicity, mutagenicity and toxicity for | or reproduction) |
| Toxico | ological data are not | available. | |
| | fic target organ to | - | |
| | ological data are not | available. | |
| - | ation hazard | | |
| | ological data are not | | |
| | cal experience/hu | man evidence | |
| Prolor | observations: nged or repeated co tion of blebs, derma | | o irritations of mucous membranes and of skin such as redness, |
| Overa | II Assessment on | CMR properties | |
| The in Rema | - | cture do not meet the criteria for clas | sification as CMR category 1A or 1B according to CLP. |
| There | is no information av | vailable on the preparation itself . | |
| 12. Ecolo | ogical informatio | n | |
| overa | Il evaluation | | ling to regulation (EC) 1207/2008 [CLP] |
| Techn | t store at public land ically correct releas vated sludge. | | oted biological sewage plants, will not disturb the biodegradabilit |
| 40 4 T | - | | |

12.1. Toxicity

No information available.



| Print date: Version: | 9/20/2017 2 | LSP RED COAT Revision date: 9/20/2017 Issue date: 9/20/2017 | USA Pade 5 / 6 |
|-------------------------|---|---|---|
| 12.2. Persist | erm Ecotoxicity To ence and degrada ogical data are not | | |
| | umulative potentia | | |
| | ogical data are not | | |
| | centration factor | | |
| 12.4. Mobility | ogical data are not v in soil | | |
| | ogical data are not | available. | |
| 12.5. Results | s of PBT assessme | ent | |
| | | ture do not meet the PBT/vPvB criter | a according to REACH, annex XIII. |
| | dverse effects | | |
| 13. Dispo | sal consideratio | ns | |
| | reatment method | | |
| | priate disposal / Primendation | roduct | |
| List of 130105 | | odes/waste designations in accord | ance with EWC |
| | mendation | es may be recycled.Vessels not prop | erly emotied are special waste |
| | port information | | |
| | | ense of this transport regulation. | |
| 14.1. UN nun | | | |
| | | n.a. | |
| 14.2. UN pro | per shipping name | 9 | |
| 14.3. Transp | ort hazard class(e | s) | |
| | | n.a. | |
| 14.4. Packing | g group | n.a. | |
| 145 Enviror | nmental hazards | | |
| | ansport (ADR/RID) | n.a. | |
| | pollutant | n.a. | |
| | precautions for u | | |
| Transp case of | - | l, upright and safe containers. Make s kage. | sure that persons transporting the product know what to do in |
| Additio | onal information | | |
| Land t | ransport (ADR/RID |)) | |
| tunnel | restriction code | - | |
| Sea tra | insport (IMDG) | | |
| EmS-N | 0. | n.a. | |
| - | jing >30 l | | |
| - | | ng to Annex II of MARPOL and the | IBC Code |
| not app | nicable | | |
| | | | |



| Print date: Version: | 9/20/2017 2 | LSP RED COAT Revision date: 9/20/2017 Issue date: 9/20/2017 | USA Page 6 / 6 | |
|--|--|---|--|--|
| | latory informatio | | ecific for the substance or mixture | |
| - | gislation | | | |
| VOC- | value (in g/L): ISO 1 value (in g/L): ASTM | | 0.102 0.610 | |
| Obse | rve in addition any | national regulations! | | |
| Obser Obser | ve restrictions to em | rictions under the Maternity Protect ployment for juvenils according to the second of | on Directive (92/85/EEC) for expectant o e 'juvenile work protection guideline' (94 | |
| This mixture is classified as not hazardous according to 1999/45/EC. | | | 45/EC. | |
| Subs | | wg) d in the following inventories: FANCES CONTROL ACT (TSCA) | | |
| | ical Safety Assessi ical safety assessme | ment ents for substances in this preparat | n were not carried out. | |
| 16. Othe | r information | | | |
| Eye Ir Skin S Addit | ext of classification rit. 2 / H319 Sens. 1B / H317 ional information ification for mixtures | Serious eye damage/eye irri respiratory or skin sensitisati | | |

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1.I