

Enclosure for command devices, 22 mm, round, Enclosure material plastic, enclosure top part gray, 2 control points plastic, Recess for labels, without equipment



Product brand name	SIRIUS ACT
Product designation	Enclosures
Product type designation	3SU1

Enclosure	
Design of the housing	with recess for label
Shape of the enclosure front	rectangular
Material of the enclosure	plastic
Number of command points	2
Product component	
• protective collar	No
Color	
• of top part of the enclosure	grey
Mounting type of the enclosure	Vertical / horizontal

General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Degree of protection NEMA rating	1, 2, 3, 3R, 4, 4X, 12, 13
Shock resistance	
• for railway applications acc. to DIN EN 61373	Category 1, Class B
Vibration resistance	

- for railway applications acc. to DIN EN 61373

Category 1, Class B

**Cable entry type**

Without

**Connections/ Terminals**

**Type of electrical connection on enclosure**

Cable routing above and below, both 1 x M20

**Tightening torque of mounting screws in the enclosure cover**

1.5 ... 1.7 N·m

**Ambient conditions**

**Ambient temperature**

- during operation
- during storage

-25 ... +70 °C

-40 ... +80 °C

**Installation/ mounting/ dimensions**

**Mounting type**

- of modules and accessories

Floor mounting

**Height**

114 mm

**Width**

85 mm

**Depth**

64 mm

**Mounting diameter**

22.3 mm

**Positive tolerance of installation diameter**

0.4 mm

**Certificates/ approvals**

**General Product Approval**

**Declaration of Conformity**



**Declaration of Conformity**

**Test Certificates**

**Marine / Shipping**

[Miscellaneous](#)

[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)



**Marine / Shipping**

**other**



[Confirmation](#)

**Further information**

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<https://www.siemens.com/ic10>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mfb=3SU1802-0AA00-0AB1>

**Cax online generator**


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3SU1802-0AA00-0AB1>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1802-0AA00-0AB1>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mfb=3SU1802-0AA00-0AB1&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3SU1802-0AA00-0AB1&lang=en)



last modified:

03/06/2020