


Labeling plate for snapping on or gluing to label holder, label size 12.5x27mm, silver label, black font, with graphic symbol: II



<b>Product brand name</b>	SIRIUS ACT
<b>Product designation</b>	Labeling plate
<b>Product type designation</b>	3SU1
<b>General technical data</b>	
<b>Protection class IP</b>	IP66, IP67, IP69(IP69K)
<b>Shock resistance</b>	Category 1, Class B
<ul style="list-style-type: none"> <li>• for railway applications acc. to DIN EN 61373</li> </ul>	
<b>Vibration resistance</b>	Category 1, Class B
<ul style="list-style-type: none"> <li>• for railway applications acc. to DIN EN 61373</li> </ul>	
<b>Installation/ mounting/ dimensions</b>	
<b>Height</b>	12.5 mm
<b>Width</b>	27 mm
<b>Accessories</b>	
<b>Material of accessory</b>	Plastic
<b>Mounting type of label</b>	snap on / stick
<b>Marking of the name plate for command devices</b>	II
<b>Shape of the name plate for command devices</b>	rectangular
<b>Color of the label</b>	silver/black (plate/text)

## Certificates/ approvals

## General Product Approval



CSA



UL



EG-Konf.

## Declaration of Conformity

[Miscellaneous](#)

## Test Certificates

[Type Test Certificates/Test Report](#)

## Marine / Shipping



ABS



LRS



PRS



RINA



RMRS

DNV-GL  
DNVGL.COM/AF

## other

[Confirmation](#)

## Further information

## Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

## Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AC81-0QC0>

## Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AC81-0QC0>

## Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AC81-0QC0>

## Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SU1900-0AC81-0QC0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AC81-0QC0&lang=en)



last modified:

03/06/2020