


Labeling plate for gluing on enclosure, label size 22x22mm, silver label, black font, with graphic symbol: arrow pointing to the right



Product brand name	SIRIUS ACT
Product designation	Labeling plate
Product type designation	3SU1

General technical data

Protection class IP	IP66, IP67, IP69(IP69K)
Shock resistance	Category 1, Class B
<ul style="list-style-type: none"> for railway applications acc. to DIN EN 61373 	
Vibration resistance	Category 1, Class B
<ul style="list-style-type: none"> for railway applications acc. to DIN EN 61373 	

Installation/ mounting/ dimensions





Height	22 mm
Width	22 mm

Accessories

Material of accessory	Plastic
Mounting type of label	stick
Marking of the name plate for command devices	SYMBOL: MOVEMENT DIRECTION OF ARROW TO THE RIGHT
Shape of the name plate for command devices	Square

Color of the label	silver/black (plate/text)
Printed ISO symbols	SYMBOL: MOTION ARROW POINTING RIGHT

Certificates/ approvals

General Product Approval			Declaration of Conformity		Test Certificates
 CSA	 UL		 EG-Konf.	Miscellaneous	Type Test Certificates/Test Report

Marine / Shipping



other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AF81-0QR0>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AF81-0QR0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AF81-0QR0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AF81-0QR0&lang=en



last modified:

03/06/2020