# **SIEMENS**

# Data sheet

# 6GK5005-0BA10-1CA3

SCALANCE X005EEC, IE entry Level switch unmanaged 5x 10/100 Mbit/s RJ45 ports, LED diagnostics, IP30, 24 V DC power supply, PROFINET-compliant securing collars, Extended temperature range -40 °C...+75 °C, E1 approval Manual available as a download



SCALANCE X005EEC	
10 Mbit/s, 100 Mbit/s	
5; RJ45 with securing collar	
0	
1	
2-pole terminal block	
Supply voltage, current consumption, power loss	
DC	
24 V	

external / minimum	18 V
external / maximum	32 V
Product component / fusing at power supply input	Yes
Fuse protection type / at input for supply voltage	0.5 A / 60 V
Consumed current / maximum	0.08 A
Power loss [W]	
• at DC / at 24 V	2 W

Ambient conditions	
Ambient temperature	
<ul><li>during operation</li></ul>	-40 +75 °C
during storage	-40 +80 °C
during transport	-40 +80 °C
Relative humidity	
<ul> <li>at 25 °C / without condensation / during operation / maximum</li> </ul>	95 %
Protection class IP	IP30

Design, dimensions and weight	
Design	compact
Width	40 mm
Height	125 mm
Depth	124 mm
Net weight	0.55 kg
Product feature / conformal coating	No
Mounting type	
• 35 mm DIN rail mounting	Yes
wall mounting	Yes
• S7-300 rail mounting	Yes
• S7-1500 rail mounting	No

Product functions / management, configuration, engineering	
Product function	
<ul> <li>multiport mirroring</li> </ul>	No
• CoS	Yes
Product function / switch-managed	No

Product functions / redundancy	
Product function	
<ul> <li>Parallel Redundancy Protocol (PRP)/operation in the PRP-network</li> </ul>	Yes
<ul> <li>Parallel Redundancy Protocol (PRP)/Redundant Network Access (RNA)</li> </ul>	No

Standards, specifications, approvals	
Standard	

• for safety / from CSA and UL UL 60950-1, CSA C22.2 No. 60950-1 EN 61000-6-4 (Class A) • for emitted interference • for interference immunity EN 61000-6-2 MTBF 165 y

# Standards, specifications, approvals / CE

Certificate of suitability / CE marking Yes

### Standards, specifications, approvals / other

Certificate of suitability	EN 61000-6-2, EN 61000-6-4
• C-Tick	Yes
● E1 approval	Yes
● E1 approval	No
<ul> <li>Railway application in accordance with EN 50155</li> </ul>	Yes
KC approval	Yes

Yes

# Standards, specifications, approvals / marine classification

#### Marine classification association

Yes • American Bureau of Shipping Europe Ltd.

(ABS)

Yes • DNV GL

Yes Korean Register of Shipping (KRS)

Yes • Lloyds Register of Shipping (LRS)

Yes • Polski Rejestr Statkow (PRS)

• Royal Institution of Naval Architects (RINA)

## Further information / Internet-Links

### Internet-Link

http://www.siemens.com/snst • to website: Selector SIMATIC NET

SELECTION TOOL

• to website: Industrial communication http://www.siemens.com/simatic-net

https://mall.industry.siemens.com • to website: Industry Mall

http://www.siemens.com/industry/infocenter • to website: Information and Download Center

http://automation.siemens.com/bilddb • to website: Image database

• to website: CAx Download Manager http://www.siemens.com/cax

https://support.industry.siemens.com • to website: Industry Online Support

#### Security information

Security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Thirdparty products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit http://support.automation.siemens.com. (V3.4)

last modified:

02/12/2020